EXHIBIT 1

CANADIAN COUNTY

Tract No(s). CN-0004.000

1. Surface Owner(s):

Clayton J. Hufnagel and Christi L. Hufnagel, Trustees of the Clayton J. Hufnagel Trust, a revocable trust dated the 17th day of May 2004, 609 Elizabeth Drive., Okarche, OK 73762

Christi L. Hufnagel and Clayton J. Hufnagel, Trustees of the Christi L. Hufnagel Trust, a revocable trust dated the 17th day of May, 2004, 609 Elizabeth Drive., Okarche, OK 73762

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$15,093.00 (with CN-0005.000 and CN-0006.000)




EXHIBIT "A"

MIDSHIP Mainline

Owner: Clayton J. Hufnagel and Christi L. Hufnagel, Trustees of the Clayton J. Hufnagel Trust and Christi L. Hufnagel and Clayton J. Hufnagel, Trustees of the Christi L. Hufnagel Trust

TRACT NO. CN-0004.000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of Section 6, Township 14 North, Range 8 West of the Indian Meridian, Canadian County, Oklahoma and being over, through and across a tract of land conveyed to Clayton J. Hufnagel and Christi L. Hufnagel, Trustees of the Clayton J. Hufnagel Trust and Christi L. Hufnagel Trust, recorded in Book RB 2916, Page 135 and in Book RB 2857, Page 627 of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2-inch fron rod found marking the north quarter corner of said Section 6; THENCE South 00°16'12" East with the east line of the northwest comer of said Section 6 a distance of 1487.20 feet to the POINT OF BEGINNING:

THENCE South 29°14'57" West, a distance of 1310.12 feet, to the POINT OF TERMINATION in the south line of the northwest quarter of said Section 6, from which a %-inch-iron rod found marking the west quarter corner of said Section 6 bears South 88°57'45" West a distance of 1740.64 feet, said baseline having a total distance of 1310.12 feet (79.40 rods), said Permanent Easement & Right of Way containing 1.504 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 2, drawing number CN-0004,000, Rev. 0, same date.

SSIONA

DENNEY

1434

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s). CN-0005.000

1. Surface Owner(s):

Clayton J. Hufnagel and Christi L. Hufnagel, Trustees of the Clayton J. Hufnagel Trust, a revocable trust dated the 17th day of May 2004, 609 Elizabeth Drive., Okarche, OK 73762

Christi L. Hufnagel and Clayton J. Hufnagel, Trustees of the Christi L. Hufnagel Trust, a revocable trust dated the 17th day of May, 2004, 609 Elizabeth Drive., Okarche, OK 73762

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

See CN-0004.000




EXHIBIT "A"

MIDSHIP Mainline

Owner: Clayton J. Hufnagel and Christi L. Hufnagel, Trustees of the Clayton J. Hufnagel Trust and Christi L. Hufnagel and Clayton J. Hufnagel, Trustees of the Christi L. Hufnagel Trust

TRACT NO. CN-0005.000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southwest quarter of Section 6, Township 14 North, Range 8 West of the Indian Meridian, Canadian County, Oklahoma and being over, through and across a tract of land conveyed to Clayton J. Hufnagel and Christi L. Hufnagel, Trustees of the Clayton J. Hufnagel Trust and Christi L. Hufnagel and Clayton J. Hufnagel, Trustees of the Christi L. Hufnagel Trust recorded in Book RB 2916, Page 135, and Book RB 2851, Page 780 of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 5/8-inch iron rod found marking the south quarter corner of said Section 6; THENCE North 00°16'14" West a distance of 2638.61 feet to the northeast corner of the southwest quarter of said Section 6, THENCE South 88°57'45" West with the north line of the southwest quarter of said Section 6 a distance of 645.57 feet to the POINT OF BEGINNING:

THENCE South 29°14'57" West, a distance of 1115.60 feet, to a point;

THENCE South 20°43'43" West, a distance of 349.48 feet, to the POINT OF TERMINATION on the west line of the east half of the southwest quarter of said Section 6, from which said 5/8-inch iron rod bears South 00°14'14" East a distance of 1353.17 feet to the southwest corner of the east half of the southwest quarter of said Section 6, THENCE North 88°51'05" East a distance of 1321.38 feet, said baseline having a total distance of 1465.08 feet (88.79 rods), said Permanent Easement & Right of Way containing 1.682 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 2, drawing number CN-0005.000, Rev. 0,

DENNEY

1434

same date.

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Date:

9.21.17

Tract No(s). CN-0006.000

1. Surface Owner(s):

Clayton J. Hufnagel and Christi L. Hufnagel, Trustees of the Clayton J. Hufnagel Trust, a revocable trust dated the 17th day of May 2004, 609 Elizabeth Drive., Okarche, OK 73762

Christi L. Hufnagel and Clayton J. Hufnagel, Trustees of the Christi L. Hufnagel Trust, a revocable trust dated the 17th day of May, 2004, 609 Elizabeth Drive.,
Okarche, OK 73762

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

See CN-0004.000






EXHIBIT "A"

MIDSHIP Mainline

Owner: Clayton J. Hufnagel and Christi L. Hufnagel, Trustees of the Clayton J. Hufnagel Trust and Christi L. Hufnagel and Clayton J. Hufnagel, Trustees of the Christi L. Hufnagel Trust TRACT NO. CN-0006.000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southwest quarter of Section 6, Township 14 North, Range 8 West of the Indian Meridian, Canadian County, Oklahoma and being over, through and across a tract of land conveyed to Clayton J. Hufnagel and Christi L. Hufnagel, Trustees of the Clayton J. Hufnagel Trust and Christi L. Hufnagel Trust, recorded in Book RB 2916, Page 135 and in Book RB 2851, Page 780 of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.CN.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a %-inch Iron rod found marking the west quarter corner of said Section 6; THENCE North 88°57'45" East a distance of 1066.41 feet to the northeast corner of Lot 6 of said Section 6, THENCE South 00°14'14" East with the east line of Lot 6 of said Section 6 a distance of 1288.03 feet to the POINT OF BEGINNING:

THENCE South 20°43'43" West, a distance of 1458.00 feet, to the POINT OF TERMINATION on the south line of said Section 6, from which a 5/8 inch iron rod found marking the southwest corner of said Section 6, bears South 88°51'04" West a distance of 543.28 feet, said baseline having a total distance of 1458.00 feet (88.36 rods), said Permanent Easement & Right of Way containing 1.674 acres of Jand.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A". Sheet No. 1 of 3, drawing number CN-0006.000, Rev. 1, same date.

DENNEY

1434

ATTABBB

111 18

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s). CN-0007.010

1. Surface Owner(s):

Tracy G. Maass 28319 N 2780 Rd., Okarche, OK 73762

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$8,146.00 (with CN-0011.000)






EXHIBIT "A"

MIDSHIP Mainline TRACT NO. CN-0007.010

Owner: Tracy G. Maass

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southwest quarter of Section 7, Township 14 North, Range 8 West of the Indian Meridian, Canadian County, Oklahoma and being over, through and across a tract of land conveyed to Tracy G. Maass, recorded in Book RB 3966, Page 827, of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1-inch Iron rod found marking the west quarter corner of sald Section 7; THENCE North 89°06'48" East a distance of 521.01 feet to the POINT OF BEGINNING;

THENCE South 00°52'24" East, a distance of 53.35 feet, to a point;

THENCE South 70°39'53" West, a distance of 548.35 feet, to the POINT OF TERMINATION on the west line of said Section 7, from which a 3/8 inch fron rod found marking the southwest corner of said Section 7 bears South 01°05'50" East a distance of 2412.24 feet, said baseline having a total distance of 601.70 feet (36.47 rods), said Permanent Easement & Right of Way containing 0.691 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 3, drawing number CN-0007.010, Rev. 3,

ONA

DENNEY

BELAND

same date.

James Michael Denney Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Page 3 of 3

Tract No(s).CN-0011.000

1. Surface Owner(s):

Tracy G. Maass 28319 N 2780 Rd., Okarche, OK 73762

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

See CN-0007.000






EXHIBIT "A"

MIDSHIP Mainline

Owner: Tracy G. Maass

TRACT NO. CN-0011,000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southeast quarter of Section 12, Township 14 North, Range 9 West of the Indian Meridian, Canadian County, Oklahoma and being over. through and across a tract of land conveyed to Tracy G. Maass, recorded in Book RB 3966, Page 827, of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1-inch iron rod found marking the east quarter corner of said Section 12; THENCE South 01°05'50" East a distance of 226.88 feet to the POINT OF BEGINNING;

THENCE South 70°39'53" West, a distance of 557.65 feet, to a point;

THENCE South 19°32'06" West, a distance of 1755.82 feet, to the POINT OF TERMINATION on the west line of said Maass tract, from which a 3/8-inch iron rod found marking the southeast corner of said Section 12 bears South 00°27'02" East a distance of 589.85 feet, THENCE North 89°08'10" East a distance of 1155.00 feet, said baseline having a total distance of 2313.47 feet (140.21 rods), said Permanent Easement & Right of Way containing 2.656 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 3, drawing number CN-0011.000, Rev. 1. same date. SIONA

DENNEY

1434

DELARINE

ate:

James Michael Denney

Registered Professional Land Surveyor Oldahoma Registration No. 1434

Firm License No. 144

Tract No(s). CN-0013.000

1. Surface Owner(s):

David John Rother 305 W Elm St., El Reno, OK 73762

Bob Alan Rother 301 W. Elm St., El Reno, OK 73036

Mark D. Rother and Aletia R. Rother Living Trust, Mark D. Rother and Aletia R. Rother, Trustees, 301 W Elm St., El Reno, OK 73762

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$8,631.00 (with CN-0015.000)






EXHIBIT "A"

MIDSHIP Mainline TRACT NO. CN-0013.000

Owner: David John Rother, et al

PERMANENT EASEMENT & RIGHT OF WAY

Description of a Permanent Easement & Right of Way situated in the northeast quarter of the northeast quarter of Section 13, Township 14 North, Range 9 West of the Indian Meridian, Canadian County, Oklahoma and being over, through and across a tract of land conveyed to David John Rother and Bob Alan Rother, recorded in Book 3539, Page 91 and conveyed to the Mark D. Rother and Aletia R. Rother Living Trust, recorded in Book 3705, Page 683, of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said Permanent Easement & Right of Way being more particularly described as follows:

COMMENCING at a 3/8 inch iron rod found marking the northeast corner of said Section 13; THENCE South 89*08'10" West, with the north line of said Section 13, a distance of 1324.63 feet to the POINT OF BEGINNING;

THENCE South 02°52'39" West, a distance of 128.57 feet to a point on the west line of the northeast quarter of the northeast quarter of said Section 13;

THENCE North 00°23'32" West, with the west line of the northeast quarter of the northeast quarter of said Section 13, a distance of 128.30 feet to a point on the the north line of said Section 13;

THENCE North 89°08'10" East, with the the north line of said Section 13, a distance of 7.33 feet to the POINT OF BEGINNING, said Permanent Easement & Right of Way containing 0.011 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 3, drawing number CN-0013.000, Rev. 2, SIONA

> J. M. DENNE

> > 1434

same date

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

ON AND

Date:

Tract No(s). CN-0014.000

1. Surface Owner(s):

Wanda R. Hansen and Christian J. Hansen, Jr., Trustees, or their successors in trust, under the Wanda R. Hansen Living Trust, dated August 23, 2000, 16810 N. Calumet Road Calumet, OK 73014

Christian J. Hansen, Jr. and Wanda R. Hansen, Trustees, or their successors in trust, under the C. J. Hansen, Jr. Living Trust, dated August 23, 2000, 16810 N. Calumet Road Calumet, OK 73014

2. Other Persons-in-Interest:

Canadian Hills Wind, LLC c/o Corporation Service Company 10300 Greenbriar Place.
Oklahoma City, OK 73159


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$8,766.00






EXHIBIT "A"

MIDSHIP Mainline

Owner: Wanda R. Hansen and Christian J. Hansen, Jr., Trustees, or their successors in trust, under the Wanda R. Hansen Living Trust and Christian J. Hansen, Jr. and Wanda R. Hansen, Trustees, or their successors in trust, under the C. J. Hansen, Jr. Living Trust TRACT NO. CN-0014,000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northeast quarter of Section 13, Township 14 North, Range 9 West of the Indian Meridian, Canadian County, Oklahoma and being over, through and across a tract of land conveyed to Wanda R. Hansen and Christian J. Hansen, Jr., Trustees, or their successors in trust, under the Wanda R. Hansen Living Trust and Christian J. Hansen, Jr. and Wanda R. Hansen, Trustees, or their successors in trust, under the C. J. Hansen, Jr. Living Trust, recorded in Book RB 2368, Pages 867 & 858, of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 Inch from rod found marking the north quarter corner of said Section 13: THENCE North 89°08'10" East a distance of 1314.25 feet to the POINT OF BEGINNING;

THENCE South 02°52'39" West, a distance of 127.76 feet, to a point;

THENCE South 17°57'01" West, a distance of 1413.92 feet, to a point;

THENCE South 13°56'06" West, a distance of 549.83 feet, to a point;

THENCE South 00°19'04" West, a distance of 217.93 feet, to a point;

THENCE South 11°40'08" West, a distance of 435.91 feet, to the POINT OF TERMINATION on the south line of said northeast quarter from which a ¼ inch iron rod found marking the east quarter corner of said Section 13 bears North 89°08'59" East a distance of 2032.43 feet, said baseline having a total distance of 2745.35 feet (166.38 rods), sald Permanent Easement & Right of Way containing 3.140 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 3, drawing number CN-0014.000, Rev. 1.

Date:

SIONA

J. M.

DENNEY

1434

班人的學

same date.

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s).CN-0015.000

1. Surface Owner(s):

David John Rother 305 W Elm St., El Reno, OK 73762

Bob Alan Rother 301 W Elm St., El Reno, OK 73762

Mark D. Rother and Aletia R. Rother Living Trust, Dated September 22, 2010, Mark D. Rother and Aletia R. Rother, Trustees, 301 W Elm St., El Reno, OK 73762

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

See CN-0013.000






EXHIBIT "A"

CANADIAN COUNTY, OKLAHOMA SECTION 13, TOWNSHIP 14 NORTH, RANGE 9 WEST OF THE INDIAN MERIDIAN



T.W.S. LINE TABLE					
LINE	BEARING	DISTANCE			
L1	N43°43°37°W	43.79'			
L2	N09°19'44"E	16.11'			
L3	N46°16"23"E	58.23'			
L4	N09°19'42"E	762.71			



A.T.W.S. LINE TABLE					
LINE	BEARING	DISTANCE			
L5	N89"19'18"E	35.011			
L6	N00°40'53"E	27.90'			
L7	N00°40'63'E	53.23'			
L8	N09*19'42°E	151.89'			
L9	\$80°40'18°E	50.00			
L10	S09"19'43"W	148.11			
L11	\$00°40'53'W	49.45			
L12	N89°19'07'W	50.00°			

LEGEND

LR. LP. FND. N.T.S. R.O.W. T.W.S. AT.W.S. P.E.R.W.

IRON PIPE
FOUND
NOT TO SCALE
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT EXSEMENT & RIGHT OF WAY
BROKEN LINE NOT SCALABLE
BASELINE
SYSTIMG PIPELINE
STATUTORY R.O.W.



16350 Park Ten Piace Houston, TX 77084 (281) 615-0100

NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHI	P PIPELINE CO	MPANY, LLO	5		
DWG BY	: JCL	MIDSHIP MAINLINE PROJECT PERMANENT EASEMENT & RIGHT OF WA' ACROSS THE PROPERTY OF DAYID JOHN ROTHER, ET AL				
CKD BY:	TRC			AY		
DATE:	7/10/18					
SCALE:	N.T.S.					
REV#	DATE	DESCRIPTION				
1	8/22/2018	ADDED DETAIL				
0	8/16/2017	CERTIFIED				
DRAWING:		CN-0015.00D	SHEET NO.	2	OF	3

EXHIBIT "A"

Midship Mainline

Owner: David John Rother, Bob Alan Rother and Mark D. Rother and Aletia R. Rother, Trustees of the Mark D. Rother and Aletia R. Rother Living Trust

TRACT NO. CN-0015.000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southeast quarter of Section 13, Township 14 North, Range 9 West of the Indian Meridian, Canadian County, Oklahoma and being over, through and across a tract of land conveyed to David John Rother, Bob Alan Rother and Mark D. Rother and Aletia R. Rother, Trustees of the Mark D. Rother and Aletia R. Rother Living Trust, recorded in Book RB 3539, Page 91 and Book RB 3705, Page 683, of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a ½-inch iron rod found marking the east quarter corner of said Section 13; THENCE South 89°08'59" West with the north line of the southeast quarter of said Section 13 a distance of 2032.43 feet to the POINT OF BEGINNING;

THENCE South 11°40'08" West, a distance of 872.42 feet, to a point;

THENCE South 09°19'42" West, a distance of 1724.99 feet, to a point;

THENCE South 00°40'53" West, a distance of 84.61 feet, to the POINT OF TERMINATION on the south line of said Section 13, from which a ½-inch iron rod found marking the south quarter corner of said Section 13 bears South 89°19'18" West a distance of 158.24 feet, said baseline having a total distance of 2682.02 feet (162.55 rods), said Permanent Easement & Right of Way containing 3.079 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 and 2 of 3, drawing number CN-0015.000, Rev.

Date:

SIONA

J. M.

1434

1, same date.

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Page 3 of 3


Tract No(s). CN-0020.000

- 1. Surface Owner(s):
- 2. Other Persons-in-Interest:

Canadian Hills Wind, LLC c/o Corporation Service Company 10300 Greenbriar Place.
Oklahoma City, OK 73159

3. Legal Description: See attached plat.

4. Just Compensation: \$ 5,356.00






EXHIBIT "A"

Midship Mainline

Owner: Thomas J. Leck, Trustee of the Thomas J. Leck Revocable Trust

TRACT NO. CN-0020.000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the north half of the northwest quarter of Section 25, Township 14 North, Range 9 West of the Indian Meridian, Canadian County, Oklahoma and being over, through and across a tract of land conveyed to Thomas J. Leck, Trustee of the Thomas J. Leck Revocable Trust, recorded in Book RB 3547, Page 112 and Book RB 3493, Page 302, of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a ½ inch iron rod found marking the north quarter corner of said Section 25; THENCE South 89°17'20" West, with the north line of said Section 25, a distance of 1367.55 feet to the POINT OF BEGINNING;

THENCE South 00°37'57" West, a distance of 1314.29 feet, to the POINT OF TERMINATION on the south line of the north half of the northwest quarter of said Section 25, from which said ½ inch iron rod found marking the north quarter comer of said Section 25 bears North 89°22'19" East, with the south line of the north half of the northwest quarter of said Section 25, a distance of 1395.43 feet, THENCE North 00°35'00" West, with the east line of the northwest quarter of said Section 25, a distance of 1315.95 feet, said baseline having a total distance of 1314.29 feet (79.65 rods), said Permanent Easement & Right of Way containing 1.509 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 and 2 of 3, drawing number CN-0020.000, Rev.

\$10*NA*

DENNEY

1, same date.

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s). CN-0027.000

1. Surface Owner(s):

Charles A. Snyder and Diana M. Snyder P.O. Box 80 303 S. Walls Ave., Calumet, OK 73014

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$3,494.00






EXHIBIT "A"

MIDSHIP Mainline

Owner: Charles A. Snyder and Diana M. Snyder

TRACT NO. CN-0027,000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of the northwest quarter of Section 36, Township 14 North, Range 9 West of the Indian Meridian, Canadian County, Oklahoma and being over, through and across a tract of land conveyed to Charles A. Snyder and Diana M. Snyder, recorded in Book RB 2037, Page 774, of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a MAG nail with shiner found marking the northwest corner of said Section 36; THENCE North 89°30'53" East, with the north line of said Section 36, a distance of 232.23 feet to the POINT OF BEGINNING;

THENCE South 15°12'07" West, a distance of 466.01 feet, to a point;

THENCE South 74°06'17" West, a distance of 110.13 feet, to the POINT OF TERMINATION on the west line of said Section 36, from which a 1/2 inch iron rod found marking the west quarter corner of said Section 36 bears South 00°29'31" East, with the west line of said Section 36, a distance of 2175.15 feet, said baseline having a total distance of 576.14 feet (34.92 rods), said Permanent Easement & Right of Way containing 0.661 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 3, drawing number CN-0027.000, Rev. 1,

SIONA

J M

DENNE

1434

DATAHON

same dete.

James Michael Denney Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s). CN-0038.010

1. Surface Owner(s):

Betty A. Crowly, 1529 W Hickory El Reno, OK 73014

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$ 12,136.00 (with CN-0039.000)






EXHIBIT "A"

MIDSHIP Mainline

Owner: Betty Ann Crowly

TRACT NO. CN-0038.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the east half of the southwest quarter of Section 11, Township 13 North, Range 9 West of the Indian Meridian, Canadian County, Oklahoma and being over, through and across a tract of land conveyed to Betty Ann Crowly, recorded in Book RB 4619, Page 66, and Book RB 491, Page 104, of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, sald baseline being more particularly described as follows:

COMMENCING at a 1/2-inch iron rod found marking the west quarter corner of said Section 11; THENCE North 89°25'54" East, with the north line of the southwest quarter of said Section 11, a distance of 1930,70 feet to the POINT OF BEGINNING:

THENCE South 01°59'10" East, a distance of 1035.54 feet, to a point;

THENCE South 42°10'41" West, a distance of 934.87 feet, to the POINT OF TERMINATION on the west line of the east half of the southwest quarter of said Section 11, from which a 2 inch brass cap found marking the southwest corner of said Section 11 bears South 00°39'57" East, with the west line of the east half of the southwest quarter of said Section 11, a distance of 915.90 feet, THENCE South 89°16'50" West, with the south line of said Section 11, a distance of 1319.38 feet, said baseline having a total distance of 1970.41 feet (119.42 rods), said Permanent Easement & Right of Way containing 2.262 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 3, drawing number CN-0038.010, Rev. 2, same date.

DENNEY

Jame Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Date:

Page 3 of 3

Tract No(s). CN-0039.000

1. Surface Owner(s):

Betty A. Crowly, 1529 W Hickory El Reno, OK 73014

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

See CN-0038.010






EXHIBIT "A"

Midship Mainline TRACT NO. CN-0039.000

Owner: Betty Ann Crowly

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southwest quarter of the southwest quarter of Section 11, Township 13 North, Range 9 West of the Indian Meridian, Canadian County, Oklahoma and being over, through and across a tract of land conveyed to Betty Ann Crowly, recorded in Book RB 4619, Page 66, and Book RB 491, Page 104, of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the south quarter corner of said Section 11: THENCE South 89°16'50" West a distance of 1319.38 feet to the southeast corner of the west half of the southwest quarter of said Section 11, THENCE North 00°39'57" West with the east line of the west half of the southwest quarter of said Section 11 a distance of 915.90 feet to the POINT OF BEGINNING;

THENCE South 42°10'41" West, a distance of 1100.65 feet, to a point;

THENCE South 00°16'50" West, a distance of 109.61 feet, to the POINT OF TERMINATION on the south line of said Section 11, from which a 2-Inch brass cap found marking the southwest corner of said Section 11 bears South 89°16'50" West a distance of 569.12 feet, said baseline having a total distance of 1210.26 feet (73.35 rods), said Permanent Easement & Right of Way containing 1.389 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "8", Sheet No. 1 of 3, drawing number CN-0039.000, Rev. 2, SONAL

DENNEY

1434

same date.

Jame Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s). CN-0054.000

1. Surface Owner(s):

Marian Elizabeth Rother 10844 248th Street NW Okarche, OK 73762

Joan Margaret Watkins 506 Travis Ln., Okarche, OK 73762

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$12,058.00






EXHIBIT "A"

MIDSHIP Mainline

Owner: Joan M. Watkins and Marian Elizabeth Rother

TRACT NO. CN-0054,000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of Section 26, Township 13 North, Range 9 West of the Indian Meridian, Canadian County, Oklahoma and being over, through and across a tract of land conveyed to Joan M. Watkins and Marian Elizabeth Rother, recorded in Book RB 3738, Page 67, Book RB 3725, Page 177, Book RB 2908, Page 79, and Book RB 1801, Page 355 of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a railroad spike found marking the northwest corner of said Section 26; THENCE North 89°24'39" East with the north line of said Section 26 a distance of 719.27 feet to the POINT OF BEGINNING:

THENCE South 00°06'36" East, a distance of 345.57 feet, to a point;

THENCE South 57°37'49" East, a distance of 915.09 feet, to a point;

THENCE South 09°58'43" East, a distance of 523.27 feet, to a point;

THENCE South 13°51'23" East, a distance of 1309.32 feet, to the POINT OF TERMINATION on the south line of the northwest quarter of said Section 26, from which a 5/8-inch iron rod found marking the west quarter corner of sald Section 26 bears South 89°29'43" West a distance of 1862.35 feet, said baseline having a total distance of 3093.25 feet (187.47 rods), said Permanent Easement & Right of Way containing 3.551 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 2, drawing number CN-0054.000, Rev. 1, same date SSIONA

1434

MEABOUR

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

DENNEY Date:

Tract No(s). CN-0069.000

1. Surface Owner(s):

Calumet Industries, Inc. c/o LD Todd 14005 Highway 66 W Calumet, OK 73712

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128


3. Legal Description:


See attached plat.

4. Just Compensation:

\$4,497.00







Cheniere Midstream
Owner: Calumet Industries, Inc.

EXHIBIT "A"

MIDSHIP Mainline

TRACT NO. CN-0069.000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northeast quarter of the northeast quarter of Section 12, Township 12 North, Range 9 West of the Indian Meridian, Canadian County, Okiahoma and being over, through and across a tract of land conveyed to Calumet Industries, Inc., recorded in Book RB 2825, Page 287, of the Office of the Clerk and Recorder of Canadian County, Okiahoma (O.C.R.C.C.O.K.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at an "X" in concrete found marking the north quarter corner of said Section 12; THENCE South 89°51'42" West, with the north line of said Section 12, a distance of 122.29 feet to the POINT OF BEGINNING;

THENCE South 00°00'00" East, a distance of 113.88 feet, to a point:

THENCE South 20°54'33" East, a distance of 238.34 feet, to a point;

THENCE South 00"38'05" East, a distance of 323.87 feet, to the POINT OF TERMINATION on the south line of the north half of the northeast quarter of the northwest quarter of said Section 12, from which an "X" in concrete found marking the north quarter corner of said Section 12 bears North 89°51'42" East, with the south line of the north half of the northeast quarter of the northwest quarter of said Section 12, a distance of 40.06 feet, THENCE North 00"33'24" West, with the east line of the northwest quarter of said Section 12, a distance of 660.61 feet, said baseline having a total distance of 676.09 feet (40.98 rods), said Permanent Easement & Right of Way containing 0.779 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 5, drawing number CN-0069.000, Rev. 3, same date.

ONA

1434

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

EXHIBIT "A"

MIDSHIP Mainline

Owner: Calumet Industries, Inc.

TRACT NO. CN-0069,000

ACCESS ROAD

A 25-foor-wide strip of land situated in the northeast quarter of the northeast quarter of the northwest quarter (NE1/4NE1/4NW1/4) of Section 12, Township 12 North, Range 9 West of the Indian Meridian, Canadian County, Oklahoma and being over, through and across a tract of land conveyed to Calumet industries, inc., recorded in Book RB 2825, Page 287, of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said strip of land being twelve and one-half (12.5) feet on each side of a centerline being more particularly described as follows:

COMMENCING at an "X" in concrete found marking the north quarter corner of said Section 12; THENCE South 89°51'42" West, with the north line of said Section 12, a distance of 134.87 feet; THENCE South 00°08'18" East a distance of 33.00 feet to the POINT OF BEGINNING at the south line of the existing roadway easement;

THENCE South 00°00'00" East, a distance of 83.16 feet, to a point;

THENCE South 20°54'33" East, a distance of 238.41 feet, to a point;

THENCE South 00°38'05" East, a distance of 321.53 feet, to the POINT OF TERMINATION on the south line of the north half of the northeast quarter of the northwest quarter of said Section 12, from which an "X" in concrete found marking the north quarter corner of said Section 12 bears North 89"51'42" East, with the south line of the north half of the northeast quarter of the northwest quarter of said Section 12, a distance of 52.56 feet, THENCE North 90°33'24" West, with the east line of the northwest quarter of said Section 12, a distance of 660.61 feet, having a total length of 643.10 feet and an area of 0.369 acres.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A". Sheet No. 3 of 5, drawing number CN-0069.000_SITE, Rev. ONAL

1434

1, same date.

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s). CN-0071.000

1. Surface Owner(s):

Christy Lou Fees, Successor Trustee of the Wysetta V. Todd Farm Trust No. II 824 N. Calumet Rd., Calumet, OK 73014

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128


3. Legal Description:


See attached plat.

4. Just Compensation:

\$8,493.00










EXHIBIT "A"

MIDSHIP Mainline

Owner: Christy Lou Fees, Successor Trustee of the Wysetta V. Todd Farm Trust No. II

TRACT NO. CN-0071,000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of Section 12, Township 12 North, Range 9 West of the Indian Meridian, Canadian County, Oklahoma and being over. through and across a tract of land conveyed to Christy Lou Fees, Successor Trustee of the Wysetta V. Todd Farm Trust No. II, recorded in Book RB 2825, Page 285, of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-fivefeet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at an "X' in concrete found marking the north quarter corner of said Section 12; THENCE South 00°33'24" East, with the east line of the northwest quarter of said Section 12, a distance of 660.61 feet, THENCE South 89°51'42" West a distance of 40.06 feet to the POINT OF BEGINNING;

THENCE South 00°38'05" East, a distance of 1413.86 feet, to a point;

THENCE South 00°17'41" West, a distance of 561.94 feet, to the POINT OF TERMINATION on the north right of way line of Interstate Highway 40, from which a 1/2 inch iron rod found marking the center of said Section 12 bears North 89°50'28" East a distance of 46.48 feet, said baseline having a total distance of 1975.80 feet (119.75 rods), said Permanent Easement & Right of Way containing 2.268 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit 60", Sheet No. 1 of 7, drawing number CN-0071.000_MM, Rev. SIDNA

J. M.

1434

3, sa ne date.

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

EXHIBIT "A"

MIDSHIP Mainline

Owner: Christy Lou Fees, Successor Trustee of the Wysetta V. Todd Farm Trust No. II

TRACT NO. CN-0071.000

T-TAP SURFACE SITE

A 3500-square-foot parcel of land situated in the northwest quarter of Section 12, Township 12 North, Range 9 West of the Indian Meridian, Canadian County, Oklahoma and being over, through and across a tract of land conveyed to Christy Lou Fees, Successor Trustee of the Wysetta V. Todd Farm Trust No. II, recorded in Book RB 2825, Page 285, of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said 3500-square-foot parcel being more particularly described as follows:

COMMENCING at an "X' in concrete found marking the north quarter corner of said Section 12; THENCE South 00°33'24" East, with the east line of the northwest quarter of said Section 12, a distance of 661.35, passing at 660.61 feet the northeast corner of the southeast quarter of the northeast quarter of the northwest quarter (SE1/4NE1/4NW1/4) of said Section 12, THENCE South 89°26'36" West a distance of 15.05 feet to the POINT OF BEGINNING;

THENCE South 00°38'05" East, a distance of 70.00 feet, to a point;

THENCE South 89°21'55" West, a distance of 50.00 feet, to a point;

THENCE North 00°38'05 West, a distance of 70.00 feet, to a point;

THENCE North 89°21'55" East, a distance of 50.00 feet, to the POINT OF BEGINNING having an area of 0,080 acres (3500 square feet).

ACCESS ROAD

A 25-foot-wide strip of land situated in the northwest quarter of Section 12, Township 12 North, Range 9 West of the Indian Meridian, Canadian County, Oklahoma and being over, through and across a tract of land conveyed to Christy Lou Fees, Successor Trustee of the Wysetta V. Todd Farm Trust No. II, recorded in Book RB 2825, Page 285, of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said strip of land being twelve and one-half (12.5) feet on each side of a centerline being more particularly described as follows:

COMMENCING at an "X" in concrete found marking the north quarter corner of said Section 12; THENCE South 00°33'24" East, with the east line of the northwest quarter of said Section 12, a distance of 660,61 feet the northeast corner of the southeast quarter of the northeast quarter of the northwest quarter (SE1/4NE1/4NW1/4) of said Section 12, THENCE South 89°51'42" West, with the north line of the SE1/4NE1/4NW1/4 a distance of 52.56 feet to the PONT OF BEGINNING;

THENCE South 00°38′05″ East a distance of 1.17 feet to the POINT OF TERMINATION, having a total length of 1.17 feet and an area of 29 square feet.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 3 of 7, drawing number CN-0071.000_SITE, Rev.

SIONA

DENNEY

OK LAHOND

707

1, same date.

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

EXHIBIT "A"

Cana Meter Tap

Owner: Christy Lou Fees, Successor Trustee of the Wysetta V. Todd Farm Trust No. il

TRACT NO. CN-0071.000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of Section 12, Township 12 North, Range 9 West of the Indian Meridian, Canadian County, Oklahoma and being over. through and across a tract of land conveyed to Christy Lou Fees, Successor Trustee of the Wysetta V. Todd Farm Trust No. II, recorded in Book RB 2825, Page 285, of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-fivefeet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at an "X' in concrete found marking the north quarter corner of said Section 12; THENCE South 00°33'24" East, with the east line of the northwest quarter of said Section 12, a distance of 686,34 feet to the POINT OF BEGINNING:

THENCE South 89°23'20" West, a distance of 40.02 feet, to the POINT OF TERMINATION on the centerline of the proposed MIDSHIP mainline, from which a 1/2 inch iron rod found marking the center section of said Section 12 bears South 01°43'57" East a distance of 1950.41 feet, said baseline having a total distance of 40.02 feet (2.43 rods), said Permanent Easement & Right of Way containing 0.046 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 4 of 7, drawing number CN-0071,000_CMT, Rev. 2, same date

IONA

DENNEY

1434

Michael Denney James

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s). CN-0097.010

1. Surface Owner(s):

Betty J. Johnston 5600 S Country Club Rd., El Reno, OK 73036

Sheila Preno 4710 S Country Club Rd., El Reno, OK 73036

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$7,802.00




EXHIBIT "A"

CANADIAN COUNTY, OKLAHOMA SECTION 9, TOWNSHIP 11 NORTH, RANGE 8 WEST OF THE INDIAN MERIDIAN





A.T.W.S. LINE TABLE					
LINE	BEARING	DISTANCE			
L1	S89°23'01"W	70.94			
1.2	N24"13"29"W	38.24'			
L3	N89°22'28'W	55.10'			
L4	N24"13'29"W	183.94'			
L5	N43°60'50"W	25,61'			
L6	N46°09'09"E	60.00*			
L7	843°50'50"E	34.26'			
1.8	824*13'29'E	215.741			

LEGEND

LR. LP. FND. N.T.S. R.O.W. T.W.S. A.T.W.S. IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT ESEMENT & RIGHT OF WAY
BROKEN LINE NOT SCALABLE
PROPERTY LINE
BASELINE
EXSTING PIPELINE
STATUTORY R.O.W.



16350 Park Ten Piace Houston, TX 77084 (281) 616-0100 NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHI	P PIPELINE CO	MPANY, LLC	5		
DWG BY: CR		MIDSHIP MAINLINE PROJECT PERMANENT EASEMENT & RIGHT OF WAY				
CKD BY: TRC						
DATE: 7/27/18		ACROSS THE PROPERTY OF				
SCALE: N.T.S.		BETTY J. JOHNSTON AND SHEILA PRENO				
REV#	DATE	DESCRIPTION				
1	7/27/201B	ADDED DETAIL				
0	9/20/2017	CERTIFIED				
DRAWING:		CN-0097.010	SHEET NO.	2	QF	3

EXHIBIT "A"

MIDSHIP Mainline

Owner: Betty J. Johnston and Sheila Preno

TRACT NO. CN-0097.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southeast quarter of Section 9, Township 11 North, Range 8 West of the Indian Meridian, Canadian County, Oklahoma and being over, through and across a tract of land conveyed to Betty J. Johnston and Shella Preno, recorded in Book RB 2964, Page 602 and Book RB 2868, Page 77, of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the south quarter corner of said Section 9; THENCE North 00°39'12" West, with the west line of the southeast quarter of said Section 9, a distance of 1601.55 feet to the POINT OF BEGINNING;

THENCE South 55°27'05" East, a distance of 361.52 feet, to a point;

THENCE South 43°50'50" East, a distance of 1543.08 feet, to a point;

THENCE South 24°13'29" East, a distance of 293.63 feet, to the POINT OF TERMINATION on the south line of said Section 9, from which a 3/8 inch iron rod with cap found marking the southeast corner of said Section 9 bears North 89°23'01" East, with the south line of said Section 9, a distance of 1152.23 feet, said baseline having a total distance of 2198.23 feet (133.23 rods), said Permanent Easement & Right of Way containing 2.523 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further Information see Exhibit 100 Sheet No. 1 of 3, drawing number CN-0097,010, Rev. 1, same date.

DENNEY

BELAHRIBA

Date:

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

firm License No. 144

Tract No(s). CN-0107.030

1. Surface Owner(s):

Billy Long P.O. Box 851126 8053 N Alberts Dr., Yukon, OK 73085

Melvin Long P.O. Box 851126 8053 N Alberts Dr., Yukon, OK 73085

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$1,422.00




EXHIBIT "A"

MIDSHIP Mainline TRACT NO. CN-0107.030

Owner: Billy Long and Melvin Long

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southwest quarter of Section 35, Township 11 North, Range 8 West of the Indian Meridian, Canadian County, Oklahoma and being over, through and across a tract of land conveyed to Billy Long and Melvin Long, recorded in Book RB 2221, Page 432, of the Office of the Clerk and Recorder of Canadian County, Oklahoma (O.C.R.C.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 3/8 inch iron rod found marking the center of said Section 35; THENCE South 00°28'06" East, with the east line of the southwest quarter of said Section 35, a distance of 1321.66 feet to the northeast corner of Government Lot 4 of said Section 35, THENCE South 89°17'47" West, with the north line of said Government Lot 4, a distance of 851.46 feet to the POINT OF BEGINNING:

THENCE South 01°46'59" East, a distance of 1651.78 feet, to the POINT OF TERMINATION on the centerline of the Canadian River, from which a 3/8 inch iron rod found marking the southeast comer of said Section 35 bears North 83°48'21" East a distance of 3469.63 feet, said baseline having a total distance of 1651.78 feet (100.11 rods), said Permanent Easement & Right of Way containing 1.896 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 2, drawing number CN-0107.030, Rev. 0,

1434

same date.

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Date:

9 1.12

GRADY COUNTY

Tract No(s).GR-0111.010

1. Surface Owner(s):

Fitzgerald Farming and Ranching, LLC c/o Larry Joe Fitzgerald
P. O. Box 502
714 NW 3rd,
Minco, OK 73059

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:


See attached plat.

4. Just Compensation:


\$6,819.00



GRADY COUNTY, OKLAHOMA SECTION 11, TOWNSHIP 10 NORTH, RANGE 8 WEST OF THE INDIAN MERIDIAN



A.T.W.S. LINE TABLE						
LINE	BEARING	DISTANCE				
L1	N23*44'37"W	33.83				
L2	\$66°15"23"W	50.00				
L3	N23°44'36"W	170.94'				
1.4	N88*59'05"E	54.21'				
L5	\$23°44'36"E	150.00°				
L8	S25"38'00"E	363.85'				
L7	S25"38"00"E	200.00				
L8	S64*21'59"W	25.00'				
L9	N25"38'00"W	200.00				
L10	N64"21'59"E	25.00'				



NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSH	P PIPELINE CO	MPANY, LLO	9			
DWG BY	: CR	MIDOUIO MAINUME DES IESE		MIDSHIP MAINLINE PROJECT			
CKD BY:	TRC	PERMANENT EAS					
DATE:	7/18/18						
SCALE:	N.T.S.			MPAN			
REV#	DATE	DESCRIPTION					
1	7/18/2018	ADDED DETAIL					
0	9/19/2017	CERTIFIED					
DRAWIN	iG:	GR-0111.010 SHEET NO. 2 OF 3		3			

LEGEND

I.R. LP. FND. N.T.S. R.O.W. T.W.S. A.T.W.S. P.E.R.W. IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL, TEMPORARY WORKSPACE
PERMANENT EASEMENT & RIGHT OF WAY
BROKEN LINE NOT SCALABLE
PROPERTY LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.



16350 Park Ten Place Houston, TX 77084 (281) 616-0100

EXHIBIT "A"

MIDSHIP Mainline

Owner: Fitzgerald Farming and Ranching, L.L.C., a limited liability company

TRACT NO. GR-0111.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of Section 11, Township 10 North, Range 8 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Fitzgerald Farming and Ranching, L.L.C., a limited liability company, recorded in Book 4663, Page 64, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as

COMMENCING at a 1/2 inch iron rod with cap found marking the northwest corner of said Section 11: THENCE North 89°02'40" East, with the north line of said Section 11, a distance of 2100.75 feet to the POINT OF BEGINNING:

THENCE South 23°44'36" East, a distance of 73.98 feet, to a point:

THENCE South 03°06'43" East, a distance of 282.71 feet, to a point;

THENCE South 05°02'25" East, a distance of 353.32 feet, to a point;

THENCE South 19°15'13" East, a distance of 477.44 feet, to a point:

THENCE South 25°38'00" East, a distance of 814.36 feet, to the POINT OF TERMINATION on the east line of the northwest quarter of said Section 11, from which a 1/2 inch iron rod with cap found marking the north quarter corner of said Section 11 bears North 00°47'58" West, with the east line of the northwest quarter of said Section 11, a distance of 1896.43 feet, said baseline having a total distance of 2001.81 feet (121.32 rods), said Permanent Easement & Right of Way containing 2.298 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 2, drawing number GR-0111.010, Rev. 1, SIONA

CHI A HOW

same date.

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s). GR-0119.010

1. Surface Owner(s):

Fitzgerald Farming and Ranching, LLC c/o Larry Joe Fitzgerald P. O. Box 502 714 NW 3rd, Minco, OK 73059

2. Other Persons-in-Interest:

Chisholm Trail Farm Credit FCLA 1027 W. Choctaw Chickasha, OK 73023


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:


See attached plat.


4. Just Compensation:


\$ 9,384.00




GRADY COUNTY, OKLAHOMA SECTION 24, TOWNSHIP 10 NORTH, RANGE 8 WEST OF THE INDIAN MERIDIAN









4	A.T.W.S. LINE TABLE					
LINE	BEARING	DISTANCE				
L1	N00°34'03°W	212.55'				
1.2	N00°34'03"W	150.00				
L3	NB9"25"5B"E	50.00				
L4	S00"34"03"E	150.00"				
L5	S89°25'56*W	50.00				
L6	N25°48'52"W	132.52				
L7	S64*11'08"W	25.00'				
L8	N25*48'53"W	200.00*				
L9	N64°11'07"E	25.00°				
L10	925°48'53'E	200.001				
L11	524°52'12"E	84.85'				
L12	\$24*52'10"E	200.004				
L13	S65°07'49"W	35.00'				
L14	N24°52'11'W	200.00'				
L15	N65°07'50"E	35.00				
L16	S69*13'35"W	71.20				
L17	S89°13'35"W	38.34'				
L18	N24°52°11°W	157.27				
L19	N65"07"50"E	35.00				
L20	S24°52'10"E	172.93*				

LEGEND

LR. LP. FND. NT.S. RO.W. T.W.S. AT.W.S. P.E.R.W. T.A.R. P.A.R. IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADOTTONAL TEMPORARY WORKSPACE
PERMANENT ESSEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT ACCESS ROAD
ERMONEN LINE NOT SCALABLE
PROPERTY LINE
BASELSNE
EXISTING PIPELINE
STATUTORY R.O.W.



16350 Park Ten Place Houston, TX 77084 (281) 616-0100 NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

MIDSHIP PIPELINE COMPANY, LLC					
DWG BY	G BY: CR MIDSHIP MAINLINE PROJECT				
CKD BY: TRC PERMANENT EASEMENT & RIGHT OF W		/AY			
DATE: 7/19/18 ACROSS THE PROPERTY OF					
SCALE:	N.T.S.	FITZGERALD FARMING & RANCHING, L		G, L.L	c.
REV#	DATE	DESCRIPTION			
2	7/18/2018	ADDED DETAILS			
1	9/14/2017	BOOK NUMBER			
DRAWING: GR-0119.010 SHEET NO. 2 OF 3			3		

EXHIBIT "A"

MIDSHIP Mainline

Owner: Fitzgerald Farming & Ranching, L.L.C.

TRACT NO. GR-0119.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northeast quarter of Section 24, Township 10 North, Range 8 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Fitzgerald Farming & Ranching, L.L.C., recorded in Book 4682, Page 487, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch fron rod with aluminum cap stamped "TRC CA #144" set marking the north quarter corner of said Section 24; THENCE North 89°17'34" East, with the north line of said Section 24, a distance of 223.53 feet to the POINT OF BEGINNING:

THENCE South 00°34'03" East, a distance of 336.95 feet, to a point:

THENCE South 25°48'53" East, a distance of 1869.94 feet, to a point;

THENCE South 24°52'11" East, a distance of 666.51 feet, to the POINT OF TERMINATION on the south line of the northeast quarter of said Section 24, from which a 1/2 inch Iron rod with aluminum cap stamped "TRC CA #144" set marking the east quarter comer of said Section 24 bears North 89"13'35" East, with the south line of the northeast quarter of said Section 24, a distance of 1351.44 feet, said baseline having a total distance of 2873.40 feet (174.15 rods), said Permanent Easement & Right of Way containing 3.298 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 2, drawing number GR-0119.010, Rev. 2, SIONA

1434

Date:

same date.

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Page 3 of 3

Tract No(s). GR-0126.010

- 1. Surface Owner(s):
- 2. Other Persons-in-Interest:

Liberty National Bank 629 SW C Ave. Lawton, OK 73501

Chickasha Bank & Trust Company 5003 E Highway 37 Tuttle, OK 73089

3. Legal Description:

See attached plat.

4. Just Compensation:

\$485.00




EXHIBIT "A"

MIDSHIP Mainline

Owner: Mark Massey and Carrie Massey

TRACT NO. GR-C126.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southeast quarter of the northwest quarter of Section 30, Township 10 North, Range 7 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Mark Massey and Carrie Massey, recorded in Book 3804, Page 233 of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 Inch iron rod found marking the west quarter comer of said Section 30; THENCE North 89°27'58" East, with the south line of the northwest quarter of said Section 30, a distance of 1703.63 feet, THENCE North 00°21'48" East, with the west line of the subject tract, a distance of 115.70 to the POINT OF BEGINNING:

THENCE South 34°34'19" East, a distance of 25.62 feet, to a point;

THENCE South 35°11'12" East, a distance of 114.82 feet, to the POINT OF TERMINATION on the south line of the northwest quarter of said Section 30, from which a 1/2 inch iron rod with cap found marking the east quarter corner of said Section 30 bears North 89°27'58" East, with the south line of the north half of said Section 30, a distance of 3478.66 feet, said baseline having a total distance of 140,44 feet (8.51 rods), said Permanent Easement & Right of Way containing 0.161 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 2, drawing number GR-0126.010, Rev. 0,

SSI WAY

ENT ASSESS

same.date

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

DENNEY S Da

9.18

Tract No(s). GR-0127.010

1. Surface Owner(s):

Martin Dale Hardesty and Sharon Ann Hardesty 1454 State Highway 37 Tuttle, OK 73089


Betty Ann Lindheim, 1454 State Highway 37 Tuttle, OK 73089

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description: See attached plat.

4. Just Compensation: \$5,914.00



GRADY COUNTY, OKLAHOMA SECTION 30, TOWNSHIP 10 NORTH, RANGE 7 WEST OF THE INDIAN MERIDIAN



A.T.W.S. LINE TABLE				
LINE	BEARING	DISTANCE		
L1	S89°27'58"W	79.02		
L2	\$35°11'13"E	41.78		
L3	S36*11'12"E	150.001		
L4	S54°48'47"W	50.00		
L5	N35°11'12'W	184.72		
L6	N89*35*19"E	60.87		

LEGEND

LR.
LP.
IND.
N.T.S.
R.O.W.
T.W.S.
A.T.W.S.
P.E.R.W.
T.A.R.
P.A.R.

IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT EASEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT ACCESS ROAD
STOKE TO SCALABLE
PROPERTY LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.

NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHIP PIPELINE COMPANY, LLC				
DWG BY	': CR	MIDSHIP MAINLINE PROJECT			
OKD BY: TRC DATE: 7/19/18		PERMANENT EASEMENT & RIGHT OF WAY			
		ACROSS THE PROPERTY OF			
SCALE:	*********	MARTIN DALE HARDESTY, ET AL			
REV#	DATE	DESCRIPTION			
1	7/19/2018	ADDED DETAIL			
0	9/7/2017	CERTIFIED			
DRAWIN	lG:	GR-0127.010 SHEET NO. 2 OF 3			



16350 Park Ten Place Houston, TX 77084 (281) 616-0100

EXHIBIT "A"

MIDSHIP Mainline

Owner: Martin Dale Hardesty, Sharon Ann Hardesty and Betty Ann Lindheim

TRACT NO. GR-0127,010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the north half of the south half of Section 30, Township 10 North, Range 7 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Martin Dale Hardesty, Sharon Ann Hardesty and Betty Ann Lindheim, recorded in Book 3322, Page 468 and Book 1027, Page 335, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), sald fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the west quarter corner of said Section 30; THENCE North 89°27'58" East, with the north line of the southwest quarter of said Section 30, a distance of 1785.08 feet to the POINT OF BEGINNING:

THENCE South 35°11'12" East, a distance of 1608.15 feet, to the POINT OF TERMINATION on the south line of the northwest quarter of the southeast quarter of said Section 30, from which a 1/2 inch iron rod with aluminum cap stamped "TRC CA #144" set marking the south quarter corner of said Section 30 bears South 89°25'17" West, with the south line of the northwest quarter of the southeast quarter of said Section 30, a distance of 74.35 feet, THENCE South 00°38'24" East, with the west line of the southeast quarter, a distance of 1322.94 feet, said baseline having a total distance of 1608.15 feet (97.46 rods), said Permanent Easement & Right of Way containing 1.846 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit (A7) Sheet No(s). 1 of 2, drawing number GR-0127.010, Rev. 1,

Date:

J. M. DENNE 1434

DIZAHOHA

same date

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s).GR-0129.010

1. Surface Owner(s):

Chris J McComas and Christy D McComas P.O. Box 605 878 Highway 152 Minco, OK 73059

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$13,318.00 (with GR-0130.000)






EXHIBIT "A"

MIDSHIP Mainline

Owner: Chris J. McComas and Christy D. McComas

TRACT NO. GR-0129.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southwest quarter of the southeast quarter of Section 30, Township 10 North, Range 7 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Chris J. McComas and Christy D. McComas, recorded in Book 3124, Page 339, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod with aluminum cap stamped "TRC CA #144" set marking the south quarter corner of said Section 30; THENCE North 00°38'24" West, with the west line of the southeast quarter of said Section 30, a distance of 1322.94 feet, THENCE North 89°25'17" East, with the north line of the southwest quarter of the southeast quarter of said Section 30, a distance of 74.35 feet to the POINT OF BEGINNING:

THENCE South 35°11'12" East, a distance of 1606.41 feet, to the POINT OF TERMINATION on the south line of said Section 30, from which a 1/2 inch iron rod found marking the southeast corner of said Section 30 bears North 89°22'35" East, with the south line of said Section 30, a distance of 1655.52 feet, said baseline having a total distance of 1606.41 feet (97.36 rods), said Permanent Easement & Right of Way containing 1.844 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 2, drawing number GR-0129.010, Rev. 2, same note.

j. M.

K)

James Michael Denney

Registeled Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s). GR-0130.010

1. Surface Owner(s):

Chris J McComas and Christy D McComas P.O. Box 605 878 Highway 152 Minco, OK 73059

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

See GR-0129.010






EXHIBIT "A"

MIDSHIP Mainline

Owner: Chris J. McComas and Christy D. McComas

TRACT NO. GR-0130.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northeast quarter of Section 31, Township 10 North, Range 7 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Chris J. McComas and Christy D. McComas, recorded in Book 3124, Page 339, of the Office of the Clerk and Recorder of Grady County, Oklahoma (D.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the northwest corner of said Section 31; THENCE North 89°22'35" East, with the north line of said Section 31, a distance of 3608.97 feet to the POINT OF BEGINNING;

THENCE South 35°11'12" East, a distance of 2155.14 feet, to a point;

THENCE South 05°40'57" East, a distance of 207.49 feet, to the POINT OF TERMINATION on the south line of the north half of the southeast quarter of the northeast quarter of said Section 31, from which a 1/2 inch iron rod found marking the northeast corner of said Section 31 bears North 89°23'13" East, with the south line of the north half of the southeast quarter of the northeast quarter of said Section 31, a distance of 414.76 feet, THENCE North 00°37'42" West, with the east line of said Section 31, a distance of 1981.52 feet, said baseline having a total distance of 2362.63 feet (143.19 rods), said Permanent Easement & Right of Way containing 2.712 agrees of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 2, drawing number GR-0130.010, Rev. 2,

SIONA

DENNEY

1434

same date.

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s). GR-0131.010

1. Surface Owner(s):

Chris J McComas P.O. Box 605 878 Highway 152 Minco, OK 73059

Christy D McComas P.O. Box 605 878 Highway 152 Minco, OK 73059

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.


4. Just Compensation:

\$2,310.00




GRADY COUNTY, OKLAHOMA SECTION 31, TOWNSHIP 10 NORTH, RANGE 7 WEST OF THE INDIAN MERIDIAN

A.T.W.S. LINE TABLE				
LINE	BEARING	DISTANCE		
L1	S89°23'13'W	65,26'		
L 2	S05°40'57"E	208.35		
L3	S05"40'57"E	100.00'		
L4	S69*08'41"E	100.00'		
L5	S20°51'19'W	50.00'		
L6	N69°08'41"W	130.92*		
L7	N05°40'57"W	130.92		
L8	N84°19'04"E	50.00'		
19	S00°37'42"E	69.85		
L10	N69*12'57'W	84.60°		
L11	820°51°19'W	49.90		
L12	N69°08'41"W	144.47'		
L13	N20"51"19"E	50.00'		
£14	S69°06'12"E	144.47'		



T.A.R. SEGMENT TABLE				
LINE	BEARING	DISTANCE		
L15	N16°11'19"W	5.84'		
L16	N05°17"23"W	28.74		
L17	N01°38'54"E	68.56'		
L1B	N00°18'54"W	73.60'		



LEGEND

IR IP. FND. N.T.S. R.O.W. T.W.S. A.T.W.S. P.E.R.W. IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RICHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT ESEMENT & RIGHT OF WAY
BROKEN LINE NOT SCALABLE
PROPERTY LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.



16350 Park Ten Place Houston, TX 77084 (281) 615-0100

NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHIP PIPELINE COMPANY, LLC					
DWG BY	: CR	MIDSHIP MAINLINE PROJECT				
CKO BY	TRC					
DATE:	8/22/18					
SCALE:	N.T.S.	CHRIS J. McCOMAS AND CHRISTY D. McCOMAS		4AS		
REV#	DATE	DESCRIPTION				
3	8/23/2018	ADDED T.A.R. WIDTH AND AREA				
2	8/22/2018	T.A.R. DETAIL ADDED				
DRAWIN	l G :	GR-0131.010 SHEET NO. 2 OF 3				

EXHIBIT "A"

MIDSHIP Mainline

Owner: Chris J. McComas and Christy D. McComas

TRACT NO. GR-0131.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southeast quarter of the northeast quarter of Section 31, Township 10 North, Range 7 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Chris J. McComas and Christy D. McComas, recorded in Book 3124, Page 333, Book 2746, Page 33 and Book 2130, Page 68, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.O.K.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the northeast corner of sald Section 31; THENCE South 00°37'42" East, with the east line of said Section 31, a distance of 1981.52 feet, THENCE South 89°23'13" West, with the north line of the southeast quarter of the southeast quarter of the northeast quarter of said Section 31, a distance of 414.76 feet to the POINT OF BEGINNING;

THENCE South 05°40'57" East, a distance of 262.39 feet, to a point;

THENCE South 69°08'41" East, a distance of 420.88 feet, to the POINT OF TERMINATION on the east line of said Section 31, from which a railroad spike found marking the southeast corner of said Section 31 bears South 00°37'42" East, with the east line of said Section 31, a distance of 2887.13 feet, said baseline having a total distance of 683.27 feet (41.41 rods), said Permanent Easement & Right of Way containing 0.784 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 3, drawing number GR-0131.010, Rev. 3,

SONA

1434

即用的

173

same Hate

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s). GR-0132.010

1. Surface Owner(s):

Joe McComas and Arlene McComas, Co-Trustees of the Joe W. McComas Revocable Trust dated December 11, 2000, 510 NE Cemetery Rd., Minco, OK 73059

Chris J. McComas P.O. Box 605 878 Highway 152 Minco, OK 73059

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128


3. Legal Description:

See attached plat.

4. Just Compensation:

\$5,566





GRADY COUNTY, OKLAHOMA SECTION 32, TOWNSHIP 10 NORTH, RANGE 7 WEST OF THE INDIAN MERIDIAN

		A.T.W.S. LENE T	ABLE			
	LINE	BEARING	DISTANCE			
	L1	S35°22'25"E	4.50°			
	12	N00110'28'E	56.05'			
ı	L3	S69*08'42*E	30.71'			
Ì	L4	S36°22'28"E	223,49			
١	L5	\$53°37'32"W	50.00'			
ı	L6	N36°22'28'W	204.29			
ı	L7	\$36°22"28"E	120.01'			
	LB	S36°22'28"E	150.00			
	LO	353'37'33'W	50.001			
	L10	N36°22'28'W	128.69			
	L11	N30"32'45"E	54.35'			
I	L12	N36*22'28'W	111.46'			
	L13	\$53°37'32"W	50.80'			
	L14	N36°22'26"W	200.00			
L	L15	N53°37'33"E	50.00			

A.T.W.S. LINE TABLE					
LINE	BEARING	DISTANCE			
L16	\$36"22"28"E	20D.00°			
L17	N01°37'07"W	345.12'			
L18	N01°37'08"W	137.31			
L19	N36*22'27"W	100.00'			
L20	N53°37'31"E	50.00			
L21	\$36°22'28°E	115.65			
L22	\$01°37'07"E	152.96'			
L23	S88°22'53"W	50.00'			
L24	S01°37'07"E	56.05			
L25	S01°37'07"E	200.001			
L26	640°14'22"E	100.00			
L27	\$49°45'38'W	50,00°			
L28	N40°14'22"W	117.52			
£29 N01*37'07"W		217.52			
L30	N88°22'53"E	50.00			

	T.A.R. LINE TABLE					
LINE	BEARING	DISTANCE				
£31	N00°10'27"E	64.07				
L32	N02°44'35"W	45.05				
L33	N18°26'06"VV	17.15'				
L34	N28"31"22"W	13.75'				
135	N28°31'24"W	11.62'				
1.36	N37"46'57"W	1.78'				
L37	N40°48'54"W	27.32'				
L38	N46*22'47"W	5.29'				
L39	N46°22'49"W	21.11				
L40	N35°55'57"W	19.52'				
£41	N19°44'53'W	20,43'				
£42	N16°11'19'W	10.081				

LEGEND

FRON ROD

RON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT ESEMBIT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT ACCESS ROAD
PROPERTY LINE
EASTING PIPELINE
STATUTORY R.O.W.



NOTE:

- 1. SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.
- 2. SEE SHEET 2 OF 4 FOR DETAILS.

	MIDSHI	P PIPELINE CO	MPANY, LLC
DWG BY: CR		MIDSHIP MAINLINE PROJECT	
CKD BY:	TRC	PERMANENT SASEMENT & RIGHT OF WAY	
DATE: 8/23/16 SCALE: N.T.S.		ACROSS THE PROPERTY OF JOE W. McCOMAS REVOCABLE TRUST	
2	8/23/2018	REVISED T.A.R. DETAIL	
1	7/23/2018	ADDED DETAILS	
DRAWING:		GR-0132.010	SHEET NO. 3 OF 4

EXHIBIT "A"

MIDSHIP Mainline

Owner: The Joe W. McComas Revocable Trust

TRACT NO. GR-0132.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the west half of the west half of Section 32, Township 10 North, Range 7 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Joe W. McComas and Arlene E. McComas, Co-Trustee of the Joe W. McComas Revocable Trust, recorded in Book 3519, Page 465, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod with aluminum cap stamped "TRC CA #144" set marking the west quarter corner of said Section 32; THENCE North 00°37'42" West, with the west line of said Section 32, a distance of 245.10 feet to the POINT OF BEGINNING;

THENCE South 69°08'41" East, a distance of 68.29 feet, to a point;

THENCE South 36°22'28" East, a distance of 723.97 feet, to a point;

THENCE South 01°37'07" East, a distance of 483.74 feet, to a point;

Ulker

THENCE South 40°14'22" East, a distance of 609.30 feet, to the **POINT OF TERMINATION** on the south line of the north half of the southwest quarter of said Section 32, from which a railroad spike found marking the southwest corner of said Section 32 bears South 89°20'30" West, with the south line of the north half of the southwest quarter of said Section 32, a distance of 883.31 feet; **THENCE** South 00°37'42" East, with the west line of said Section 32, a distance of 1321.01 feet, said baseline having a total distance of 1885.30 feet (114.26 rods), said Permanent Easement & Right of Way containing 2.164 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 4, drawing number GR-0132.010, Rev. 2, same date.

DENNEY 1434

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s). GR-0133.010

- 1. Surface Owner(s):
- 2. Other Persons-in-Interest:


Minco Wind, LLC, Assignee of Boulevard Associates LLC, c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159

Minco Wind II, LLC c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159

Legal Description: See attached plat.

3. Just Compensation:

\$11,888.00 (with GR-0134.010, GR-0135.010)






EXHIBIT "A"

MIDSHIP Mainline

Owner: The Wesley Burchfield and Mary E. Burchfield Revocable Living Trust

TRACT NO. GR-0133.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the south half of the southwest quarter of Section 32, Township 10 North, Range 7 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Wesley Burchfield and Mary E. Burchfield, Trustees of the Wesley Burchfield and Mary E. Burchfield Revocable Living Trust, recorded in Book 4354, Page 206, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a railroad spike found marking the southwest corner of said Section 32; THENCE North 00°37'42" West, with the west line of said Section 32, a distance of 1321.01 feet, THENCE North 89°20'30" East, with the north line of the south half of the southwest quarter, a distance of 883.31 feet to the POINT OF BEGINNING:

THENCE South 40°14'22" East, a distance of 1418.43 feet, to a point; THENCE South 40"35'08" East, a distance of 244.06 feet, to a point;

THENCE South 00°36'37" West, a distance of 41.92 feet, to the POINT OF TERMINATION on the south line of said Section 32, from which a PK nail with washer stamped "TRC CA #144" set marking the south quarter corner of said Section 32 bears North 89°22'45" East, with the south line of said Section 32, a distance of 708.32 feet, said baseline having a total distance of 1704.41 feet (103.30 rods), said Permanent Easement & Right of Way containing 1.956 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 2, drawing number GR-0133.010, Rev. 1, SIONA

> DENNE 1434

Date:

same date.

James Michael Denney

Registe ed Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s).GR-0134.010

- 1. Surface Owner(s):
- 2. Other Persons-in-Interest:

Boulevard Associates LLC c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159

Minco Wind, LLC, c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159


Minco Wind II, LLC c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159

3. Legal Description:

See attached plat.


4. Just Compensation:

See GR-0133.010



GRADY COUNTY, OKLAHOMA SECTION 5, TOWNSHIP 9 NORTH, RANGE 7 WEST OF THE INDIAN MERIDIAN





- 4	A.T.W.S. LINE 1	ABLE	
LINE	BEARING	DISTANCE	
Ł1	N89*22'45'E	36.01	
L2	800°36'34"W	15.55'	
L3	S89"23"23"E	50.00°	
L4	S00°36'34"W	13.88	
L5	S32*29'14*E	106.41	
L6	\$57°30'46"W	50.00	
L7	N32°29'14"W	121.26	
LB	N00°38'37"E	28.74	
L9	S89*22'45"W	65.02'	
L10	500°36'37"W	71.85	
L11	S32*29'15*E	77,72	
L12	S32°29'14"E	400.00	
L13	S57°30'46"W	50.00°	
L14	N32°29'14"W	400.00'	
L15	N57°30'46"E	50.00′	
L16	S32°29'14"E	236.65'	
L17	832°29'14"E	200.00'	
L18	857°30'46"W	50.00	
L19	N32°29'14"W	200.00	
L20	N57°30'46"E	60.00°	

DETAIL "1" 1"=200"

LEGEND

LR. LP. FND. N.T.S. R.O.W. T.W.S. A.T.W.S. P.E.R.W. IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT EASEMENT & RIGHT OF WAY
BROKEN LINE NOT SCALABLE
PROPERTY LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.



16350 Park Tan Piace Houston, TX 77084 (281) 516-0100 NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHI	P PIPELINE CO	MPANY, LLC		
DWG BY	: CR	MIDSHIP MAINLINE PROJECT		_	
CKD BY: TRC		PERMANENT EASEMENT & RIGHT OF WAY			
DATE:	8/16/18	ACROSS THE PROPERTY OF			
SCALE:	N.T.S.	WESLEY BURCHFIELD AND MA	ARY E. BURCHPIELD REVOCABLE LINDAG TRUST		
REV#	DATE	DESCRIPTION			
1	8/16/2018	ADDED DETAIL			
0	9/19/2017	CERTIFIED			
DRAWING: GR-0134			SHEET NO. 2 OF 3	3	

EXHIBIT "A"

Midship Mainline

Owner: Wesley Burchfield and Mary E. Burchfield Revocable Living Trust

TRACT NO. GR-0134.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the north half of Section 5, Township 9 North, Range 7 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Wesley Burchfield and Mary E. Burchfield, Trustees of the Wesley Burchfield and Mary E. Burchfield Revocable Living Trust, recorded in Book 4354, Page 206, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a railroad spike found marking the northwest corner of said Section 5; THENCE North 89°22'45" East with the north line of said Section 5 a distance of 1943.50 feet to the POINT OF BEGINNING;

THENCE South 00°36'37" West, a distance of 53.94 feet, to a point;

THENCE South 32°29'14" East, a distance of 190.41 feet, to a point:

THENCE South 32°29'14" East, a distance of 1289.92 feet, to the POINT OF TERMINATION on the north line of Lot 19 of said Section 5, from which a %-inch iron rod found marking the west quarter corner of said Section 5 bears South 89°26'17" West a distance of 59.70 feet to the northwest corner of said Lot 19, THENCE South 01°09'37" East a distance of 1311.16 feet to the southwest corner of said Lot 19, THENCE South 89°29'48" West with the south line of the northwest quarter of said Section 5 a distance of 2670.27 feet, said baseline having a total distance of 1534.27 feet (92.99 rods), said Permanent Easement & Right of Way containing 1.761 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 and 2 of 3, drawing number GR-0134.010, Rev. SIONAL

DENNEY

1. same date.

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s). GR-0135.010

- 1. Surface Owner(s):
- 2. Other Persons-in-Interest:

Boulevard Associates LLC c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159

Minco Wind, LLC, c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159

Minco Wind II, LLC c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159

3. Legal Description:

See attached plat.

4. Just Compensation:

See GR-0133.010




EXHIBIT "A"

Midship Mainline TRACT NO. GR-0135.010

Owner: Wesley Burchfield and Mary E. Burchfield Revocable Living Trust

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northeast quarter of Section 5, Township 9 North, Range 7 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Wesley Burchfield and Mary E. Burchfield, Trustees of the Wesley Burchfield and Mary E. Burchfield Revocable Living Trust, recorded in Book 4354, Page 206, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the west quarter corner of said Section 5; THENCE North 89°29'48" East, along the south line of the northwest quarter of said Section 5, a distance of 2670.27 feet, THENCE North 01°09'37" West, along the west line of the northeast quarter of said Section 5, a distance of 1311.16 feet, THENCE North 89°26'17" East, along the north line of Lot 19 of said Section 5, a distance of 59.70 feet to the POINT OF BEGINNING;

THENCE South 32°29'14" East, a distance of 239.35 feet, to the POINT OF TERMINATION, from which a 3/8 inch rod with cap found marking the southeast corner of Lot 21 of said Section 5 bears South 01°39'12" West, with the east line of Lots 19, 20 and 21 of said Section 5, a distance of 3751.28 feet, said baseline having a total distance of 239.35 feet (14.51 rods), said Permanent Easement & Right of Way containing 0.275 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 2, drawing number GR-0135.010, Rev. 1, SIONAL

DENNEY

Date:

same date.

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s).GR-0137.010

1. Surface Owner(s):

Chris Joe McComas P.O. Box 605 878 Highway 152 Minco, OK 73059

Janice McComas Estes 5725 W OKC Reno St El Reno, OK 73036

2. Other Persons-in-Interest:

Boulevard Associates LLC c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159

Minco Wind, LLC, c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159

Minco Wind II, LLC c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$ 13,937.00






EXHIBIT "A"

GRADY COUNTY, OKLAHOMA
SECTION 5, TOWNSHIP 9 NORTH,
RANGE 7 WEST OF THE INDIAN MERIDIAN



DETAIL "1"

-	A.T.W.S. LINE TABLE				
LINE	BEARING	DISTANCE			
Li	833°55'37"E	154.76			
L2	833*85*37*E	200.00'			
L3	S56°04'23"W	25.00			
L4	N33°56'37°W	206.00'			
L5	N58°04'23°E	25.00			
1.6	S00*39'48"E	25.00			
L7	N89°36'10'W	52.69			
LB	800"38'24"E	40.01			
L9	S00°36'46"E	167.70			
L10	889"40"55"W	249.08'			
Ltt	N01"23"36"W	498.68			
L12	833°55'37"E	46,49*			
L13	901°23'36"E	285.05			
L14	\$89°36'10"E	226.47'			



DETAIL *2*

LEGEND



16350 Park Ten Place Houston, TX 77084 (281) 616-0100

NOTE:

1. SEE SHEET 1 OF 5 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHI	P PIPELINE CO	MPANY, LL	С		
DWG BY	r: CR	MIDSHIP MAINLINE PROJECT				
CKD BY: TRC		PERMANENT EASEMENT & RIGHT OF WAY				
DATE:	10/23/18	ACROSS THE PROPERTY OF				
SCALE:	N.T.S.	CHRIS JOE MCCOMAS & JANICE MCCOMAS ESTES				
REV#	DATE	DESCRIPTION				
4	02/28/2019	CENTERLINE REVISION				
3	10/23/2018	ADDED EASEMENT				
DRAWING: GR-0137.010 SHEET NO. 2 OF			OF	6		




EXHIBIT "A"

MIDSHIP Mainline

Owner: Chrls Joe McComas & Janice McComas Estes

TRACT NO. GR-0137.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southeast quarter of Section 5. Township 9 North, Range 7 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Chris Joe McComas and Janice McComas Estes, recorded in Book 4867, Pages 363 & 360, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a MAG nail found marking the east quarter corner of said Section 5; THENCE South 89°29'48" West, with the north line of the southeast quarter of said Section 5, a distance of 1695.25 feet to the POINT OF BEGINNING;

THENCE South 41°38'39" East, a distance of 427.29 feet, to a point; THENCE South 33°55'37" East, a distance of 2182.33 feet, to a point; THENCE South 01°23'36" East, a distance of 241.02 feet, to a point;

THENCE South 89"36'10" East, a distance of 215.00 feet, to the **POINT OF TERMINATION** on the east line of said Section 5, from which a PK nail found marking the southeast corner of said Section 5 bears South 00°39'48" East, with the east line of said Section 5, a distance of 251.96 feet, said baseline having a total distance of 3065.64 feet (185.80 rods), said Permanent Easement & Right of Way containing 3.519 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit A. Sheet No(s). 1 of 5, drawing number GR-0137.010, Rev. 4,

1434

CATARDAN

same date.

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Date:

EXHIBIT "A"

MIDSHIP Mainline

Owner: Chris Joe McComas & Janice McComas Estes

TRACT NO. GR-0137,010

MAIN LINE VALVE SITE

A 3500-square-foot parcel of land situated in the southeast quarter of Section 5, Township 9 North, Range 7 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Chris Joe McComas and Janice McComas Estes, recorded in Book 4867, Pages 363 & 360, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said 3500-square-foot parcel being more particularly described as follows:

COMMENCING at a PK nail found marking the southeast corner of said Section 5; THENCE North 00°39'48" West, with the east line of said Section 5, a distance of 276.97 feet; THENCE North 89°36'10" West, a distance of 190.34 feet; THENCE North 01°23'36" West, a distance of 21.44 feet to the POINT OF BEGINNING;

THENCE South 68°36'24" West, a distance of 50.00 feet, to a point;

THENCE North 01°23'36" West, a distance of 70.00 feet, to a point:

THENCE North 88*36'24" East, a distance of 50.00 feet, to a point:

THENCE South 01°23'36" East, a distance of 70.00 feet, to the POINT OF BEGINNING having an area of 0.080 acres (3500 square feet).

ACCESS ROAD

A 20-foot wide strip of land situated in the southeast quarter of Section 5, Township 9 North, Range 7 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Chris Joe McComas and Janice McComas Estes, recorded in Book 4867, Pages 363 & 360, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said strip of land being twelve and one-half (12.50) feet on each side of a centerline being more particularly described as follows:

COMMENCING at a PK nall found marking the southeast corner of said Section 5; THENCE North 60°39'48" West, with the east line of said Section 5, a distance of 237.82 feet; THENCE South 89°20'12" West, a distance of 20.63 feet to the POINT OF BEGINNING at the edge of an existing roadway within the right-of-way of U. S. Highway 81;

THENCE South 89°17'25" West, a distance of 25.00 feet, to an angle point:

THENCE North 89°36'10" West, a distance of 140.57 feet, to an angle point;

THENCE North 74°43'19" West, a distance of 23.11 feet, to an angle point;

THENCE North 47"03"35" West, a distance of 22.90 feet, to an angle point;

THENCE North 14°10'39" West, a distance of 22.91 feet, to an angle point;

THENCE North 01°23'36" West, a distance of 16.59 feet, to the POINT OF TERMINATION in the south line of the Main Line Valve Site described above, having a total length of 251.08 feet and an area of 0.121 acres.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 5 of 5, drawing number GR-0137.010_MLV,

BIT LIKEN

Rev. 2, same date.

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Date:

Page 5 of 5

Tract No(s). GR-0139.010

- 1. Surface Owner(s):
- 2. Other Persons-in-Interest:

Boulevard Associates LLC c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159

Minco Wind, LLC, c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159


Minco Wind II, LLC c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159

3. Legal Description:


See attached plat.

4. Just Compensation:


\$7,918.00 (with GR-0140.010)



GRADY COUNTY, OKLAHOMA SECTION 9, TOWNSHIP 9 NORTH, RANGE 7 WEST OF THE INDIAN MERIDIAN



DETAIL "1" 1"=200"



	A.T.W.S. LINE T	ABLE	
LINE	BEARING	DISTANCE	
L1	\$89°39'21"W	98,001	
L2	848"47'45"E	43.37	
L3	S48°47'44"E	133.43'	
1.4	S48°47'46"E	16.57	
L5	\$41°12'16"W	100.00	
L6	N48*47'44'W	260.08'	
L7	N88°57'03"E	148.72	
L8	S00*41*29"E	31.98	
L9	N52*06'10"W	140.59*	
L10	\$37°53'50°W	40.00	
L11	837°53'48'W	35.00	
L12	N52°06'10"W	200.00	
L13	N37"53'50"E	35,001	
L14	S52°06'09"E	200.00	
L15	N89°38'31"E	56.53'	
L16	N89"38'31"E	104.98'	
L17	\$52*06'09"E	50.58'	
1.18	\$37°53'61"W	66,001	
L19	N52°06'09"W	133.01	

	T.A.R. LINE TA	BLE	
LINE BEARING DISTANCE			
L20	\$04°55'23"W	37.36	

LEGEND

IR.
IP.
FND.
N.T.S.
R.O.W.
T.W.S.
AT.W.S.
P.E.R.W.
T.A.R.
P.A.R.

IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT ESEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT ACCESS ROAD
BROKEN LINE MOT SCALABLE
PROPERTY LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.

NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

MIDSHIP PIPELINE COMPANY, LLC CR DWG BY: MIDSHIP MAINLINE PROJECT PERMANENT EASEMENT & RIGHT OF WAY CKD BY: TRC ACROSS THE PROPERTY OF DATE: 8/16/18 JIMMIE L. VICKREY AND SHELLY R. VICKREY SCALE: N.T.S. REV# DATE DESCRIPTION 8/28/2018 ADD T.A.R. WIDTH AND AREA 3 2 8/16/2017 ADDED DETAILS GR-0139.010 SHEET NO. DRAWING:



16350 Park Ten Place Houston, TX 77084 (281) 616-0100

EXHIBIT "A"

MIDSHIP Mainline

Owner: Jimmie L. Vickrey and Shelly R. Vickrey

TRACT NO. GR-0139.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of the northwest quarter of Section 9, Township 9 North, Range 7 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Jimmie L. Vickrey and Shelly R. Vickrey, recorded in Book 2382, Page 127, as described in Book 2040, Page 179, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a PK nail found marking the northwest corner of said Section 9; THENCE North 89°39'21" East, with the north line of said Section 9, a distance of 338.25 feet to the POINT OF BEGINNING;

THENCE South 48°47'44" East, a distance of 874.89 feet, to the POINT OF EXIT on the east line of the west half of the northeast quarter of the northwest quarter of the northwest quarter of said Section 9;

THENCE South 50°39'03" East, a distance of 126.38 feet, to the POINT OF RE-ENTRY on the north line of the southeast quarter of the northwest quarter of said Section 9;

THENCE South 52°06'09" East, a distance of 298.22 feet, to the **POINT OF TERMINATION** on the east line of the northwest quarter of the northwest quarter of said Section 9, from which a 1/2 inch iron rod with cap found marking the north quarter corner of said Section 9 bears North 56°53'54" East a distance of 1562.76 feet, said baseline having a total distance of 1173.11 feet (71.10 rods), said Permanent Easement & Right of Way containing 1.347 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 and 2 of 3, drawing number GR-0139,010,

SIONA

DENNE

1434

Rev. 3. same date.

Jan e Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s).GR-0140.010


- 1. Surface Owner(s):
- 2. Other Persons-in-Interest:

Boulevard Associates LLC c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159

Minco Wind, LLC, c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159


Minco Wind II, LLC c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159

- 3. Legal Description: See attached plat.
- 4. Just Compensation: See GR-0139.010



GRADY COUNTY, OKLAHOMA SECTION 9, TOWNSHIP 9 NORTH, RANGE 7 WEST OF THE INDIAN MERIDIAN





A.T.W.S LINE TABLE				
LINE	BEARING	DISTANCE		
L1	N89"38"31"E	56,53'		
1.2	N52°06'09"W	66.99'		
L3	N37°53'51"E	85.00		
L4	\$52°06'09"E	149.42'		
L6	889*38*31*W	104.98'		

T.W.S. LINE TABLE			
LINE	BEARING	DISTANCE	
L6	\$89°38'31"W	40.38'	
L7	589°38'31"W	56.38'	
L8	N00"41"21"W	47.15'	
LB	848°47'44"E	33,80'	
L10	\$52°06'09"E	39,94'	

LEGEND

IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT ESEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT ACCESS ROAD
STROKEN LINE NOT SCALABLE
PROPERTY LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.

16350 Park Ten Place Houston, TX 77084 (281) 616-0100

NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHI	P PIPELINE CO	MPANY, LLC	
DWG BY	: CP	MIDSHIP MAINLINE PROJECT		
CKD BY: TRC		PERMANENT EASEMENT & RIGHT OF WAY		
DATE:	8/16/18	8 ACROSS THE PROPERTY OF		
SCALE:	N.T.S.			
REV#	DATE	DESCRIPTION		
2	8/16/2018	ADDED DETAIL		
1	4/27/2018	REVISED WORKSPACE		
DRAWING: GR-0140.010 SHEET NO. 2 OF 3				

EXHIBIT "A"

MIDSHIP Mainline

Owner: Jimmie L. Vickrey and Shelly R. Vickrey

TRACT NO. GR-0140.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of Section 9, Township 9 North, Range 7 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Jimmie L. Vickrey and Sheily R. Vickrey, recorded in Book 2382, Page 127, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a PK nail found marking the northwest corner of sald Section 9; THENCE North 89°39'22" East a distance of 989.51 feet to the northwest corner of the east half of the northeast quarter of the northwest quarter of the northwest quarter of the northwest quarter of said Section 9, THENCE South 90°41'21" East with the west line of the east half of the northeast quarter of the northwest quarter of the northwest quarter of said Section 9 a distance of 580.29 feet to the POINT OF BEGINNING;

THENCE South 48°47'44" East, a distance of 55.51 feet, to a point;

THENCE South 52°06'09" East, a distance of 70.92 feet, to a POINT OF EXIT on the south line of the east half of the northwest quarter of the northwest quarter of said Section 9;

THENCE South 52°06'09" East, a distance of 298.22 feet, to a POINT OF RE-ENTRY on the west line of the east half of the northwest quarter of said Section 9;

THENCE South 52°06'09" East, a distance of 491.91 feet, to a POINT OF EXIT on the westerly right-of-way line of the Oklahoma. Kansas and Texas Railroad:

THENCE South 52°06'09" East, a distance of 230.06 feet, to a POINT OF RE-ENTRY on the easterly right-of-way line of the Oklahoma, Kansas and Texas Railroad;

THENCE South 52°06'09" East, a distance of 122.03 feet, to the POINT OF TERMINATION on the east line of the west half of the east half of the northwest quarter of said Section 9, from which a 1/2 inch Iron rod with cap found marking the north quarter corner of said Section 9 bears North 00°41'27" West, with the east line of the west half of the east half of the northwest quarter of said Section 9, a distance of 1368.03 feet; THENCE North 89°39'21" East, with the north line of said Section 9, a distance of 659.62 feet, said baseline having a total distance of 740.37 feet (44.87 rods), said Permanent Easement & Right of Way containing 0.850 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 and 2 of 3, drawing number GR-0140.010,

SIONAL

DENNEY

1434

Rev. 2, same date.

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s). GR-0141.020

1. Surface Owner(s):


2. Other Persons-in-Interest:

Boulevard Associates LLC c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159

Minco Wind, LLC, c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159

Minco Wind II, LLC c/o The Corporation Services company 10300 Greenbriar Place, Oklahoma City, OK 73159

- 3. Legal Description: See attached plat.
- 4. Just Compensation: \$1,069.00



GRADY COUNTY, OKLAHOMA SECTION 9, TOWNSHIP 9 NORTH, RANGE 7 WEST OF THE INDIAN MERIDIAN

T.A.R. LINE YABLE			
LINE	BEARING	DISTANCE	
L1	NB6°44'54°W	175.76	
12	N87*14'48"W	72.50'	
L3	N85°17'29'W	82.79'	
L4	N86"41'44"W	162.07*	
L5	N84°58'38"W	213.47	
L6	N86°46'59"W	106.70'	
L7	N88°11'55"W	108.08'	
L8	N86°47'19'W	75.82*	
L9	N86"30'03"W	41.76	
L10	S88*58'48'W	47.73	
L11	\$85°14'38"W	30.73	
L12	875°55'31"W	32.65'	
L13	562*33'13'W	23.96'	
L14	\$59°23'01"W	26.69'	
Լ15	654°00'24"W	23.13	
L18	\$49*47'51"W	28.95	
L17	S39*50'37"W	26.55	
L18	S28*46'12"W	30.04	
L19	S18°27'24"W	29.55*	
L20	S11°36'29'W	33.82'	
L21	S03*13750°W	30.16'	

	T.A.R. LINE TABLE				
LINE	BEARING	DISTANCE			
1.22	S02°14'07"W	65,46'			
L23	\$00°59'25"E	98.81			
L24	S00°21'29"E	136.21'			
L25	\$00°26'69"W	107.33			
1.26	S01*32'54*E	62.89'			
1.27	S00°34'26"E	84.95			
1.28	S00"40"03"E	73.06			
1.29	\$00°52'49"E	56.66'			
L30	S00*33'59"E	85.80′			
1.31	.31 S00°58'22"E 100				
L32	\$02°21'33°E	82.71			
L33	S01*25'26"E	147.21'			
L34	\$01"27"04"E	104.57"			
L35	S02*07*33*E	44.31'			
L36	S02°18'29"E	49.33'			
L37	S01*15'06"W	45,48'			
L38	S15*16*08*W	22.63*			
L39	826°00'33"W	14.36'			
L40	840*53"17"W	16.19'			
L41	S58*22*23*W	17.00'			

LEGEND

IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
REGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERHANENT ESCHENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERHANENT ACCESS ROAD
ENGINE LINE NOT SCALABLE
PROPERTY LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.



16350 Park Ten Place Houston, TX 77084 (281) 516-0100

NOTE:

SEE SHEET 1 OF 2 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSH	P PIPELINE CO	MPANY, LLO)		
DWG BY	: JCL	→ MIDSHIP MAINLINE PROJECT				
CKO BY	TRC					
DATE:	8/23/18	ACROSS THE PROPERTY OF				
SCALE:	N.T.S.	JIMMIE L. VICKERY AND WIFE SHELLY R, VICKE		REY		
REV#	DATE	DESCRIPTION				
1	8/23/2018	ADDED T.A.R. WIDTH AND AREA				
0	8/16/2018	CERTIFIED				
DRAWING: GR-0141.020 SHEET NO. 2 OF		2				

Tract No(s). GR-0149.010

1. Surface Owner(s):

Terry Garrett 1072 County Road 1230 Pocasset, OK 73079

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$4,055.00




EXHIBIT "A"

MIDSHIP Mainline

Owner: Terry L. Garrett and Wynetta Garrett

TRACT NO. GR-0149.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of the southeast quarter of Section 22, Township 9 North, Range 7 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Terry L. Garrett and Wynetta Garrett, , recorded in Book 4029, Page 371, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 iron rod found marking the north quarter corner of said Section 22; THENCE South 00°40′59° East, with the west line of the east half of said Section 22, a distance of 2865.11 feet to the POINT OF BEGINNING;

THENCE South 22°32'53" East, a distance of 1180.20 feet, to the POINT OF TERMINATION on the south line of the northwest quarter of the southeast quarter of said Section 22, from which a 1/2 inch iron rod found marking the south quarter corner of said Section 22 bears South 89°19'36" West, with the south line of the northwest quarter of the southeast quarter of said Section 22, a distance of 439.53 feet, THENCE South 00°40'59" East, with the west line of the east half of said Section 22, a distance of 1320.22 feet, said baseline having a total distance of 1180.20 feet (71.53 rods), said Permanent Easement & Right of Way containing 1.355 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 2, drawing number GR-0149.010, Rev. 0, same date.

SIGNA

M

DENNE 1434

OKLAHOW

9.4.17

Date:

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s). GR-0150.010

1. Surface Owner(s):

Terry Garrett 1072 County Road 1230 Pocasset, OK 73079

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:


See attached plat.

4. Just Compensation:

\$5,231.00



GRADY COUNTY, OKLAHOMA SECTION 22, TOWNSHIP 9 NORTH, RANGE 7 WEST OF THE INDIAN MERIDIAN



A.T.W.S. LINE TABLE				
LINE	BEARING	DISTANCE		
L1	589°19'12'W	71.68		
1.2	N25°36'19"W	19,37		
L3	S89°31'31'W	54.38'		
L4	N22°32'53"W	129.55'		
L5	N67*27'07"E	50.00		
L6	\$22*32'53*E	142.59'		
<u>1.7</u>	825°36'17"E	7.41'		

LEGEND

LR. LP. FND. N.T.S. R.O.W. T.W.S. A.T.W.S. P.E.R.W. IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL, TEMPORARY WORKSPACE
PERMANENT ESEMENT & RIGHT OF WAY
BROKEN LINE NOT SCALABLE
PROPERTY LINE
RASELINE
EXISTING PIPELINE
STATUTORY R.O.W.

OTRC:

16350 Park Ten Place Houston, TX 77084 (281) 616-0100 NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHI	P PIPELINE CO	MPANY, LLC			
DWG BY: CP CKD BY: TRC DATE: 6/23/17 SCALE: N.T.S.		MIDSHIP MAINLINE PROJECT PERMANENT EASEMENT & RIGHT OF WAY				
					ACROSS THE PROPERTY OF	
		TERRY L. GARRETT				
		REV#	DATE	DESCRIPTION		
- 1	7/19/2018	ADDED DETAIL				
0	8/23/2017	CERTIFIED				
DRAWING:		GR-0150.010	SHEET NO. 2 OF 3			

EXHIBIT "A"

MIDSHIP Mainline TRACT NO. GR-0150.010

Owner: Terry L. Garrett

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southwest quarter of the southeast quarter of Section 22, Township 9 North, Range 7 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Terry L. Garrett, recorded in Book 2927, Page 387, Book 954, Page 204 of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a ½ inch Iron rod found marking the south quarter corner of said Section 22; THENCE North 00°40'59" West, with the west line of the southeast quarter of said Section 22, a distance of 1320.22 feet, THENCE North 89°19'36" East, with the north line of the southwest quarter of the southeast quarter of said Section 22, a distance of 439.53 feet to the POINT OF BEGINNING:

THENCE South 22°32'53" East, a distance of 1368.75 feet, to a point;

THENCE South 25°36'19" East, a distance of 55.25 feet, to the POINT OF TERMINATION on the south line of said Section 22, from which said ½ inch iron rod found marking the south quarter corner of said Section 22 bears South 89°19'52" West, with the south line of said Section 22, a distance of 972.57 feet, said baseline having a total distance of 1424.00 feet (86.30 rods), said Permanent Easement & Right of Way containing 1.635 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 2, drawing number GR-0150.010, Rev. 1, same date.

Date:

SIONA

J. M. DENNE 1434

DYZAHOHA

James Michael Denney

Registered Professional Land Surveyor

Oklahorha Registration No. 1434

Firm License No. 144

Page 3 of 3

Tract No(s). GR-0151.010

1. Surface Owner(s):

Terry Garrett / 1072 County Road 1230 Pocasset, OK 73079

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.


4. Just Compensation:

\$6,672.00



GRADY COUNTY, OKLAHOMA SECTION 27, TOWNSHIP 9 NORTH, RANGE 7 WEST OF THE INDIAN MERIDIAN





A.T.W.S. LINE TABLE				
LINE	BEARING	DISTANCE		
L1	889°19'55"W	71.68		
L2	825°36'19"E	29.07"		
L3	S25°36'20"E	150.00'		
L4	S64°23'41"W	50.00		
L5	N25"36'19"W	173.30*		
L6	N89°22'48"E	55.16'		

LEGEND

LR. LP. FND. N.T.S. R.O.W. T.W.S. AT.W.S. P.E.R.W. T.A.R. P.A.R. IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT EASEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT ACCESS ROAD
ERMANENT ACCESS ROAD
ERMANENT ACCESS ROAD
ERMONEN LINE HOT SCALASLE
PROPERTY LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.



16350 Park Ten Place Houston, TX 77084 (281) 616-0100

NOTE

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

MIDSHIP PIPELINE COMPANY, LLC							
DWG BY: CR CKD BY: TRC		MIDSHIP MAINLINE PROJECT PERMANENT EASEMENT & RIGHT OF WAY					
						DATE:	7/19/18
SCALE:	N.T.S.	TERRY LYNN GARRETT					
REV#	DATE	DESCRIPTION					
1	7/19/2018	ADDED DETAIL					
0	9/19/2017	CERTIFIED					
DRAWING:		GR-0151.010	SHEET NO.	2	OF	3	

EXHIBIT "A"

MIDSHIP Mainline

Owner: Terry Lynn Garrett

TRACT NO. GR-0151.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northeast quarter of Section 27, Township 9 North, Range 7 West of the Indian Meridian, Grady County, Okiahoma and being over, through and across a tract of land conveyed to Terry Lynn Garrett, recorded in Book 3592, Page 448, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the north guarter corner of said Section 27: THENCE North 89°19'55" East, with the north line of said Section 27, a distance of 972.57 feet to the POINT OF BEGINNING;

THENCE South 25°36'19" East, a distance of 1820.03 feet, to the POINT OF TERMINATION on the south line of the north half of the north half of the south half of the northeast quarter of said Section 27, from which a 1/2 inch iron rod with aluminum cap stamped "TRC CA #144" set marking the east quarter corner of said Section 27 bears North 89°20'51" East a distance of 894.08 feet, THENCE South GO°42'20" East, with the east line of said Section 27, a distance of 990.35 feet, said baseline having a total distance of 1820.03 feet (110.30 rods), said Permanent Easement & Right of Way containing 2.089 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 3, drawing number GR-0151.010, Rev. 1, SSIONA

DENNEY

1434

MINIMA

same date.

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Date:


Tract No(s). GR-0169.010


- 1. Surface Owner(s):
- 2. Other Persons-in-Interest:


D&H Rig Service, Ltd 941 S. Treadaway Abilene, TX 79602


3. Legal Description: See attached plat.

4. Just Compensation: \$11,000.00









Cheniere Midstream
Owner: Chuck's Rig Repair, L.L.C.

EXHIBIT "A"

MIDSHIP Mainline TRACT NO. GR-0169.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the east half of the west half and the east half of Section 7, Township 8 North, Range 6 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Chuck's Rig Repair, L.L.C., recorded in Book 3906, Page 101, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the west quarter corner of sald Section 7; THENCE North 00°32'41" West with the west line of said Section 7, a distance of 1775.71 feet; THENCE South 62°24'33" East with the north boundary of the subject tract, a distance of 1027.50 feet; THENCE South 60°54'33" East continuing with the north boundary of the subject tract, a distance of 406.50 feet; THENCE North 89°16'27" East continuing with the north boundary of the subject tract, a distance 774.27 feet to the POINT OF BEGINNING on the northerly boundary line of said subject tract;

THENCE South 61°30'24" East, a distance of 539.51 feet, to a point;

THENCE South 53°52'10" East, a distance of 152.07 feet, to a point;

THENCE South 43°11'00" East, a distance of 1929.69 feet, to the POINT OF TERMINATION on the northwesterly right-of-way line of State Highway 92, from which a 1/2 Inch iron rod found marking the southeast corner of said Section 7 bears South 31°51'50" East a distance of 2299.63 feet, said baseline having a total distance of 2621.27 feet (158.86 rods), said Permanent Easement & Right of Way containing 3.009 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further Information see Exhibit "A", Sheet No(s). 1 & 2 of 3, drawing number GR-0169.010, Rev. 3, same date.

SIONA

James Michael Denney

Registered Professional Land Surveyor

Okiahoma Registration No. 1434

Firm License No. 144

Tract No(s). GR-0170.010

- 1. Surface Owner(s):
- 2. Other Persons-in-Interest:


Chisholm Trail Farm Credit FCLA P. O. Box 868 Chickasha, OK 73023

3. Legal Description:


See attached plat.

4. Just Compensation:

\$13,427.00 (with GR-0171.010)




GRADY COUNTY, OKLAHOMA SECTION 7, TOWNSHIP 8 NORTH, RANGE 6 WEST OF THE INDIAN MERIDIAN



A.T.W.S. LINE TABLE		
LINE	BEARING	DISTANCE
L1	\$45°54'16'W	25.00"
L2	\$43*11'00"E	14.54'
L3	S48°00'14"W	40.00
L4	S43°11'00"E	150.00
L5	546°49'00"W	100.00'
L6	N43*11'00"W	148.58'
L7	N46*00'14"E	100,011

DETAIL "1"
N.T.S.

A.T.W.S. LINE TABLE		
LINE	BEARING	DISTANCE
L8	S89°26'52"W	65.00°
L9	N00"40"00"VV	30.67
L1D	S88°09'25"W	50.00'
1,11	N00°40'00"W	β3,52 ^t
L12	N23°04'16"W	46.68°
L13	N68"55'43"E	50,00'
L14	\$23°04'18"E	56.58'



LEGEND

LR. LP. LP. NT.S. RC.W. T.W.S. P.E.R.W. T.A.R. FRON ROD
FRON PIPE
FOUND
MOT TO SCALE
RICHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT ACCESS ROAD
STORMER TO SCALABLE
PROPERTY LINE
EXISTING POPELINE
STATUTORY R.O.W.



16350 Park Ten Place Houston, TX 77084 (281) 616-0100

NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL

	MIDSHIP PIPELINE COMPANY, LLC					
DWG BY	: CP	MIDSHIP MAINLINE PROJECT				
CKD BY:	TRC		ERMANENT EASEMENT & RIGHT OF WAY			
DATE:	8/8/18					
SCALE:	N.T.S.					
REV#	DATE	DESCRIPTION				
1	7/19/2018	ADDED DETAIL				
0	10/16/2017	CERTIFIED				
DRAWING: GR-0170.010 SHEET NO.			SHEET NO.	2	ŌЕ	3

EXHIBIT "A"

MIDSHIP Mainline

Owner: Turner Land and Cattle, LLC

TRACT NO. GR-0170.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southeast quarter of Section 7, Township 8 North, Range 6 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Turner Land and Cattle, LLC, recorded in Book 4560, Page 556, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.C.C.O.K.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch fron rod found marking the south quarter corner of said Section 7; THENCE North 39°51'53" East a distance of 2412.39 feet to the POINT OF BEGINNING on the southeasterly right-of-way of State Highway 92;

THENCE South 43°11'00" East, a distance of 647.05 feet, to a point;

THENCE South 23°04'17" East, a distance of 1324.67 feet, to a point;

THENCE South 00°40′00" East, a distance of 136.94 feet, to the POINT OF TERMINATION on the south line of said Section 7, from which a 1/2 inch iron rod found marking the southeast corner of said Section 7 bears North 89°26′52" East a distance of 131.39 feet, said baseline having a total distance of 2108.66 feet (127.80 rods), said Permanent Easement & Right of Way containing 2.420 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 2, drawing number GR-0170.010, Rev. 1, same date.

SIONAL

J. M.

1434

BATALITA

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

9 15

Tract No(s).GR-0171.010

- 1. Surface Owner(s):
- 2. Other Persons-in-Interest:


Chisholm Trail Farm Credit FCLA P. O. Box 868 Chickasha, OK 73023

3. Legal Description:

See attached plat.

4. Just Compensation:

See GR-0170.010






EXHIBIT "A"

MIDSHIP Mainline TRACT NO. GR-0171.010

Owner: Turner Land and Cattle, LLC

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northeast quarter of the northeast quarter of Section 18, Township 8 North, Range 6 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Turner Land and Cattle, LLC, recorded in Book 4560, Page 556, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 iron rod found marking the northeast corner of said Section 18; THENCE South 89°26'52" West, with the north line of said Section 18, a distance of 131.39 feet to the POINT OF BEGINNING;

THENCE South 00°40'00" East, a distance of 194.62 feet, to a point;

THENCE South 45°40'00" East, a distance of 98.32 feet, to a point;

THENCE South 00°21'28" East, a distance of 1055.36 feet, to the POINT OF TERMINATION on the south line of the northeast quarter of the northeast quarter of said Section 18, from which a 1/2 inch iron rod with plastic cap found marking the east quarter corner of said Section 18 bears North 89°25'13" East, with the south line of the northeast quarter of the northeast quarter of said Section 18, a distance of 67.56 feet, THENCE South 00°40'01" East, with the east line of said Section 18, a distance of 1319.32 feet, said baseline having a total distance of 1348.30 feet (81.72 rods), said Permanent Easement & Right of Way containing 1.548 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 3, drawing number GR-0171.010, Rev. 3,

LONA

J. M. DENNE 1434

DAT A ROW

same date.

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s). GR-0186.010

- 1. Surface Owner(s):
- 2. Other Persons-in-Interest:

Chisholm Trail Farm Credit FCLA P. O. Box 868 Chickasha, OK 73023


Martin Farms, Inc. 1718 CR 1280 Amber OK 73004

3. Legal Description:

See attached plat.


4. Just Compensation:

\$16,189.00



GRADY COUNTY, OKLAHOMA SECTION 29, TOWNSHIP 8 NORTH, RANGE 6 WEST OF THE INDIAN MERIDIAN





1	A.T.W.S. LINE TABLE		
LINE	BEARING	DISTANCE	
1.1	\$89°18'46"W	71.86	
1.2	\$25°55'35"E	36.04"	
L3	\$25°56'39"E	150.00'	
1.4	\$64*04*19*W	50.00'	
L5	N25*55'42*W	83,45'	
L6	N25*55'35'W	90_18'	
1.7	N89°22'11"E	55.301	

LEGEND

I.R. I.P. FND. N.T.S. R.O.W. T.W.S. AT.W.S. P.E.R.W. T.A.R. P.A.R. IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERHANENT EASEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERHANENT ACCESS ROAD
PERMANENT ACCESS ROAD
PERHANENT LINE
BASELINE
EQUITING PIPELINE
STATUTORY R.O.W.



16350 Park Ten Place Houston, TX 77084 (281) 616-0100 NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHI	P PIPELINE CO	MPANY, LLC)		
DWG BY	: CR	MIDSHIP W	MIDSHIP MAINLINE PROJECT			
CKD BY:	TRC	PERMANENT EASEMENT & RIGHT OF WA			NAY	
DATE:	7/19/18					
SCALE:	N.T.S.			NER		
REV#	DATE	DESCRIPTION				
1	7/19/2018	ADDED DETAIL				
0	9/13/2017	CERTIFIED				
DRAWING: GR-0188.010 SHEET NO. 2 OF		3				

EXHIBIT "A"

MIDSHIP Mainline

Owner: Grant A. Turner and Tiffany D. Turner

TRACT NO. GR-0186.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the east half of Section 29, Township 8 North, Range 6 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Grant A. Turner and Tiffany D. Turner, recorded in Book 4172, Page 393, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a PK nail with washer stamped "TRC CA #144" set marking the north quarter corner of said Section 29; THENCE North 89°18'46" East, with the north line of said Section 29, a distance of 554.41 feet to the POINT OF BEGINNING:

THENCE South 25°55'35" East, a distance of 71.95 feet, to a point;

THENCE South 25°55'42" East, a distance of 4825.91 feet, to the POINT OF TERMINATION on the east line of said Section 29 from which a railroad spike found marking the southeast corner of said Section 29 bears South 00°40'32" East, with the east line of said Section 29, a distance of 850.46 feet, said baseline having a total distance of 4897.86 feet (296.84 rods), said Permanent Easement & Right of Way containing 5.622 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 3, drawing number GR-0186.010, Rev. 1,

Date:

NA

DENN

BRLAN

same date.

James Wichael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s). GR-0190.010

- 1. Surface Owner(s):
- 2. Other Persons-in-Interest:


Chisholm Trail Farm Credit FCLA P. O. Box 868 Chickasha, OK 73023

3. Legal Description:

See attached plat.


4. Just Compensation:

\$ 8,350.00



GRADY COUNTY, OKLAHOMA SECTION 33, TOWNSHIP 8 NORTH, RANGE 6 WEST OF THE INDIAN MERIDIAN





A.T.W.S. LINE TABLE		
LINE	BEARING	DISTANCE
L1	S00*35'21"E	79.83
L2	855°02'45"E	20.83
Ł3	S55°02'44"E	136,311
L4	534°57'16"W	50.00'
L5	N55°02'44"W	100.16
L6	N00°55'08"W	81.70'
L7	N00*35'21"W	43.02'
L8	855°02'44"E	165.89'
L.9	N34*57*16*E	50.00'
L10	\$55°02'44"E	118.65'
L11	S14°07'46"E	118.65
L12	S75"52"14"W	50.00"
L13	N14"07"46"W	100.00
L14	N55°02'45"W	100.00*

LEGEND

IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERHANENT ESEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERHANENT ACCESS ROAD
ENGKEN LINE NOT SCALABLE
PROPERTY LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.

16350 Park Ten Place Houston, TX 77084 (281) 615-0100

NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

MIDSHIP PIPELINE COMPANY, LLC			
DWG BY	: CP	MIDSHIP MAINLINE PROJECT PERMANENT EASEMENT & RIGHT OF WAY ACROSS THE PROPERTY OF THE TURNER FAMILY REVOCABLE TRUST	
CKD BY:	TRC		
DATE:	7/20/18		
SCALE;	N.T.S.		
REV#	DATE	DESCRIPTION	
1	7/20/2018	ADDED DETAIL	
0	9/19/2017	CERTIFIED	
DRAWING: GR-0190.010 SHEET NO. 2 OF :			

EXHIBIT "A"

MIDSHIP Mainline

Owner: The Turner Family Revocable Trust

TRACT NO. GR-0190,010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the east half of Section 33, Township 8 North, Range 6 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to The Turner Family Revocable Trust, recorded in Book 4129, Page 572, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a MAG nail with shiner found marking the north quarter corner of said Section 33; THENCE South 00°35'21" East, with the west line of the northeast quarter of said Section 33, a distance of 1619.74 feet to the POINT OF BEGINNING:

THENCE South 55°02'45" East, a distance of 227.83 feet, to a point;

THENCE South 14°07'46" East, a distance of 2264.41 feet, to the POINT OF TERMINATION on the south line of the north half of the southeast quarter of said Section 33, from which a 1/2 inch iron rod with aluminum cap stamped "TRC CA #144" set marking the east quarter corner of said Section 33 bears North 89°19'17" East a distance of 1925.70 feet to the southeast corner of the north half of the southeast quarter of said Section 33, THENCE North 00"34'21" West, with the east line of said Section 33, a distance of 1315.74 feet, said baseline having a total distance of 2492.24 feet (151.04 rods), said Permanent Easement & Right of Way containing 2.861 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 3, drawing number GR-0190.010, Rev. 1, same bate.

DENNEY

1434

CATALOGIA !

Same pate.

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144


Tract No(s). GR-0192.010

- 1. Surface Owner(s):
- 2. Other Persons-in-Interest:


JP Morgan Chase Bank 4 New York Place 6th Floor New York, New York 10004


GTP Acquisition Partners II, LLC c/o The Corporation Company 1833 S. Morgan Rd., Oklahoma City, OK 73128

- 3. Legal Description: See attached plat.
- 4. Just Compensation: \$8,419.00




GRADY COUNTY, OKLAHOMA SECTION 4, TOWNSHIP 7 NORTH, RANGE 6 WEST OF THE INDIAN MERIDIAN





DETAIL "2" 1" = 300"





DETAIL "3"	
1" = 300"	

A.T.W.S. LINE TABLE			
LINE	BEARING	DISTANCE	
L16	N59°44'24"W	166.14'	
L17	N23"05'23"W	268.07	
L18	N66°54'39"E	25.00'	
L19	823°05'23"E	217.91	
L20	S59°44'24"E	191.47'	
L21	800°57'02"E	116.59	
L22	800°57'02"E	18.97	
L23	N24°52'22'W	17.34	
L24	N65°07'37"E	7.69'	

A.T.W.S. LINE TABLE		
LINE	BEARING	DISTANCE
LI	N89*17'58"E	127.52'
L2	S57°24'20"E	48.34'
L3	N89°21'11"E	91.21'
L4	857°24'20°E	73.71
L5	\$32°35'40"W	50.00'
L6	N57°24'20"W	150.00'
1.7	\$23°05'23"E	113.03"
LB	N66°54'36"E	50.00'
L9	\$23°05'23'E	200.00'
L10	S66*54*37*W	50.00
L11	N23°05'23"W	200.00*
L12	S00*57'02*E	76.00
L13	N59"44"24"W	100.48
L14	N59*44'29"W	12.97
L15	S30°15'36"W	50.00

LEGENO

IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT EASEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT ACCESS ROAD
STATUTORY UNE
EASELINE
STATUTORY R.O.W.



16350 Park Ten Place Houston, TX 77084 (281) 616-0100

NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

MIDSHIP PIPELINE COMPANY, LLC			
DWG BY	: CP	MIDSHIP MAINLINE PROJECT	
CKD BY:	TRC		SEMENT & RIGHT OF WAY
DATE:	9/11/2017	7 ACROSS THE PROPERTY OF	
SCALE:	N.T.S.		
REV#	DATE	DESCRIPTION	
1	7/20/2016	ADDED DETAILS	
0	11/7/2017	CERTIFIED	
DRAWING: GR-0192.010 SHEET NO. 2 OF		SHEET NO. 2 OF 3	

EXHIBIT "A"

MIDSHIP Mainline

Owner: Paul J. Brown and Kay L. Brown

TRACT NO. GR-0192.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northeast quarter of Section 4, Township 7 North, Range 6 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Paul J. Brown and Kay L. Brown, recorded in Book 3497, Page 583, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a railroad spike found marking the north quarter corner of said Section 4; THENCE North 89°17'59" East, with the north line of said Section 4, a distance of 1360.91 feet to the POINT OF BEGINNING;

THENCE South 57°24'20" East, a distance of 398.38 feet, to a point;

THENCE South 51°25'42" East, a distance of 302.79 feet, to a point;

THENCE South 23°05'23" East, a distance of 1341.81 feet, to a point;

THENCE South 59°44'24" East, a distance of 244.01 feet, to the POINT OF TERMINATION on the east line of said Section 4, from which a 1/2 inch iron rod with aluminum cap stamped "TRC CA #144" set marking the northeast corner of said Section 4 bears North 00°57'02" West, with the east line of said Section 4, a distance of 1776.56 feet, said baseline having a total distance of 2286.99 feet (138.61 rods), said Permanent Easement & Right of Way containing 2.625 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 3, drawing number GR-0192.010, Rev. 1,

SIONA

1434

CALAHON

same date.

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

DENNEY 5


Tract No(s).GR-0192.020

- 1. Surface Owner(s):
- 2. Other Persons-in-Interest:

Chisholm Trail Farm Credit PCA PO Box 868 Chickasha, OK 73023


3. Legal Description: See attached plat.

4. Just Compensation: \$3,560.00



GRADY COUNTY, OKLAHOMA SECTION 3, TOWNSHIP 7 NORTH, RANGE 6 WEST OF THE INDIAN MERIDIAN





A.T.W.S. LINE TABLE			
LINE	BEARING	DISTANCE	
Li	S00°57'02"E	76.00'	
L2	S59*44'24"E	45.22'	
L3	\$24°52'23"E	200.00	
L4	S65*07*39*W	50.00'	
L5	N24°52'22"W	182.66"	
L6	N00°57'02"W	18.97"	
L7	N65°07'37"E	42.31'	
LB	N00°57'02"W	40.92'	
L9	S69*44*24*E	75.181	
L10	N30°16'36'E	50.00*	
L11	S59°44'24"E	77.73'	
L12	\$24*52*22*E	153.67	
L13	S65°07'38'W	50.00°	
L14	N24"52'22"W	137.97	
L15	N59°44'24'W	62.03'	

LEGEND

I.R.
LP.
LP.
N.T.S.
R.O.W.
LW.S.
A.T.W.S.
A.T.W.S.
P.E.R.W.
T.A.R.
P.A.R.

IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT EASEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT ACCESS ROAD
PERMANENT ACCESS ROAD
PERMANENT ACCESS ROAD
PERMEANENT ACCESS ROAD
PERMEANENT ACCESS ROAD
PERMEANENT ACCESS ROAD
ENGLISH LINE NOT SCALABLE
PROPERTY LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.



16350 Park Ten Place Houston, TX 77084 (281) 616-0100 NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHII	P PIPELINE CO	MPANY, LLC
DWG BY	: CP	CDANT ALLEM TURNED	
CKD BY:	TRC		
DATE:	7/20/18		
SCALE:	N.T.S.		
REV#	DATE	DESCRIPTION	
1	7/20/2018	ADDED DETAIL	
0	9/19/2017	CERTIFIED	
DRAWIN	Ğ:	GR-0192.020	SHEET NO. 2 OF 3

EXHIBIT "A"

MIDSHIP Mainline

Owner: Grant Allen Turner

TRACT NO. GR-0192.020

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southwest quarter of the northwest quarter of Section 3, Township 7 North, Range 6 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Grant Allen Turner, recorded in Book 3623, Page 220, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod with aluminum cap stamped "TRC CA #144" set marking the northwest corner of said Section 3; THENCE South 00°57'02" East with the west line of said Section 3 a distance of 1776.56 feet to the POINT OF BEGINNING:

THENCE South 59°44'24" East, a distance of 105.01 feet, to a point;

THENCE South 24°52'23" East, a distance of 906.84 feet, to the POINT OF TERMINATION on the south line of the northwest quarter of said Section 3, from which a 1/2 inch iron rod with aluminum cap stamped "TRC CA #144" set marking the west quarter corner of said Section 3 bears South 89°16'23" West, with the south line of the northwest quarter of said Section 3, a distance of 457.54 feet, said baseline having a total distance of 1011.85 feet (61.32 rods), said Permanent Easement & Right of Way containing 1.161 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 3, drawing number GR-0192.020, Rev. 1,

IONAL

1434

same date

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s). GR-0196.010

1. Surface Owner(s):

Norman G. Sloan and Marilyn G. Sloan, Trustees of the Norman G. Sloan Grantor Trust dated September 13, 1995, and any amendments thereto, 11434 S. Yale Tulsa, OK 74137


2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description: See attached plat.

4. Just Compensation:

\$5,511.00



1




EXHIBIT "A"

MIDSHIP Mainline TRACT NO. GR-0196.010

Owner: The Norman G. Sloan Grantor Trust

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northeast quarter of the northeast quarter of Section 15, Township 7 North, Range 6 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to The Norman G. Sloan Grantor Trust, recorded in Book 5252, Page 180, and Book 5213, Page 396 of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a PK nail with washer stamped "TRC CA #144" set marking the north quarter corner of said Section 15; THENCE North 89°08'01" East, with the north line of said Section 15, a distance of 1535.64 feet to the POINT OF BEGINNING:

THENCE South 27°09'15" East, a distance of 1472.46 feet, to the POINT OF TERMINATION on the south line of the northeast quarter of the northeast quarter of said Section 15, from which a railroad spike found marking the northeast corner of said Section 15 bears North 89°09'38" East, with the south line of the northeast quarter of the northeast quarter of said Section 15, a distance of 443.14 feet, THENCE North 00°42'54" West, with the east line of said Section 15, a distance of 1320.39 feet, said baseline having a total distance of 1472.46 feet (89.24 rods). said Permanent Easement & Right of Way containing 1.690 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 3, drawing number GR-0196.010, Rev. 4. same date

SIONA

DENNEY

1434

MIAM

James Wichael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Men

Firm License No. 144

Tract No(s). GR-0289.010

1. Surface Owner(s):

John H Mason and Martha Mason 1400 Tilden Street Wichita Falls, TX 76309

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:


See attached plat.

4. Just Compensation:


\$6,467.00



GRADY COUNTY, OKLAHOMA SECTION 20, TOWNSHIP 6 NORTH, RANGE 5 WEST OF THE INDIAN MERIDIAN



LIB	9 L7		
		1	



A.T.W.S. LINE TABLE		
LINE	BEARING	DISTANCE
L1	589°06'24"W	70.15
L2	\$04°36'56"E	20.42
L3	804°36'54"E	150.00
L4	\$85°23'06"W	50.00
L5	ND4"36'54"VV	154.04
L6	N90°00'00"E	50.16'
L7	N72°25'30"W	672.45'
L&	S17°34'30"W	50.00"
L9	N72*25'30*W	133.60'
L10	N04°36'54°W	133.60
Lii	N85*23'08"E	50.00
L12	S04"36'64"E	100.00'
L13	S72°25'30°E	100.00
L14	S00°41'34°E	279.17
L15	N55"48"30"W	285.38'
L16	\$07°15'04"E	100.00
L17	\$82*44'58'W	100.00°
L18	N07°15'04'W	100.00
L19	N82°44'56"E	100.00

LEGEND

I.R.
E.P.
FIND.
N.T.S.
R.O.W.
T.W.S.
A.T.W.S.
P.E.R.W.

RON ROD

RON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT EASEMENT & RIGHT OF WAY
BROKEN LINE NOT SCALABLE
PROPERTY LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.



16350 Park Ten Place Houston, TX 77084 (281) 616-0100

NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL

	MIDSHI	P PIPELINE CO	MPANY, LLC
DWG BY: CR CKD BY: TRC		MIDSHIP MAINLINE PROJECT PERMANENT EASEMENT & RIGHT OF WAY	
SCALE:	N.T.S.		
REV#	DATE	DESCRIPTION	
3	8/30/2018	CORRECT AREA TABLE	
2	8/23/2018	ADDED T.A.R. DETAIL	
DRAWIN	G:	GR-0289.010	SHEET NO. 2 OF 3

EXHIBIT "A"

MIDSHIP Mainline

Owner: John H. Mason and Martha Mason

TRACT NO. GR-0289.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the north half of the northwest quarter of Section 20, Township 6 North, Range 5 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to John H. Mason and Martha Mason, recorded in Book 4174, Page 204, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 60D nail found marking the northwest corner of said Section 20; THENCE North 89°06'24" East, with the north line of said Section 20, a distance of 1266.23 feet to the POINT OF BEGINNING:

THENCE South 04°36'54" East, a distance of 822.64 feet, to a point;

THENCE South 72°25'30" East, a distance of 701.91 feet, to the POINT OF TERMINATION on the east line of the west half of the northeast quarter of the northwest quarter of said Section 20, from which a 1/2 inch iron rod found marking the north quarter corner of said Section 20 bears North 00°41'34" West, with the east line of the west half of the northeast quarter of the northwest quarter of said Section 20, a distance of 1043.26 feet, THENCE North 89°06'24" East, with the north line of said Section 20, a distance of 663.01 feet, said baseline having a total distance of 1524.55 feet (92.40 rods), said Permanent Easement & Right of Way containing 1.750 acres of land,

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 3, drawing number GR-0289.010, Rev. 3, same date.

SSIDNA

J. M.

1434

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Date:

MEANDAN

Tract No(s). GR-0310.000

1. Surface Owner(s):

First National Bank and Trust Company, Corporate Trustee of the James L. McElvany and Linda R. McElvany Irrevocable Trust I dated the 28th day of December, 2012, 302 Chickasha Ave, Chickasha, OK 73018

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:


See attached plat.

4. Just Compensation:

\$6,550.00



GRADY COUNTY, OKLAHOMA SECTION 8, TOWNSHIP 5 NORTH, RANGE 5 WEST OF THE INDIAN MERIDIAN



	A.T.W.S. LINE T	ABLE
LINE	BEARING	DISTANCE
1.1	S89*10*11*W	74.26'
L2	N29"45'17"W	846.79'
L3	\$59*48*15*W	50,00'
L4	N30°11'44"W	113.49
L5	N00°00'00"E	121.75
1.6	S89°41'16"E	17.27°
1.7	N00°18'46"E	199.93'
L8	N89°41'14°E	30.00
L9	S00°28'09"E	200.00'
L10	S00°28'08'E	108.26
L11	829°45'17"E	99,56°
L12	N00°28'09"W	81.88'
L13	N00°28'09"W	200.00'
114	N89°31'51"E	75.00'
L15	\$00°28'09"E	200.001
L18	S89*31*52*W	75.00'

LEGEND

I.R. I.P. FIND. N.T.S. R.O.W. T.W.S. A.T.W.S. P.E.R.W. T.A.R. P.A.R. IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERIANENT ESEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT ACCESS ROAD
STROKEN LINE
ROSELINE
EXISTING PIPELINE
STATUTORY R.O.W.

NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHI	P PIPELINE CO	MPANY, LLC	
DWG BY	: CP	MIDSHID L	AINLINE PROJECT	
CKD BY:	TRC	PERMANENT EA	SEMENT & RIGHT OF W	/AΥ
DATE:	7/25/18		THE PROPERTY OF	
SCALE:	N.T.S.	JAMES L. IACELVANY AND L	INDA R. MICELVANY IRREVOCABLE TO	t Tely
REV#	DATE	DES	CRIPTION	
1	7/23/2018	ADE	ED DETAIL	
0	11/8/2017	CI	ERTIFIED	
DRAWIN	G:	GR-0310.000	SHEET NO. 2 OF	3



16350 Park Ten Place Houston, TX 77084 (281) 616-0100

EXHIBIT "A"

MIDSHIP Mainline

Owner: James L. McElvany and Linda R. McElvany Irrevocable Trust !

TRACT NO. GR-0310,000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the east half of Section 8, Township 5 North, Range 5 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to the First National Bank and Trust Company, Chickasha, Oklahoma, Trustee of the James L. McElvany and Linda R. McElvany Irrevocable Trust I, recorded in Book 4567, Page 89, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at the east quarter corner of said Section 8, from which corner a 1/2 inch iron rod with cap stamped "TRC CA #144" set for witness bears South 00°59'42" East, a distance of 400.00 feet; THENCE North 41°35'41" West a distance of 772.41 feet to the POINT OF BEGINNING on the centerline of the current channel of the Washita River;

THENCE South 00°28'09" East, a distance of 1063.05 feet, to a point;

THENCE South 29°45'17" East, a distance of 965.28 feet, to the POINT OF TERMINATION on the south line of the north half of the southeast quarter of sald Section 8, from which a 3/8 inch iron rod found marking the southeast corner of said Section 8 bears North 89°10'10" East a distance of 48.06 feet to the southeast corner of the north half of the southeast quarter of said Section 8, THENCE South 00°59'54" East, with the east line of said Section 8, a distance of 1322.88 feet, said baseline having a total distance of 2028.33 feet (122.93 rods), said Permanent Easement & Right of Way containing 2.328 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 3, drawing number GR-0310.000, Rev. 1,

SIONA

DENNEY

1434

CHILAHORA

same date.

James Michael Denney

Resistered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s). GR-0312.010

1. Surface Owner(s):

Lyndel D. Shelby and Lanelle Shelby 4980 Fig Ave., Ireton, IA 51027

2. Other Persons-in-Interest:

Chris Witt and Chancey Witt 1595 County Rd., 1440, Ninnekah, OK 73067


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128


3. Legal Description:

See attached plat.

4. Just Compensation:

\$9,820.00





GRADY COUNTY, OKLAHOMA SECTION 16, TOWNSHIP 5 NORTH, RANGE 5 WEST OF THE INDIAN MERIDIAN

1		
	A.T.W.S. LINE T	ABLE
UNE	BEARING	DISTANCE
Lf	500°41'11"W	25.01'
12	S00'41'11"W	200.00
L3	N89"18'50"W	50.00'
L4	N00"41"11"E	198.63'
L5	N89°05'52"E	50.02'
L6	N00°41'11"E	1,48'
L7	N52*18'18'W	23.261
E.8	N49°30'38°W	40.91*
ľ.9	N00°41'10°E	109.611
110	S89°18'50"E	50.00°
L11	S00°41'11"W	150.00'

	T.A.R. LINE TA	BLE
LINE	BEARING	DISTANCE
L12	N00°22'49"E	720.D4'
L13	N00°19'11"W	397,18'
L14	N00°19′11″W	83,821
L15	N89°06'52"E	241.77

	T	A.R. CURV	/E TABLE		
CURVE#	ARC LENGTH	RADIUS	DELTA	CH, B.	CH. L.
C1	78,05	50.00	089°26'03"	N44°23'51"E	70.36

LEGEND

I.R.
I.P.
FND.
N.T.S.
R.O.W.
T.W.S.
A.T.W.S.
P.E.R.W.
T.A.R.
P.A.R.

IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT ESEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT ACCESS ROAD
BROKEN LINE NOT SCALABLE
PROPERTY LINE
BASELINE
EJASELINE
EJASELINE
EJASINE



16350 Park Ten Place Houston, TX 77084 (281) 616-0100

NOTE:

- 1. SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.
- 2. SEE SHEET 2 OF 4 FOR DETAILS.

	MIDSHI	P PIPELINE CO	MPANY, LL	0		
DWG BY	: CP	MINSHIP M	IAINLINE PRO) IE	r-	
CKD BY:	TRC	PERMANENT CA				ΆΥ
DATE:	8/23/18		THE PROPERT		-	
SCALE:	N,T.S.	LYNDEL D. SHEL	BY AND LANE	LE.	SHEL	BY.
REV#	DATE	DESCRIPTION				
2	8/23/2018	REVISE	T.A.R. DETAI	L		
1	7/24/2018	ADDI	ED DETAILS			
DRAWIN	IG:	GR-0312.010	SHEET NO.	3	ÓF	4

EXHIBIT "A"

MIDSHIP Mainline TRACT NO. GR-0312,010

Owner: Lyndel D. Shelby and Lanelle Shelby

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of Section 16, Township 5 North, Range 5 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Lyndel D. Shelby and Lanelle Shelby, recorded in Book 5195, Page 121, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 3/8 inch Iron rod found marking the northwest corner of said Section 16; THENCE North 89°23'48" East, with the north line of said Section 16, a distance of 680.56 feet to the POINT OF BEGINNING;

THENCE South 29°45'17" East, a distance of 777.23 feet, to a point;

THENCE South 00°41'11" West, a distance of 1902.28 feet, to the POINT OF TERMINATION on the centerline of an abandoned railroad and the southwest line of the subject tract, from which a 3/8 inch iron rod with cap found marking the west quarter corner of said Section 16 bears South 85°13'24" West a distance of 1009.68 feet, said baseline having a total distance of 2679.51 feet (162.39 rods), said Permanent Easement & Right of Way containing 3.076 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 4, drawing number GR-0312.010, Rev. 2, same date.

J. M.

1434

Jame Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s). GR-0314.010

1. Surface Owner(s):


Connie Gayle Huseman 1883 N. Main Street Alex, OK 73002

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128


3. Legal Description: See attached plat.

4. Just Compensation: \$4,624.00



GRADY COUNTY, OKLAHOMA SECTION 21, TOWNSHIP 5 NORTH, RANGE 5 WEST OF THE INDIAN MERIDIAN





,	A.T.W.S. LINE T	ABLE
LINE	BEARING	DISTANCE
L1	N70°32'07"W	25.93'
12	N70°32'08"W	15.74*
L3	N75"29'29"W	25.24'
L4	N04"04'24"E	54.18'
L5	N85°55'35"W	50,D0°
L6	ND4"04'24"E	173.00
L7	N39*06'60'E	32.97'
L8	S85*55'37"E	31.07"
L9	S04°04'24"W	200.00*

LEGEND

LR. LP. FND. NTS. RO.W. T.W.S. ATW.S. P.E.R.W. TAR. P.A.R. IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL, TEMPORARY WORKSPACE
PERMANENT ESCEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT LINE
PROPERTY LINE
EXISTING PIPELINE
STATUTORY R.O.W.



16350 Park Ten Place Houston, TX 77084 (261) 616-0100

NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHI	P PIPELINE CO	MPANY, LLO	2		
DWG BY	: CP	MIDSHIP M	AINLINE PRO	10	nπ	
CKD BY:	TRC	PERMANENT EAS				AY
DATE:	7/25/18		HE PROPERT		F	
SCALE:	N.T.S.	CONNIE	GAYLE HUSEN	IAN		
REV#	DATE	DES	CRIPTION			
1	7/25/2018	ADD	ED DETAIL			
0	9/13/2017	CE	RTIFIED			
DRAWIN	lG:	GR-0314.010	SHEET NO.	2	OF	3

EXHIBIT "A"

MIDSHIP Mainline TRACT NO. GR-0314.010

Owner: Connie Gayle Huseman

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of Section 21, Township 5 North, Range 5 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Connie Gayle Huseman, recorded in Book 3293, Page 154, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.O.K.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at an iron pipe fence post found marking the northwest corner of said Section 21; THENCE North 89°23'10° East, with the north line of said Section 21, a distance of 935.14 feet to the POINT OF BEGINNING;

THENCE South 00°33'02" West, a distance of 256.32 feet, to a point;

THENCE South 02°18'39" West, a distance of 916.72 feet, to a point;

THENCE South 04°04'24" West, a distance of 303.29 feet, to the POINT OF TERMINATION on the centerline of Roaring Creek, from which a 1/2 inch iron rod found marking the west quarter comer of said Section 21 bears South 35°10'49" West a distance of 1452.55 feet, said baseline having a total distance of 1476.33 feet (89.47 rods), said Permanent Easement & Right of Way containing 1.694 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 3, drawing number GR-0314.010, Rev. 1, same date.

SIONAL

DENNE

1434

ONT AND

14

James Michael Denney Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Date:

31-1.0

Tract No(s). GR-0322.010

1. Surface Owner(s):

Melford L. Scott and Margaret L. Scott, Trustees of the Melford L. Scott and Margaret L. Scott Revocable Trust 271 US Hwy 277 Cement, OK 73011

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128


3. Legal Description:


See attached plat.

4. Just Compensation:

\$8,997.00







GRADY COUNTY, OKLAHOMA SECTION 28, TOWNSHIP 5 NORTH, RANGE 5 WEST OF THE INDIAN MERIDIAN



	A.T.W.S. LINE T	ADIE
LINE	BEARING	DISTANCE
L1	S89°13'27"W	65.01
1.2	S00°01'10"W	1,024.53'
L3	S00"01'09"W	200.00
L4	N89*58'50"W	25.00*
L.5	N00°01'09"E	200.00
L6	S89°58'62"E	25.00'
L7	S89°15'30"W	65.01'
L8	N00"01'10"E	57.30
L9	N89*58'51"W	50.00*
L10	N00°01'09"E	200.00'
L11	S89°58'50"E	50.00
L12	S00°01'09"W	200.00
L13	N00°01'10°E	762.92
L14	N89*58'51*W	50.00'
L15	N00"01'09"E	200.00
L16	S89*58'51"E	50.00'
L17	S00*01'09"W	200.00'
L18	N00"01'09"E	100.38
L19	N88°58'51"W	50.001
L20	N00°01'10°E	200.001
L21	S89°58'50"E	50.00'
L22	S00"01"09"W	200.00
L23	N00°01'09"E	540.66'
L24	N89*58'60"W	25.00
1.25	N00"01"10"E	200.13'
L26	S89*68'62"E	25.00*
L27	500°01'10"W	200.13'

LEGEND

IR.
IP.
IP.
IND.
N.T.S.
R.O.W.
T.W.S.
AT.W.S.
P.E.R.W.
T.A.R.
P.A.R.

IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RICHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT EASEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT ACCESS ROAD
BROKEN LINE MOT SCALABLE
PROPERTY LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.



16350 Perk Ten Place Houston, TX 77084 (261) 516-0100

NOTE:

- 1. SEE SHEET 1 OF 5 FOR NOTES, SIGNATURE, AND SEAL.
- 2. SEE SHEET 3 OF 5 FOR DETAILS.

	MIDSHI	P PIPELINE CO	MPANY, LLC
DWG BY	: CP	MIDSHIP	AINLINE PROJECT
CKO BY:	TRC		SEMENT & RIGHT OF WAY
DATE:	7/26/18		THE PROPERTY OF
SCALE:	N.T.S.	MELFORD L SCOTT AND M	ARGARET L. SCOTT REVOCABLE TRUS
REV#	DATE	DES	CRIPTION
1	7/26/2018	ADDI	ED DETAILS
0	10/2/2017	Ci	RTIFIED
DRAWIN	IG:	GR-0322.010	SHEET NO. 4 OF 5

EXHIBIT "A"

MIDSHIP Mainline

Owner: Melford L. Scott and Margaret L. Scott Revocable Trust

TRACT NO. GR-0322.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the west half of the west half of Section 28, Township 5 North, Range 5 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Melford L. Scott and Margaret L. Scott, Trustees of the Melford L. Scott and Margaret L. Scott Revocable Trust, recorded in Book 4861, Page 197, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the northwest corner of sald Section 28; THENCE North 89°13'27" East, with the north line of sald Section 28, a distance of 368.65 feet to the POINT OF BEGINNING;

THENCE South 00°01'10" West, a distance of 3957.02 feet, to the POINT OF TERMINATION on the south line of the northwest quarter of the southwest quarter of said Section 28, from which a 1/2 inch iron rod with aluminum cap stamped "TRC CA #144" set marking the west quarter corner of said Section 28 bears South 89°15'30" West, with the south line of the northwest quarter of the southwest quarter of said Section 28, a distance of 318.86 feet, THENCE North 00°42'41" West, with the west line of said Section 28, a distance of 1318.66 feet, said baseline having a total distance of 3957.02 feet (239.82 rods), said Permanent Easement & Right of Way containing 4.542 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A" Sheet No(s). 1 & 2 of 5, drawing number GR-0322.010, Rev.

J. M.

1434

ONLAHOMA

1, same date.

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Date:

31.60

Tract No(s). GR-0336.000

1. Surface Owner(s):

Sandy Creek Farms, Inc. c/o Kay Barrington 2311 CR 1495 Bradley, OK 73002

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

The First National Bank & Trust Co., 302 W Chickasha Ave., Chickasha, OK 73018

3. Legal Description:

See attached plat.

4. Just Compensation:

\$38,213.00 (with GR-0338.000, GR-0340.00 and GR-0340.010)




EXHIBIT "A"

MIDSHIP Mainline

Owner: Sandy Creek Farms, Inc., a corporation

TRACT NO. GR-0336,000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southeast quarter of Section 4, Township 4 North, Range 5 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Sandy Creek Farms, inc., a corporation, recorded in Book 2608, Pages 153, 154, 155, 156, & 157, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the east quarter corner of said Section 4; THENCE South 00°42'39" East, with the east line of said Section 4, a distance of 661.21 feet to the northeast corner of the south half of the north half of the southeast quarter of said Section 4, THENCE South 89°23'18" West, with the north line of the south half of the north half of the southeast quarter of said Section 4, a distance of 1443.40 feet to the POINT OF BEGINNING;

THENCE South 26°18'24" East, a distance of 2201.01 feet, to the POINT OF TERMINATION on the south line of said Section 4, from which a 1/2 inch iron rod found marking the southeast corner of said Section 4 bears North 89°25'08" East, with the south line of said Section 4, a distance of 492.51 feet, said baseline having a total distance of 2201.01 feet (133.39 rods), said Permanent Easement & Right of Way containing 2.526 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 2, drawing number GR-0336.000, Rev. 2, same pate.

SIONA

DENNEY

Jame Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

1434 /51 D

Date:

10-11-17

Tract No(s). GR-0338.000

1. Surface Owner(s):

Sandy Creek Farms, Inc. c/o Kay Barrington 2311 CR 1495 Bradley, OK 73002

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128


The First National Bank & Trust Co., 302 W Chickasha Ave., Chickasha, OK 73018


3. Legal Description:


See attached plat.


4. Just Compensation:

See GR-0336.000










GRADY COUNTY, OKLAHOMA SECTION 9, TOWNSHIP 4 NORTH, RANGE 5 WEST OF THE INDIAN MERIDIAN



50' WIDE T.W.S.

10' WIDE T.W.S.



	8	711	Ş
	면 L23	411	-R/W
			N/
200	183	111	\$
		111	 3
	121	1 1	Ī

		<u> </u>	ETAIL "	<u> </u>		
		-	1"=200"	-		
M	FI	38 10	' WIDE	T.W.S.	П	
	111.5	(50)	1	33—	\$ \$	- 1
8	1	8	-	1		
	Lay		4003	122	\$ \$	—£34
T. C. L. S. C.	Lar	W	4003	135	V.	—£34 —£31 —£30

5' WIDE T.W.S.

DETAIL "3" 1"=200"

	A.T.W.S. LINE TABLE							
	LINE	BEARING	DISTANCE					
	L14	N26"18'26"W	21.94					
	L15	S63*42'06"W	35.00'					
	Lte	N26°18'23"W	106.76					
	L17	N63°41'35"E	35.00					
	L18	S26"18"24"E	106.76					
	L19	S02'36'09"W	117.98'					
ĺ	L20	S02*36'08'W	200.00					
	121	N87"23'52"W	60.00'					
	L22	N02"36"08"E	200.00					
ı	L23	\$87*23'51'E	60.00°					
ı	L24	\$00°38'24"E	30.00'					
I	L25	\$89°11'02"W	388.10'					
I	L26	S89"11"01"W	50.021					
I	L27	N02°21'48'W	220.32					
	128	N87°38'11"E	50,00'					
	1.29	S02°21'48"E	221.57					
ĺ	1.30	N00°38'24"W	70.00					
	L31	\$89°11'08"W	25.60'					
	L32	N00°48'58"W	50.00					
	L33	N89'11'02"E	25.75					
L34		800°38'24"E	50.00					
L35		S89*11'02'W	123.47					
1.36		S89"11"02"W	142.01'					
	L37	N02'21'48"W	124.33					
	L38	N87'37'12"E	49.66'					
	L39	S02"37"27"E	75.68'					
L40		N89°11'02"E	93.34					
	L41	S00"48"58"E	50.00'					

NOTE:

45' WIDE T.W.S.

SEE SHEET 1 OF 6 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHI	P PIPELINE CO	MPANY, LLC	
DWG BY: CR CKD BY: TRC DATE: 8/23/18 SCALE: N.T.S.		MIDSHIP MAINLINE PROJECT		
		PERMANENT EASEMENT & RIGHT OF WAY ACROSS THE PROPERTY OF		
		REV#	DATE	DES
3	8/29/2018	ADD T.A.R, WIDTH AND AREA		
2	8/23/2018	REVISED T.A.R. DETAIL		
DRAWN	iG:	GR-0338.000	SHEET NO. 5 OF 6	



40' WIDE T.W.S.

16330 Park Ten Place Houston, TX 77084 (281) 616-0100

EXHIBIT "A"

MIDSHIP Mainline

Owner: Sandy Creek Farms, Inc., a corporation

TRACT NO. GR-0338,000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the east half of Section 9, Township 4 North, Range 5 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Sandy Creek Farms, Inc., a corporation, recorded in Book 2608, Pages 153, 154, 155, 156, & 157, of the Office of the Clerk and Recorder of Grady County, Oklahoma [O.C.R.G.C.OK.], said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the northeast corner of said Section 9; THENCE South 89°25'08" West, with the north line of said Section 9, a distance of 492.51 feet to the POINT OF BEGINNING:

THENCE South 26°18'24" East, a distance of 697.16 feet, to a point;

THENCE South 02°36'09" West, a distance of 3115.14 feet, to a point;

THENCE South 02°21'48" East, a distance of 1382.10 feet, to a point;

THENCE North 89°11'02" East, a distance of 323.98 feet, to the POINT OF TERMINATION on the east line of said Section 9, from which a 3/8 inch iron rod found marking the southeast corner of said Section 9 bears South 00°38'24" East, with the east line of said Section 9, a distance of 166.04 feet, said baseline having a total distance of 5518.38 feet (334.45 rods), said Permanent Easement & Right of Way containing 6.334 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1-3 of 6, drawing number GR-0338,000, Rev. 3,

SIONAL

same date.

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s). GR-0340.000

1. Surface Owner(s):

Sandy Creek Farms, Inc. c/o Kay Barrington 2311 CR 1495 Bradley, OK 73002

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128


The First National Bank & Trust Co., 302 W Chickasha Ave., Chickasha, OK 73018

3. Legal Description:


See attached plat.


4. Just Compensation:

See GR-0336.000



GRADY COUNTY, OKLAHOMA SECTION 10, TOWNSHIP 4 NORTH, RANGE 5 WEST OF THE INDIAN MERIDIAN





A.T.W.S. LINE TABLE					
LINE	BEARING	DISTANCE			
L1	N00°38'24"W	70.00			
L2	N00*38'24"W	50.00'			
L8	N89°11'02"E	169.88'			
L4	S00°48'58"E	50.00'			
L5	689°11'02"W	170.04"			
L6	S89°26'02"W	75.47			
L7	889°26'02°W	53.90'			
I.R.	Massaussen	98 18'			

L2 La 1.4 L5 L6 L7 LB N22°30'27"W L9 S89°12'11'W 69.90 L10 N00'47'49"W 50.00 L11 N89°12'11"E 103.81 L12 S22°30'27"E 152.21' L13 N89*26'02"E 32.34 N22°30'27"W L14 160.31 L15 N22°30'27"W 100.00 L16 S89°12'11"W 100.00 N00°47'49"W L17 50.00 L18 N89°12'10"E 133.91 822°30'27°E 133.91 L20 S67"29"34"W 50.00

LEGEND



16350 Park Ten Place Houston, TX 77084 (281) 616-0100

NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

MIDSHIP PIPELINE COMPANY, LLC					
DWG BY: CR		MIDSHIP MAINLINE PROJECT			
CKD BY: TRO		PERMANENT EASEMENT & RIGHT OF WAY ACROSS THE PROPERTY OF			
DATE: 7/26/18 SCALE: N.T.S.					
		SANDY CREEK FARMS, INC.			
REV# DATE		DESCRIPTION			
1 7/26/2018 0 9/20/2017 DRAWING:		ADDED DETAILS CERTIFIED			
					GR-0340.000

Cheniere Midstream Owner: Sandy Creek Farms, Inc. **EXHIBIT "A"**

MIDSHIP Mainline

TRACT NO. GR-0340,000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the south half of the southwest quarter of Section 10, Township 4 North, Range 5 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Sandy Creek Farms, Inc., recorded in Book 3046, Page 560, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 3/8 inch iron rod found marking the southwest corner of said Section 10; THENCE North 00°38'24" West, with the west line of said Section 10, a distance of 166.04 feet to the POINT OF BEGINNING:

THENCE North 89°11'02" East, a distance of 464.09 feet, to a point: THENCE North 89°12'11" East, a distance of 835.49 feet, to a point;

THENCE South 22°30'27" East, a distance of 184.83 feet, to the POINT OF TERMINATION on the south line of said Section 10, from which a 3/8 inch iron rod found marking the south quarter corner of said Section 10 bears North 89°26'02" East, with the south line of said Section 10, a distance of 1270.56 feet, said baseline having a total distance of 1484.41 feet (89.96 rods), sald Permanent Easement & Right of Way containing 1.704 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s), 1 of 3, drawing number GR-0340,000, Rev. 1. SIONA

1434

ON AHOUN

same late.

James Michael Denney

Registe ed Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Date:

31.18

Tract No(s). GR-0340.010

1. Surface Owner(s):

Sandy Creek Farms, Inc. c/o Kay Barrington 2311 CR 1495 Bradley, OK 73002

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128


The First National Bank & Trust Co., 302 W Chickasha Ave., Chickasha, OK 73018

3. Legal Description:

See attached plat.

4. Just Compensation:

See GR-0336.000



Cheniere Midstream Owner: Sandy Creek Farms, Inc. **EXHIBIT "A"**

MIDSHIP Mainline TRACT NO. GR-0340.010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northeast quarter of the northwest quarter of Section 15, Township 4 North, Range 5 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Sandy Creek Farms, Inc., recorded in Book 3046, Page 560, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 3/8 Inch iron rod found marking the northwest corner of said Section 15; THENCE North 89°26'02" East, with the north line of said Section 15, a distance of 1368.42 feet to the POINT OF BEGINNING;

THENCE South 22°30'27" East, a distance of 583.71 feet, to a point;

THENCE South 27°18'33" East, a distance of 249.92 feet, to a point;

THENCE South 29°05'05" East, a distance of 89.22 feet, to a point;

THENCE South 22°16'12" East, a distance of 210.87 feet, to a point;

THENCE South 16°34'24" East, a distance of 294.86 feet, to the POINT OF TERMINATION on the south line of the northeast quarter of the northwest quarter of said Section 15, from which a 3/8 inch iron rod found marking the north quarter corner of said Section 15 bears North 89°24'25" East a distance of 743.66 feet to the southeast corner of the northeast quarter of the northwest quarter of said Section 15, THENCE North 00°48'26" West, with the east line of the northwest quarter of said Section 15, a distance of 1322.01 feet, said baseline having a total distance of 1428.58 feet (86.58 rods), said Permanent Easement & Right of Way containing 1.640 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 2, drawing number GR-0340.010, Rev. 0, same date.

9817

Date:

M

1434

ON AN

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s). GR-0353.000

1. Surface Owner(s):

Mark A. Morris, as Trustee of the Mark A. Morris Revocable Trust dated March 27, 2012, 2840 County Street 2791 Chickasha, Oklahoma 73018

Marylin Morris, Trustee of the Marylin Morris Revocable Trust dated March 27, 2012, 2840 County Street 2791 Chickasha, Oklahoma 73018

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128


First National Bank of Chickasha 302 W Chickasha Ave, Chickasha, OK 73018

3. Legal Description:

See attached plat.

4. Just Compensation:

\$ 7,571.00






EXHIBIT "A"

GRADY COUNTY, OKLAHOMA SECTION 26, TOWNSHIP 4 NORTH, RANGE 5 WEST OF THE INDIAN MERIDIAN

	T.A.R. LINE TABLE				
LINE	BEARING	DISTANCE			
Li	N01°24'36"W	448.781			
1.2	581°34′55″E	14.93			
L3	S79°46'47"E	27.901			
L4	877°54'19"E	52.00			
L5	S69"38'52"E	36.64'			
L6	S61°21'37"E	29.20'			
L7	S52°46'24"E	51.081			
L8	S44°47'51"E	39.61			
L9	\$37°09'12"E	52.48'			
L10	831°42'20°E	76.55'			
L11	\$31°35'42"E	66.18'			
L12	S42"35"32"E	42.78			
L13	S58°44'50"E	39.02°			
L14	S75°06'23"E	59.58'			
L15	S87°47'05"E	67.78'			
L16	N89°13'56"E	101.94'			
L17	N89"27'38"E	227.59			
£.18	N89°07'20"E	163.71			
L19	N89*27'23"E	337.64			
L20	N89°32'18"E	122.12			
L21	N89°33'51"E	150.29'			
L22	N88°03'30"E	165.77			
L23	N89°05'00"E	216.80			
L24	N89*15'30"E	183.90"			
1.25	N89°10'28"E	161.81			
L26	N89°54'07"E	138.02'			
L27	N89°40'31"E	141.72'			
L28	N88*06'16"E	63,881			
L29	N78'50'48"E	66.57			

A.T.W.S. LINE TABLE				
LINE	BEARING	DISTANCE		
130	\$05°03'19"W	548.70		
1.31	\$84°56'40°E	25.00		
£32	S05°03'19"W	200,00		
L33	N84°56'40"W	25.00°		
L34	N05*03'19"E	200.00'		
L35	\$06°03'18"W	1,170.11		
L36	\$44°57'33"W	137.42		
L37	N45°02'27"W	25.00'		
L38	N44°57'33"E	137.42'		
L39	\$45°02'27"E	25.00'		
L40	S44°57'34"W	63.44'		
L41	S44°57'33"W	100.00*		
L42	S19"33"32"E	100.00'		
Ł43	S70°26'28'W	50.00'		
L44	N19"33'32"W	131.56		
L45	N44°57'33"E	131.56'		
146	S45°02'26"E	50.00		
L47	N44°57'33"E	174.04'		
L48	N44"67"33"E	100.00*		
L49	N05*03'18'E	100.00°		
L50	S84*56'41"E	50.00		
L51	605*63*18*W	118.15		
L52	\$44°57'33"W	118.15 ¹		
L53	N45°02'27"W	50.001		
L54	889°23'13"W	68.72"		
L55	N19°33'32"W	130.81		
L56	\$89°08'60"W	52.79		
L57	N19°33'32"W	206,241		
L58	N70°26'29"E	50.00*		
L59	S19°33'32'E	223.17"		
L60	N19°33'32'W	108.45		
L61	S67"11"11"W	50.08'		
L62	N19°33'32"W	200.00'		
L63	N70°26'28'E	50.00'		
L64	819'33'32'E	197.16'		

LEGEND

I.R.
I.P.
FND.
N.T.S.
R.O.W.
T.W.S.
A.T.W.S.
P.E.R.W.
T.A.R.
P.A.R.

IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERKANENT ESCHENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT ACCESS ROAD
PERMANENT ACCESS ROAD
PERMANENT ACCESS ROAD
PERMENT ACCESS ROAD
PROFERTY LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.



16350 Park Ten Place Houston, TX 77084 {281} 616-0100

NOTE:

SEE SHEET 1 OF 4 FOR NOTES, SIGNATURE, AND SEAL

	MIDSHI	P PIPELINE CO	MPANY, LL	3		
OWG BY	: CP	MIDSHIP MAINLINE PROJECT				
CKD BY: TRC PERMANENT EASEMENT & RIGHT O						
DATE:	8/23/1B	ACROSS THE PROPERTY OF				
SCALE: N.T.S.		MARK A. MORRIS REVOCABLE TRUST, ET AL				
REV#	DATE	DESCRIPTION				
2	8/23/2018	ADDED DETAILS				
1	4/27/2018	REVISED ACCESS ROAD				
DRAWIN	IG;	GR-0353.000	SHEET NO.	3	OF	4

EXHIBIT "A"

MIDSHIP Mainline TRACT NO. GR-0353,000

Owner: Mark A. Morris Revocable Trust, et al

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the north half of Section 26. Township 4 North, Range 5 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Mark A. Morris, as Trustee of the Mark A. Morris Reyocable Trust and Marylin Morris, Trustee of the Marylin Morris Revocable Trust, recorded in Book 4535, Page 596, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 iron rod found marking the northwest corner of said Section 26; THENCE North 89°23'50" East, with the north line of said Section 26, a distance of 2735.34 feet to the POINT OF BEGINNING;

THENCE South 01°10'03" East, a distance of 9.64 feet, to a point;

THENCE South 00°11'47" East, a distance of 338.31 feet, to a point;

THENCE South 05°03'19" West, a distance of 1236.94 feet, to a point;

THENCE South 44°57'33" West, a distance of 228.86 feet, to a point:

THENCE South 19°33'32" East, a distance of 954.22 feet, to the POINT OF TERMINATION on the south line of the north half of said Section 26, from which a 1/2 inch iron rod found marking the west quarter corner of said Section 26 bears South 89°23'07" West a distance of 2745.55 feet, said baseline having a total distance of 2767.97 feet (167.76 rods), said Permanent Easement & Right of Way containing 3.177 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 2, drawing number GR-0353.000, Rev. 2, SSIONA

M

1434

ONLAHOW

same late.

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Date

Tract No(s). GR-0355.000

1. Surface Owner(s):

Shana Marie Elledge and Johnathan Eugene Elledge, Trustees of the Shana & Johnathan Eugene Elledge Family Trust Dated June 27, 2018 4126 County Street 2980 Bradley, OK 73011

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128


Mark Morris 2840 County Street 2791 Chickasha, Oklahoma 73018

3. Legal Description:

See attached plat.

4. Just Compensation:

\$3,534.00






EXHIBIT "A"

MIDSHIP Mainline TRACT NO. GR-0355,000

Owner: Shana & Johnathan Elledge Family Trust

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southeast quarter of Section 26, Township 4 North, Range 5 West of the Indian Meridian, Grady County, Oklahoma and being over, through and across a tract of land conveyed to Shana Marie Elledge and Johnathan Eugene Elledge, Trustees of the Shana & Johnathan Elledge Trust Family Trust Dated June 27, 2018, recorded in Book 5444, Page 453, of the Office of the Clerk and Recorder of Grady County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the west quarter corner of said Section 26; THENCE North 89°23'07" East, with the north line of the south half of said Section 26, a distance of 2745.55 feet to the **POINT OF BEGINNING**:

THENCE South 19"33'32" East, a distance of 143.73 feet, to a point:

THENCE South 43°02'34" East, a distance of 250.20 feet, to a point;

THENCE South 19°29'01" East, a distance of 1052.01 feet, to the POINT OF TERMINATION on the south line of the north half of the southeast quarter of said Section 26, from which a 3/8 inch iron rod with cap found marking the south quarter corner of said Section 26 bears South 89°18'05" West, with the south line of the north half of the southeast quarter of said Section 26, a distance of 658.98 feet, THENCE South 00°48'37" East, with the west line of the southeast quarter of said Section 26, a distance of 1317.08 feet, said baseline having a total distance of 1445.94 feet (87.63 rods), said Permanent Easement & Right of Way containing 1.660 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 2, drawing number GR-0355.000, Rev. 1,

SIONAL

M.

CALLAHOM)

same date

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

KINGFISHER COUNTY

Tract No(s). CL-KI-0026,000

1. Surface Owner(s):

Vincent N. Rother P.O. Box 642 225 S. 4th Str., Okarche, OK 73762

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$8,993.00





EXHIBIT "A"

KINGFISHER COUNTY, OKLAHOMA SECTION 15, TOWNSHIP 15 NORTH, RANGE 6 WEST OF THE INDIAN MERIDIAN



DETAIL "1"

A.T.W.S. LINE TABLE			
LINE	BEARING	DISTANCE	
L1	N00"53'19"W	50.12	
1.2	N89°39'18°E	3.56'	
L3	N00°41'40"W	9.88'	
L4	N89°40'13"E	34.39'	
L5	N00°53'07"W	70.27	
L6	N89°28'08"E	149.40	
L7	\$00°33'54"E	50.00	
LB	S89"28'29"W	120.931	
L9	S44°26'06'W	28.70'	
L10	889°40'07"W	7.77'	
L11	N89*25'35'E	572.19	
L12	N00°33'56"W	50,001	
L13	NB9*26'06'E	150,00°	
L14	S00°33'54"E	60.00	
L15	\$89°26'05"W	150.00*	
L16	N89*26'05"E	93.321	
L17	N00°33'56"W	50.001	
L18	N89°26'05"E	150.00°	
L19	S00"33"54"E	60.00	
1.20	\$89°26'05"W	150.00*	

LEGEND

I.R.
I.P.
FND.
N.T.S.
R.O.W.
T.W.S.
AT.W.S.
P.E.R.W.
T.A.R.
P.A.R.

IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT EXSEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT ACCESS ROAD
PERMANENT ACCESS ROAD
BROKEN LINE NOT SCALABLE
PROPERTY LINE
EASELINE
EASELINE
EXISTING PIPELINE
STATUTORY R.O.W.



SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHIP PIPELINE COMPANY, LLC				
DWG BY	: CP	CHISHOLM LATERAL PROJECT PERMANENT EASEMENT & RIGHT OF WAY ACROSS THE PROPERTY OF VINCENT N. ROTHER			
CKD BY:	TRC				
DATE:	8/15/18				
SCALE:	N.T.S.				
REV#	DATE	DESCRIPTION			
2	8/15/2018	ADDED DETAIL			
1	5/16/2018	REVISED ROUTE AND A.T.W.S.			
DRAWING: CL-KI-0026.000 SHEET NO. 2 OF		SHEET NO. 2 OF 3			



16350 Park Ten Place Hauston, TX 77084 (281) 516-0100

EXHIBIT "A"

Chisholm Lateral TRACT NO. CL-KI-0025,000

Owner: Vincent N. Rother

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southwest quarter of Section 15, Township 15 North, Range 6 West of the Indian Meridian, Kingfisher County, Oklahoma and being over, through and across a tract of land conveyed to Vincent N. Rother, recorded in Book 2179, Page 60, of the Office of the Clerk and Recorder of Kingfisher County, Oklahoma (O.C.R.K.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 5/8-inch iron rod with aluminum cap marked "TRC CA #144" set marking the south quarter corner of said Section 15; THENCE North 00*49'44" West, with the east line of the southwest quarter of said Section 15, a distance of 169.52 feet to the POINT OF BEGINNING;

THENCE South 89°26'05" West, a distance of 2551.03 feet, to a point;

THENCE South 44°26'05" West, a distance of 28.87 feet, to a point;

THENCE South 89°40'12" West, a distance of 74.26 feet, to the POINT OF TERMINATION on the west line of said Section 15, from which a 1/2-inch iron rodad found marking the southwest corner of said Section 15 bears South 00°53'19" East, with the west line of said Section 15, a distance of 149.88 feet, said baseline having a total distance of 2654.16 feet (160.86 rods), said Permanent Easement & Right of Way containing 3.045 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeiine Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 and 2 of 3, drawing number CL-KI-0026.000,

SIONA

DENNEY

1434

Rev. , same date.

James Michael Denney

Registered Professional Land Surveyor

Okia ma Registration No. 1434

Firm License No. 144

Tract No(s). CL-KI-0035.000

1. Surface Owner(s):

Karen Schoeling Manuel 11809 Sundance Mountain Rd. Oklahoma City, OK 73162

Dale Schoeling 10461 Meadow Ridge Road Edmond, OK 73025

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128


3. Legal Description:


See attached plat.

4. Just Compensation:

\$6,928.00










EXHIBIT "A"

Chisholm Lateral

Owner: Karen Schoeling Manuel and Dale Schoeling

TRACT NO. CL-KI-0035.000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of Section 20, Township 15 North, Range 6 West of the Indian Meridian, Kingfisher County, Oklahoma and being over, through and across a tract of land conveyed to Karen Schoeling Manuel and Dale Schoeling, recorded in Book 2629, Page 146, of the Office of the Clerk and Recorder of Kingfisher County, Oklahoma (O.C.R.K.C.OK.), said fiftyfoot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the north quarter corner of said Section 20; THENCE South 89°33'27" West, along the north line of said Section 20, a distance of 918.82 feet to the POINT OF BEGINNING:

THENCE South 00°46'16" East, a distance of 189.51 feet, to a point;

THENCE South 89°41'12" West, a distance of 1668.82 feet, to a point;

THENCE South 45°00'00" West, a distance of 26.77 feet, to a point;

THENCE North 90°00'00" West, a distance of 68.70 feet, to the POINT OF TERMINATION on the west line of said Section 20, from which a 1/2 inch iron rod found marking the northwest corner of said Section 20 bears North 00°31'55" West, along the west line of said Section 20, a distance of 204,00 feet, said baseline having a total distance of 1953.80 feet (118.41 rods), said Permanent Easement & Right of Way containing 2.243 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 2, drawing number CL-KI-0035.000, Rev. 3,

DENNE

1434

EKLAH

same date.

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Date: 6/27/2018

Tract No(s). CL-KI-0065.000

1. Surface Owner(s):

Terry Bruce Luber,
Personal Representative of
The Estate of Willis E. Luber, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Willis E. Luber, deceased, P.O. Box 720
221 S. 4th Street
Okarche, OK 73762

Sheryl Lynn Luber 1404 West Ash St., El Reno, OK

W. Bruce Luber 808 Wandering Way Oklahoma City, OK 73170

Terry Bruce Luber and Diana Luber, P.O. Box 720 221 S. 4th Street Okarche, OK 73762

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128


3. Legal Description:

See attached plat.

4. Just Compensation:

\$12,826.00 (with CL-KI-0067.000)





DETAIL "2" 1"=200"

1	A.T.W.S. LINE TABLE				
LINE	LINE BEARING D				
Li	500°32'13"E	75.00			
1.2	\$89*38'30"W	34,44'			
LS	S00"21'30"E	50.00			
1.4	\$89*38'30"W	150.00*			
1.5	N00°21'30"W	50.DO'			
L6 N89"38'31"E		150.00			

T.A.R. LINE TABLE			
LINE	BEARING	DISTANCE	
L7	S89'20'24'W	631.281	
L8	S89'09'57"W	456.66'	

LEGEND

FOR PIPE
FOUND
RON PIPE
ROUT OF SALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT EASEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT ACCESS ROAD
BROKEN LINE NOT SCALABLE
PROPERTY LINE
BASELINE
BASELINE
EVISTING PIPELINE
STATUTORY R.O.W.

16350 Park Ten Place Houston, TX 77084 (281) 616-0100

NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

MIDSHIP PIPELINE COMPANY, LLC					
DWG BY	: CP	CP CHISHOLM LATERAL PROJECT			
CKD BY: TRC		PERMANENT EASEMENT & RIGHT OF WAY			
DATE:	8/1/17				
SCALE:	N,T,S.	ESTATE OF WILLIS E. LUBER, DECEASE		ED	
REV#	DATE	DESCRIPTION			
3	8/15/2018	ADDED DETAILS			
2	11/8/2017	REVISED LO NAME			
DRAWING: CL-KI-0065.000 SHE		SHEET NO.	2	OF	3

EXHIBIT "A"

Chisholm Lateral

Owner: Estate of Willis E. Luber, deceased

TRACT NO. CL-KI-0065,000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northeast quarter of Section 26, Township 15 North, Range 8 West of the Indian Meridian, Kingfisher County, Oklahoma and being over, through and across a tract of land conveyed to Estate of Willis E. Luber, deceased, recorded in Book 800 Page 552, Book 627 Page 409, Book 538 Page 246 and Book 553 Page 3 of the Office of the Clerk and Recorder of Kingfisher County, Oklahoma (O.C.R.K.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2-inch iron rod found marking the northeast corner of said Section 26; THENCE South 00°32'13" East a distance of 58.05 feet to the POINT OF BEGINNING;

THENCE South 89°38'30" West, a distance of 1223.96 feet, to a point;

THENCE South 88°45'27" West, a distance of 1402.73 feet, to the POINT OF TERMINATION on the west line of the northeast quarter of said Section 26, from which a 1/2- inch iron rod found marking the least quarter corner of said Section 26 bears South 00°31'14" East a distance of 2594.20 feet, THENCE North 89°00'48" East a distance of 2627.40 feet, said baseline having a total distance of 2626.69 feet (159.19 rods), said Permanent Easement & Right of Way containing 3.015 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 and 2 of 3, drawing number CL-KI-0065.000,

DENNEY

Rev. I, same date.

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Date:

Dat

Tract No(s). CL-KI-0066.000

1. Surface Owner(s):

Albert Joseph Skoch 625 Queensboro Pl., Yukon, OK 73099

The Dennis G. and Helen
M. Jones 2015 Revocable Trust dated the
17th day of March, 2015, Dennis G. Jones and Helen M. Jones,
Co-Trustees,
1700 Leawood Dr.,
Edmond, OK 73034

The Earlene R. Allison Trust Dated September 11, 2017, a revocable living trust, Earlene R. Allison, Trustee, 503 Kingston Pl., Yukon, OK 73099

Marilyn Elizabeth Skoch 12401 N. MacArthur, Apt. 2113 Oklahoma City, OK 73142

Robert Eugene Skoch 1109 NW 196th St., Edmond, OK 73012


Donald Richard Skoch 1825 W Highway 66 Yukon, OK 73099


Marilyn Elizabeth Skoch, Trustee of the Marilyn E. Skoch Trust dated June 20, 2018, 12401 N. MacArthur, Apt. 2113 Oklahoma City, OK 73142


2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

- 3. Legal Description: See attached plat.
- 4. Just Compensation: \$9,602.00












EXHIBIT "A"

Chisholm Lateral
TRACT NO. CL-KI-0066,000

Owner: Albert Joseph Skoch, et al

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of Section 25, Township 15 North, Range 8 West of the Indian Meridian, Kingfisher County, Oklahoma and being over, through and across a tract of land conveyed to Albert Joseph Skoch, Helen Marie Skoch Jones, Earlene Rose Skoch Allison, Mariyn Elizabeth Skoch, Robert Eugene Skoch, and Donald Richard Skoch, recorded in Book 2675, Page 70, and that portion conveyed to Helen Marie Skoch Jones being further conveyed to Dennis G. Jones and Helen M. Jones, as Co-Trustees of the Dennis G. and Helen M. Jones 2015 Revocable Trust, recorded in Book 2773, page 170, of the Office of the Clerk and Recorder of Kingfisher County, Oklahoma (O.C.R.K.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a ½ inch iron rod found marking the north quarter corner of said Section 25; THENCE South 00°32'11" East, with the east line of the northwest quarter of said Section 25, a distance of 56.88 feet to the POINT OF BEGINNING;

THENCE South 89°19'45" West, a distance of 2625.53 feet, to a point;

THENCE South 89"38"30" West, a distance of 27.46 feet, to the **POINT OF TERMINATION** on the west line of said Section 25, from which a ½ inch Iron rod found marking the northwest corner of said Section 25 bears North 00"32"13" West, along the west line of said Section 25, a distance of 58.05 feet, said baseline having a total distance of 2652.99 feet (160.79 rods), said Permanent Easement & Right of Way containing 3.045 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 2, drawing number CL-Ki-0066.000, Rev. 1,

1434

same date.

James Michael Denney

Regis pred Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s). CL-KI-0067.000

1. Surface Owner(s):

Terry Bruce Luber,
Personal Representative of
The Estate of Willis E. Luber, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Willis E. Luber, deceased,
P.O. Box 720
Okarche, OK 73762
221 S. 4th Street
Okarche, OK 73762

Sheryl Lynn Luber 1404 West Ash St., El Reno, OK

W. Bruce Luber 808 Wandering Way Oklahoma City, OK 73170

Terry Bruce Luber and Diana Luber, P.O. Box 720 Okarche, OK 73762 221 S. 4th Street Okarche, OK 73762

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

See Cl-KI-0065.000






EXHIBIT "A"

KINGFISHER COUNTY, OKLAHOMA SECTION 26, TOWNSHIP 15 NORTH, RANGE 8 WEST OF THE INDIAN MERIDIAN









A.T.W.S. LINE TABLE		
LINE	BEARING	DISTANCE
L1	S00°27'03"E	75,00
L2	N88*56'13"E	345.22'
1.3	N88"56"13"E	186.62
L4	S89"38"15"E	13,38'
L5	500°21'43"W	50.00
L6	N89*36'20"W	12.75
L7	S88*56*13*W	186.00°
LB	N01"03'48"W	50.00
L9	800"31"14"E	75.01'
1.10	S88*45'27"W	14.57
L11	N89*38'58"W	3.43
L12	800°21'43°W	50.00
£13	N89°38'13"W	199,38
L14	N00°21'01°W	60.00*
L15	S89°38'17"E	200.00

LECEND

I.R. I.P. FND. N.T.S. R.O.W. T.W.S. A.T.W.S. P.E.R.W. RON ROD
RON PIPE
TOUND
BOT TO SCALE
GOHT OF WAY
EMPORARY WORKSPACE
EMPORARY WORKSPACE
EMMARKENT EMSEMBLE
ROMENUM FOR NOT SCALABLE
ROPERTY LINE
RASELINE
EMSTALE
EMSTALE
ROSEL LINE
ROSEL ROSE
ROSEL RO



SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHI	P PIPELINE CO	MPANY, LLC
DWG BY	: CP	CHISHOLM LATERAL PROJECT PERMANENT EASEMENT & RIGHT OF WAY ACROSS THE PROPERTY OF	
CKD BY:	TRC		
DATE:	8/15/18		
SCALE:	N.T.S.		
REV#	DATE	DESCRIPTION	
3	8/15/2018	ADDED DETAILS	
2	11/9/2017	REVISED LO NAME	
DRAWING:		CL-KI-0067.000	SHEET NO. 2 OF 3



16350 Park Ten Place Houston, TX 77084 (281) 616-0100

EXHIBIT "A"

Chisholm Lateral TRACT NO. CL-KI-0067,000

Owner: Estate of Willis E. Luber, deceased

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northeast quarter of the northwest quarter of Section 26, Township 15 North, Range 8 West of the Indian Meridian, Kingfisher County, Oklahoma and being over, through and across a tract of land conveyed to Estate of Willis E. Luber, deceased, recorded in Book 888, Page 946, Book 877, Page 896 and Book 864, Page 213, of the Office of the Clerk and Recorder of Kingfisher County, Oklahoma (O.C.R.K.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the northeast corner of said Section 26; THENCE South 88°54'48" West, along the north line of said Section 26, a distance of 2626.68 feet, THENCE South 00°31'14" East, along the east line of the northwest quarter of said Section 26, a distance of 46.31 feet to the POINT OF BEGINNING;

THENCE South 88°45'27" West, a distance of 14.47 feet, to a point;

THENCE North 89°38'17" West, a distance of 765.98 feet, to a point;

THENCE South 88°56'13" West, a distance of 532.98 feet, to the POINT OF TERMINATION on the west line of the east half of the northwest quarter of said Section 26, from which a PK nail marking the northwest corner of said Section 26 bears North 00°27'03" West, along the west line of the east half of the northwest quarter of said Section 26, a distance of 26.77 feet, THENCE South 88°54'48" West, along the north line of said Section 26, a distance of 1313.34 feet, said baseline having a total distance of 1313.43 feet (79.60 rods), said Permanent Easement & Right of Way containing 1.508 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 and 2 of 3, drawing number CL-KI-0067.000,

DENNEY

Rev. 3, same date.

Jame Michael Denney

Registered Professional Land Surveyor

Okiahoma Registration No. 1434

Firm License No. 144

Tract No(s).CL-KI-0069.000

1. Surface Owner(s):

Bradley Charles Krittenbrink 10301 E 880 Rd., Okarche, OK 73762

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$5,851.00





EXHIBIT "A"

KINGFISHER COUNTY, OKLAHOMA SECTION 26, TOWNSHIP 15 NORTH, RANGE 8 WEST OF THE INDIAN MERIDIAN



DETAIL "1" 1"=100"

A TIMO A DIETADI E			
A.T.W.S. LINE TABLE			
LINE	BEARING	DISTANCE	
1.1	N00°27'03'W	25.00	
L2	S88*56'13'W	210.72	
L3	546°25'06"W	0.12	
Ļ4	S48°24'34'W	78.96	
L5	S46*24*33*W	200.00	
L6	N43*35'25*W	50.00'	
L7	N46*36'07*E	223.58	
L8	N89°06'09°E	72.63	
L9	800°27'03"E	75.00	
L10	S88*56*13*W	51.28'	
L11	801°03'48"E	50.00'	
1.12	S88*56*12*W	100.00'	
1.13	S48*24'34"W	200.00'	
L14	N43*35'26'W	50.00	
L15	N46*24'34"E	219.46'	
L16	N88"56"13"E	119,46	

LEGEND

LR. LP. FND. N.T.S. R.O.W. T.W.S. AT.W.S. P.E.R.W.

RON ROD
RON PIPE
FOUND
F

NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

SCALE: N.1.6.		THE MARK AND SARAH OPPEL REVOCABLE TRUST, ET AL				
REV#	DATE	DESCRIPTION				
1 D	8/14/2018 9/20/2017	ADDED DETAILS CERTIFIED				
DRAWING:		CL-KI-0089.000	SHEET NO.	2	OF	3



16350 Park Ten Place Houston, TX 77884 (281) 615-0100

EXHIBIT "A"

Chisholm Lateral

Owner: Mark John Oppel and Sarah Beth Oppel, Trustees of the Mark and Sarah Oppel Revocable Trust, Bradley Charles Krittenbrink, Anne Elise Krittenbrink and Allison Leigh Krittenbrink

TRACT NO. CL-KI-0069.000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of the northwest quarter of Section 26, Township 15 North, Range 8 West of the Indian Meridian, Kingfisher County, Oklahoma and being over, through and across a tract of land conveyed to Mark John Oppel and Sarah Beth Oppel, Trustees of the Mark and Sarah Oppel Revocable Trust, recorded in Book 2923, Page 505 and coveyed to Bradley Charles Krittenbrink, Anne Elise Krittenbrink and Allison Leigh Krittenbrink, recorded in Book 1943, Page 158, of the Office of the Clerk and Recorder of Kingfisher County, Oklahoma (O.C.R.K.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a PK nall found marking the northwest corner of said Section 26; THENCE North 88*54'48" East, with the north line of said Section 26, a distance of 1313.34 feet, THENCE South 00*27'03" East, with the east line of the west half of the northwest quarter, a distance of 26.77 feet to the POINT OF BEGINNING;

THENCE South 88°56'13" West, a distance of 193.33 feet, to a point;

THENCE South 46°24'34" West, a distance of 1536.60 feet, to the POINT OF TERMINATION on the west line of said Section 26, from which said PK nall found marking the northwest corner of said Section 26 bears North 00°22'52" West, with the west line of said Section 26, a distance of 1064.97 feet, said baseline having a total distance of 1729.93 feet (104.84 rods), said Permanent Easement & Right of Way containing 1.986 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 and 2 of 3, drawing number CL-Ki-0069.000,

J. M. DENNEY

Rev. , same date.

Jame Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s). CL-KI-0077.000

1. Surface Owner(s):

KR&K Inc. c/o Dale Rother 603 Reuter Ln., Okarche, OK 73762

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$9,489.00







EXHIBIT "A"

KINGFISHER COUNTY, OKLAHOMA SECTION 33, TOWNSHIP 15 NORTH, RANGE 8 WEST OF THE INDIAN MERIDIAN







LINE	BEARING	DISTANCE
LI	S00°26'13"E	72.12
12	N75"38'03"E	29.91'
1,3	N75°38'03'E	274.57
1.4	N76"42"13"E	21.95
1.5	813*17'47"E	50,00°
LI6	\$76°42'15"W	21,48'
£7	\$75°38'03"W	286.90
L8	N00.00.00.E	51.61'
L9	N76°42'13"E	100.89
L10	N76*42'13"E	200,00
L11	\$13°17'48"E	50.00
L12	S76°42'13"W	200,00
L13	N13°17'47"W	50.00
1.14	S76°13'11"W	203.86'
L15	S13*46'49*E	35.00
L16	S76*13"11"W	150.00'
L17	N13°46'49"W	85.00
L18	N76*13'11"E	150.00

T.W.S. LINE TABLE			
LINE	BEARING	DISTANCE	
L19	N76°13'49"E	186.16	
L20	N01°20'16"E	43.22	
1.21	N77"02'09"E	109.59	
L22	N88°13'36°E	22,23'	
L23	\$70°05'38"E	19,89'	
124	S55°50°37°E	33.01'	

LEGEND

I.R. LP. FND. N.T.S. R.O.W. T.W.S. A.T.W.S. P.E.R.W. IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMAKENT EMPORARY WORKSPACE
PERMAKENT EMSEMENT & RIGHT OF WAY
BROKEN LINE NOT SCALABLE
PROPERTY LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.



16350 Park Ten Place Houston, TX 77084 (281) 616-0109

NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHII	P PIPELINE CO	MPANY, LLC
DWG BY	: CR	CHISHOLM LATERAL PROJECT PERMANENT EASEMENT & RIGHT OF WAY ACROSS THE PROPERTY OF K R & K, INC.	
CKD BY:	TRC		
DATE:	8/14/18		
SCALE:	N.T.S.		
REV#	DATE	DESCRIPTION	
2	8/20/2018	ADDED DETAIL	
1	8/14/2018	ADDED DETAILS	
DRAWING:		CL-KI-0077.008	SHEET NO. 2 OF 3

Owner: KR & K, Inc.

EXHIBIT "A"

Chisholm Lateral TRACT NO. CL-KI-0077.000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of Section 33, Township 15 North, Range 8 West of the Indian Meridian, Kingfisher County, Oklahoma and being over, through and across a tract of land conveyed to K R & K, Inc., recorded in Book 1408, Page 179, of the Office of the Clerk and Recorder of Kingfisher County, Oklahoma (O.C.R.K.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 3/8 inch iron rod found marking the center of said Section 33; THENCE North 00°37'32" West, along the east line of the northwest quarter of said Section 33, a distance of 809.00 feet to the POINT OF BEGINNING:

THENCE South 75°17'49" West, a distance of 324.73 feet, to a point;

THENCE South 76°13'20" West, a distance of 727.21 feet, to a point;

THENCE South 76°10'19" West, a distance of 218.94 feet, to a point;

THENCE South 75°59'18" West, a distance of 418.87 feet, to a point;

THENCE South 76°42'13" West, a distance of 728.77 feet, to a point;

THENCE South 75°38'03" West, a distance of 287.77 feet, to the POINT OF TERMINATION on the west line of said Section 33, from which a 3/8 inch iron rod found marking the west quarter corner of said Section 33 bears South 00°26'13" East, along the west line of said Section 33, a distance of 184.40 feet, said baseline having a total distance of 2706.29 feet (164.02 rods), said Permanent Easement & Right of Way containing 3.106 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 and 2 of 3, drawing number CL-KI-0077.000,

DENNEY

1434

Rev. 2./same date.

James Michael Denney

Registered Professional Land Surveyo

Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s). CL-KI-0079.010

1. Surface Owner(s):

Louise Marie Hubbard, Trustee of the Louise Marie Hubbard Living Trust Agreement dated November 11, 1993, 11425 NW 109th St Yukon, OK 73099

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$2,276.00




EXHIBIT "A"

Chisholm Lateral

Owner: The Louise Marie Hubbard Living Trust Agreement

TRACT NO. CL-KI-0079,010

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the east half of the southeast quarter of Section 32, Township 15 North, Range 8 West of the Indian Meridian, Kingfisher County, Oklahoma and being over, through and across a tract of land conveyed to Louise Marie Hubbard, Trustee of the Louise Marie Hubbard Living Trust Agreement, recorded in Book 2556, Page 178, of the Office of the Clerk and Recorder of Kingfisher County, Oklahoma (O.C.R.K.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 3/8 inch iron rod found marking the east quarter corner of said Section 32; THENCE South 89°23'24" West, with the north line of the southeast quarter of said Section 32, a distance of 789.94 feet to the POINT OF BEGINNING:

THENCE South 76°25'50" West, a distance of 407.74 feet, to a point:

THENCE South 75°24'44" West, a distance of 133.63 feet, to the POINT OF TERMINATION on the west line of the east half of the southeast quarter of said Section 32, from which a 1/2 Inch iron rod found marking the south quarter corner of said Section 32 bears South 00°23'59" East, with the west line of the east half of the southeast quarter of sald Section 32, a distance of 2519.01 feet, THENCE South 89°20'41" West, with the south line of said Section 32, a distance of 1318.21 feet, said baseline having a total distance of 541.37 feet (32.81 rods), said Permanent Easement & Right of Way containing 0.621 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 2, drawing number CL-Ki-0079.010, Rev. 0. SSIONA

DENNEY

1434

ONLAHOM

same date

s Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s). CL-KI-0081.000

1. Surface Owner(s):

Dale F. Rother and Marian Elizabeth Rother 10844 248th St. NW Okarche, OK 73762

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128


3. Legal Description:

See attached plat.

4. Just Compensation:

\$ 18,720.00








EXHIBIT "A"

Chisholm Lateral TRACT NO. CL-KI-0081,000

Owner: Dale F. Rother and Marian Elizabeth Rother

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the north half of the southwest quarter of Section 32, Township 15 North, Range 8 West of the Indian Meridian, Kingfisher County, Oklahoma and being over, through and across a tract of land conveyed to Dale F. Rother and Marian Elizabeth Rother, recorded Deing over, through and across a fraction and conveyed to pale r. notice and ividian encapeur notice, recorded in Book 2347, Page 179, of the Office of the Clerk and Recorder of Kingfisher County, Oklahoma (O.C.R.K.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or never described baseline, the solutions of said tract of land, said baseline being more particularly described as shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as

COMMENCING at a 1/2-inch Iron rod found marking the south quarter corner of said Section 32; THENCE North 200°21'47" West, with the east line of the southwest quarter of sald Section 32, a distance of 2343.77 feet to the POINT OF BEGINNING;

THENCE North 74°30'33" West, a distance of 612.49 feet, to a point;

THENCE North 78°10'12" West, a distance of 34.12 feet, to a point;

THENCE South 89°14'11" West, a distance of 1498.15 feet, to a point;

THENCE South 51°34'36" West, a distance of 407.35 feet, to a point;

THENCE North 90°00'00" West, a distance of 190.56 feet, to the POINT OF TERMINATION on the west line of said Section 32, from which a 1/2-inch iron rod found manding the west quarter corner of said Section 32 bears North 200°18'30" West a distance of 1004.53 feet, said baseline having a total distance of 3372.66 feet (204.40 rods), said Permanent Easement & Right of Way containing 3.871 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

J. M.

1434

BALAN

For reference and further information see Exhibit "A", Sheet No(s). 1 of 4, drawing number CL-KI-0081.000, Rev. 2,

Date:

same date

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

STEPHENS COUNTY


Tract No(s). VL-ST-0003.000


1. Surface Owner(s):

Daniel E. McCarley, Trustee of the Daniel E. McCarley Trust, dated May 25,2007; 3672 Course Dr., Sarasota, FL 34232

Stephen R. Whitten 2809 Springdale Ln., Duncan, OK 73534

- 2. Other Persons-in-Interest:
- 3. Legal Description: See attached plat.
- 4. Just Compensation: \$978.00








EXHIBIT "A"

Veima Lateral

Owner: Whitten Family Revocable Trust, et al

TRACT NO. VL-ST-0003.000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of the northwest quarter of Section 24, Township 1 South, Range 5 West of the Indian Meridian, Stephens County, Oklahoma and being over, through and across a tract of land conveyed to Whitten Family Revocable Trust, et al, recorded in Book 4243, Page 279, Book 1871, Page 48, Book 3701, Page 148, Book 4038, Page 155, Book 2349, Page 2, Book 2733, Page 24, Book 1872, Page 720, Book 1962, Page 115 and Book 4925, Page 136 of the Office of the Clerk and Recorder of Stephens County, Oklahoma (O.C.R.S.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod with cap found marking the west quarter corner of said Section 24; THENCE North 00°24'16" West, with the west line of said Section 24, a distance of 2028.64 feet to the POINT OF BEGINNING:

THENCE North 87°47'07" East, a distance of 16.49 feet, to a point;

THENCE North 76°10'18" East, a distance of 54.02 feet, to a point;

THENCE North 24°11'54" East, a distance of 402.29 feet, to a point;

THENCE North 27°26'13" East, a distance of 242.04 feet, to a point;

THENCE North 37"23'40" East, a distance of 19.73 feet, to the POINT OF TERMINATION on the north line of sald Section 24, from which a railroad spike found marking the northwest corner of said Section 24 bears South 89"04'38" West, with the north line of said Section 24, a distance of 361.66 feet, said baseline having a total distance of 734.57 feet (44.52 rods), said Permanent Easement & Right of Way containing 0.843 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 4, drawing number VL-ST-0003.000, Rev. 3, same date.

Date:

SIONAL

J. M.

BATTAHDAN

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s). VL-ST-0018.010

1. Surface Owner(s):

Norwest Capital Management & Trust Co., Trustee or Successor Trustee of the Revocable Living Trust Agreement dated December 17, 1980,
Troy Goodwin, agent
175 N 27th St 1st NW Natl Bldg,
Billings MT 59117

A. P. Goodwin, Jr. 28116 Highway 76 Foster OK 73424

Donald L. Green 13336 SE 147th Road Wister, OK 74966

E Arline Sims 286277 E 1790 Rd. Comanche, OK 73529

Imogene A. Lewis P.O. Box 232 Duncan OK 73534

Lucille Sims whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Lucille Sims, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Lucille Sims, deceased,

P.O. Box 296 Duncan OK 73534

D. Darlene Henricks 1012 W Chestnut Ave Duncan, OK 73533

E. Arlene Sims 286277 E 1790 Rd Comanche, OK 73529 Robert P. Sims, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Robert P. Sims, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Robert P. Sims, deceased, 3800 Forrest Rd Sulphur, OK 73086

Elizabeth Beeson, Trustee(s) of the James F. Beeson and Elizabeth Beeson Family Trust created January 20, 1992 1634 Box Prairie Cir., Loveland, CO 80538

Kelly J. Egebrecht 6102 Wildcat Ln Pasco, WA 99301

Donna A. Hornberger 400 Tolas Pl., #22 Fallon, NV 89406

Silas Virgil Goodwin and Sharon Diane Goodwin, as Trustees of the Silas Virgil Goodwin and Sharon Diane Goodwin Revocable Trust, dated July 20, 1998
8119 E 126th St N Apt 126
Collinsville, OK 74021

Charles Dean Goodwin 4619 SE Highway 82 Wister, OK 74966

Wanda Williams, formerly Daily 1213 W Stewart Ave., Duncan, OK 73533

William Presto Gray c/o Anita Gray 330 K ST SW Ardmore, OK 73401

Amaleta Marline Gray 2900 Worthington Dr., Norman, OK 73072 Kenneth Ray Gray 1213 W Stewart Ave., Duncan, OK 73533

Amaleta Marlina Sharp 3900 Worthington Dr Norman, OK 73072

Lucille Gray, s/p/a Lucia Gray, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Lucille Gray, s/p/a Lucia Gray, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Lucille Gray, s/p/a Lucia Gray, deceased Rt 1 Box 66H
Duncan OK 73533

or 207 W Florida Ave Anadarko, OK 73005

David Nunley 3055 Hidden Lake Dr., Duluth, GA 30096

Alan Morgan Address Unknown

Donny Morgan Address Unknown

Kevin Morgan P.O. Box 602 Marlow, OK 73055

Cleo C. Holland, Jr. 407 W Commanche Marlow, OK 73055

Clytis Reynolds, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Clytis Reynolds, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Clytis Reynolds, deceased,

10135 County St. 2490 Hydro, OK 73048

Pernecie Bocast P.O. Box 602 Marlow, OK 73055

Gladys Reusser 354 Rio Lindo Ave., Apt 39 Chico, California 95926

Peggy Joe Chadwick, nee Holland 28116 Highway 76 Foster OK 73424

Donna Kay Hornback Sage Creek Apartments, 100 S Pyvas, #E4 Washington, OK 73093

Ojuana A. Nichols, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Ojuana A. Nichols, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Ojuana A. Nichols, deceased, 500 W Santa Maria St Spc 134 Santa Paula, CA 93060

Dianna Olcott now McCreight 69720 Old Wagon Rd., Sisters, OR 97759

Rebecca Jean Behrendt, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Rebecca Jean Behrendt, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Rebecca Jean Behrendt, deceased,

10687 Yolo Str., Ventura, CA 93004

Wynema D. Nix, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Wynema D.

Nix, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Wynema D. Nix, deceased, 14901 N Pennsylvania Ave Apt 287 Oklahoma City, OK 73134

Debra D. Nix 1117 N 12th St Duncan, OK 73533

Donna D. Nix 1117 N 12th St Duncan, OK 73533

Richard D. Nix 2809 Melina Dr., Yukon, OK 73099

Billy Dwain Ferguson 28998 N County Road 3120 Elmore City, OK 73433

Danny Ray Ferguson 703 N Walnut Ave Cache, OK 73527

Rory Dale Ferguson 21444 E County Road 1670 Elmore City, OK 73433


Mary Jo Bush, a/k/a Mary Jo Newman, now Hotchko, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Mary Jo Bush, a/k/a Mary Jo Newman, now Hotchko, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Mary Jo Bush, a/k/a Mary Jo Newman, now Hotchko, deceased, 510 Rocky Creek Rd.,


Mansfield TX 76063


Ray Gene Newman, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Ray Gene Newman, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Ray Gene Newman, deceased,

122 Chamale Dr., Slideli, LA 70460

- 2. Other Persons-in-Interest:
- 3. Legal Description: See attached plat.
- **4. Just Compensation:** \$4,410.00










EXHIBIT "A"

Velma Lateral
TRACT NO. VI-ST-0018.010

Owner: Vicki Lynn Ferguson, now Fryar

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the south half of the southwest quarter of Section 2, Township 1 South, Range 4 West of the Indian Meridian, Stephens County, Oklahoma and being over, through and across a tract of land conveyed to Vicki Lynn Ferguson, now Fryar, recorded in Book 2942, Page 132, of the Office of the Clerk and Recorder of Stephens County, Oklahoma (O.C.R.S.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the southwest corner of said Section 2; THENCE North 00°39'25" West, with the west line of said Section 2, a distance of 12.40 feet to the POINT OF BEGINNING;

THENCE North 89°40'36" East, a distance of 478.65 feet, to a point;

THENCE North 58°41'49" East, a distance of 117.26 feet, to a point;

THENCE North 89°27'54" East, a distance of 521.56 feet, to a point;

THENCE North 64°12'40" East, a distance of 141.94 feet, to a point;

THENCE South 85°07'25" East, a distance of 232.37 feet, to a point;

THENCE South 73°38'57" East, a distance of 84.75 feet, to a point:

THENCE North 89°41'10" East, a distance of 931.46 feet, to a point;

THENCE South 05°05'26" East, a distance of 86.59 feet, to the POINT OF TERMINATION on the south line of said Section 2, from which a 1/2 inch iron rod found marking the south quarter corner of said Section 2 bears North 89°35'12" East, with the south line of said Section 2, a distance of 170.30 feet, said baseline having a total distance of 2594.58 feet (157.25 rods), said Permanent Easement & Right of Way containing 2.830 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 & 2 of 5, drawing number VL-ST-0018.010, Rev. 2, same date.

Date:

SIONAL

J. M. DENNEY

BRIGHOW

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Tract No(s). VL-ST-0024.000

1. Surface Owner(s):

Charles Allen Regan 202 E Modoc Ave McAlester, OK 74501

Marcella W. Regan whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Marcella W. Regan, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Marcella W. Regan, deceased, 1920 N. Honeysuckle Ave., Mangum, OK 73554

Robert Edward Regan 201 W 18th Str., Tishomingo, OK 75460

Marsha Nan Regan, a.k.a Marsha Nan Regan Purtell 201 W 18th Str., Tishomingo, OK 75460

John Patrick Regan 26290 Turkey Ridge Rd., Bush, LA 70431

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$4,154.00 (with VL-ST-0025.000)






EXHIBIT "A"

STEPHENS COUNTY, OKLAHOMA SECTION 1, TOWNSHIP 1 SOUTH, RANGE 4 WEST OF THE INDIAN MERIDIAN





	A.T.W.S. LINE TABLE			
LINE	BEARING	DISTANCE		
L1	N00°42'36"W	71.42'		
12	N43*43'17'E	394.53'		
L3	N46°16'44"W	25.00'		
1.4	N43*43'17"E	78.701		
L5	N50°21'22"E	23.96'		
L.6	540°12'00"E	25.00'		
1.7	\$50°21'20"W	22.75°		
L8	843°43'17"W	77.25'		
L9	N50°21'24"E	108,66'		
L10	N39*38'36'W	25.00		
L11	N50°21'23"E	50,8D°		
L12	N65°40'42"E	65.93		
L13	\$24°19'16"E	25.00*		
L14	S65°40'42"W	52,57°		
L15	550°21'24"W	47.43		
L16	\$00°43'29"E	62,32'		

N54*04'66"W

S36"55"D5"W

N54°04'56"W


N65*40'42"E

445.07

25.00

214.29

28.80



A.T.W.S. LINE TABLE			
LINE	BEARING	DISTANCE	
1.21	\$54°Q4′56″E	200.001	
1.22	N00*43'29*W	31.16'	
L23	N54°04'56°W	632,80°	
1.24	585°40'42"W	150.00'	
L25	N24*19'19"W	25.00	
1.26	N65'40'42"E	135.71	
1.27	\$54*04'54'E	28.80	

LEGEND

L17

L18

L19

L20

I.R.
I.P.
FND.
N.T.S.
R.O.W.
T.W.S.
A.T.W.S.
P.E.R.W.
T.A.R.
P.A.R.

IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT ESEMENT A: RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT ACCESS ROAD
BROKEN LINE NOT SCALABLE
PROPERTY LINE
BASELINE
BOSTING PPELINE
STATUTORY R.O.W.



SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL

	MIDSHI	P PIPELINE CO	MPANY, LLC	
DWG BY	: LAT	VELMA LATERAL PROJECT		
CKO BY: TRC		PERMANENT EASEMENT & RIGHT OF WAY		
DATE:	7/30/18	ACROSS THE PROPERTY OF		
SCALE:	N.T.S.	MARCELLA W. REGAN, ET AL		
REV#	DATE	DESCRIPTION		
3	8/29/2018	REVISE OWNERSHIP		
2	7/30/2018	ADDED DETAILS		
DRAWING:		VL-ST-0024.000	SHEET NO. 2 OF 3	



16350 Park Ten Place Houston, TX 77084 (281) 616-0100

EXHIBIT "A"

Velma Lateral TRACT NO. VL-ST-0024,000

Owner: Marcella W. Regan, et al

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northeast quarter of the southwest quarter of Section 1, Township 1 South, Range 4 West of the Indian Meridian, Stephens County, Oklahoma and being over, through and across a tract of land conveyed to Marcella W. Regan, Charles Allen Regan, Robert Edward Regan, Marsha Nan Regan, and John Patrick Regan, recorded Book 1976, Page 446 and in Book 914, Page 169 of the Office of the Clerk and Recorder of Stephens County, Oklahoma (O.C.R.S.C.OK.), said fiftyfoot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of sald Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 5/8 inch iron rod found marking the west quarter corner of said Section 1: THENCE North 89°20'33" East, along the north line of the southwest quarter of said Section 1, a distance of 1318,24 feet, THENCE South 00°42'36" East, along the west line of the northeast quarter of the southwest quarter of said Section 1, a distance of 1094.16 feet to the POINT OF BEGINNING:

THENCE North 43°43'17" East, a distance of 519.88 feet, to a point;

THENCE North 50°21'23" East, a distance of 169.22 feet, to a point;

THENCE North 65°40'42" East, a distance of 365.46 feet, to a point;

THENCE South 54°04'56" East, a distance of 608.09 feet, to the POINT OF TERMINATION on the east line of the southwest quarter of said Section 1, from which a 1/2 inch rod with cap found marking the south quarter corner of said Section 1 bears South 00°43'29" East, along the east line of the southwest quarter of said Section 1, a distance of 1811.94 feet, said baseline having a total distance of 1662.65 feet (100.77 rods), said Permanent Easement & Right of Way containing 1,908 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 3, drawing number VL-ST-0024.000, Rev. 3. same date

Date:

SIONA

DENNE

1434

BAT AHOY

James Michael Denney

Regis ered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm License No. 144

Page 3 of 3

Tract No(s). VL-ST-0025.000

1. Surface Owner(s):

Charles Allen Regan 202 E Modoc Ave McAlester, OK 74501

Marcella W. Regan whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Marcella W. Regan, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Marcella W. Regan, deceased, 1920 N. Honeysuckle Ave., Mangum, OK 73554

Robert Edward Regan 201 W 18th Str., Tishomingo, OK 75460

Marsha Nan Regan, a.k.a Marsha Nan Regan Purtell 201 W 18th Str., Tishomingo, OK 75460

John Patrick Regan 26290 Turkey Ridge Rd., Bush, LA 70431

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

See VL-ST-0024.000





EXHIBIT "A"

STEPHENS COUNTY, OKLAHOMA SECTION 1, TOWNSHIP 1 SOUTH, RANGE 4 WEST OF THE INDIAN MERIDIAN





	A.T.W.S. LINE TABLE			
LINE	BEARING	DISTANCE		
L1	S00°44'49"E	50.00		
L2	S89°22'48"W	194.08'		
1,3	S00"37"13"E	25.00'		
1.4	S89°22'48°W	108.25		
1.5	N54*04'56"W	108.25'		
L6	N35°55'05"E	25.00'		
L7	\$54°04'56"E	100.00'		
L8	N89°22'47"E	100,00		

LEGEND

IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERNANENT EASEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERNANENT ACCESS ROAD
STOKEN LINE NOT SCALABLE
PROPERTY LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.

NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHIP PIPELINE COMPANY, LLC						
DWG BY	: LAT	VELMA LATERAL PROJECT					
CKD BY: TRC		PERMANENT EASEMENT & RIGHT OF WAY					
DATE:	7/30/18	ACROSS THE PROPERTY OF					
SCALE:	N.T.S.	MARCELLA W. REGAN, ET AL					
REV#	DATE	DESCRIPTION					
2	8/29/2018	REVISE OWNERSHIP					
1	7/30/2018	ADDED DETAIL					
DRAWIN	IG:	VL-ST-0025.000 SHEET NO. 2 OF 3		3	Ī		



16350 Park Ten Place Houston, TX 77084 (281) 616-0100

EXHIBIT "A"

Velma Lateral
TRACT NO. VL-ST-0025,000

Owner: Marcella W. Regan, et al

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southeast quarter of Section 1, Townshlp 1 South, Range 4 West of the Indian Meridian, Stephens County, Oklahoma and being over, through and across a tract of land conveyed to Marcella W. Regan, Charles Allen Regan, Robert Edward Regan, Marsha Nan Regan, and John Patrick Regan, recorded in Book 1976, Page 446 and in Book 914, Page 169, of the Office of the Clerk and Recorder of Stephens County, Oklahoma (O.C.R.S.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod with cap found marking the south quarter corner of said Section 1; THENCE North 00°43'29" West, with the west line of the southeast quarter of said Section 1, a distance of 1811.94 feet to the POINT OF BEGINNING:

THENCE South 54°04'56" East, a distance of 474.28 feet, to a point;

Mel

THENCE North 89°22'48" East, a distance of 277.46 feet, to the POINT OF TERMINATION on the east line of the west half of the west half of the southeast quarter of said Section 1, from which a 1/2 inch iron rod found marking the southeast corner of said Section 1 bears South 00°44'49" East a distance of 207.30 feet to the southeast corner of the southwest quarter of the southeast quarter of said Section 1, THENCE North 89°20'38" East a distance of 1316.18 feet to the northeast corner of the west half of the southeast quarter of the southeast quarter of said Section 1, THENCE South 00°47'28" East a distance of 1321.90 feet to the southeast corner of the west half of the southeast quarter of said Section 1, THENCE North 89°20'42" East, with the south line of said Section 1, a distance of 658.60 feet, said baseline having a total distance of 751.74 feet (45.56 rods), said Permanent Easement & Right of Way containing 0.863 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 3, drawing number VL-ST-0025,000, Rev. 2, same date.

INAL

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s). VL-ST-0026.000

1. Surface Owner(s):

Jimmy R. Barker 205 Rowell's Lane Cache, OK 73527

Marie Robinson whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Marie Robinson, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Marie Robinson, deceased, P.O. Box 326, Cache, OK 73527

Jimmy Ray Barker 205 Rowell's Lane Cache, OK 73527

Jackie Ruth Barker, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Jackie Ruth Barker, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Jackie Ruth Barker, deceased, 205 Rowell's Lane Cache, OK 73527

Suellen Kaye Thiessen 611 N 8th St., Cache, OK 73527

Ronald D. Barker 205 Rowell's Lane Cache, OK 73527

B.G. Hestand, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of B.G. Hestand, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of B.G. Hestand, deceased, Address Unknown

John Hestand, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of John Hestand, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of John Hestand, deceased, Address Unknown

Sallie Hestand Rawlinson, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Sallie Hestand Rawlinson, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Sallie Hestand Rawlinson, deceased,

Address unknown

Cora Hestand Mosby, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Cora Hestand Mosby, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Cora Hestand Mosby, deceased, Address unknown

Isaac D. Hestand, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Isaac D. Hestand, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Isaac D. Hestand, deceased, Address unknown

Ruth Hestand Pettijohn, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Ruth Hestand Pettijohn, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Ruth Hestand Pettijohn, deceased,

Address Unknown

Arva Hestand Arnold, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Arva Hestand Arnold, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Arva Hestand Arnold, deceased,

Address Unknown

2. Other Persons-in-Interest:

- 3. Legal Description: See attached plat.
- 4. Just Compensation:

\$3,354.00






EXHIBIT "A"

STEPHENS COUNTY, OKLAHOMA SECTION 1, TOWNSHIP 1 SOUTH, RANGE 4 WEST OF THE INDIAN MERIDIAN






DETAIL "1"



DETAIL "2"



DETAIL *3*

A.T.W.S. LINE TABLE			
LINE	BEARING	DISTANCE	
£1	N84*05'13"E	4.49	
L2	N84"05'08"E	58.57'	
L3	N84°08'12"E	41.43'	
L4	S05°54'55"E	24.96	
L5	S84°05'08*W	100.00'	
L6	N05°54'53"W	25.00°	
L7	N77*50'47"E	94.56*	
£8	N77°60'46"E	59,65'	
L9	N77°50'46"E	40.35"	
L10	\$12*09'14"E	25.00	
Lii	S77*50'48"W	100.00*	
L12	N12*09'14"W	25.00	
L13	S00°48'47"E	50.711	
L14	979°36'31"W	17.26	
L15	S00'31'33'E	25.38'	
L16	S79°36'31"W	124.65	
L17	N10°23'29"W	25.00	
L18	N79"36'31"E	129.00	

LEGEND

I.R. I.P. I.P. N.T.S. R.O.W. T.W.S. A.T.W.S. P.E.R.W. IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
PERMANENT EASDMENT & RIGHT OF WAY
BROKEN LINE NOT SCALABLE
PROPERTY LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.



16350 Park Ten Place Houston, TX 77084 (281) 616-0100 NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL

	MIDSHIP PIPELINE COMPANY, LLC					
DWG BY: LAT CKD BY: TRC		VELMA LATERAL PROJECT PERMANENT EASEMENT & RIGHT OF WAY				
					DATE:	7/30/18
SCALE:	N.T.S.	TAL				
REV#	DATE	DESCRIPTION				
3	7/30/2018	ADDED DETAILS				
2	10/25/2017	REVISED WORKSPACE				
DRAWING: VL-8T-0026.000 SHEET NO. 2 OF		3				

EXHIBIT "A"

Velma Lateral TRACT NO. VL-ST-0026,000

Owner: Jimmy Ray Barker and Jackie Ruth Barker, et al

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southeast quarter of Section 1, Township 1 South, Range 4 West of the Indian Meridian, Stephens County, Oklahoma and being over, through and across a tract of land conveyed to John Hestand, Sallie Hestand Rawlinson, Cora Hestand Mosby, Issac D. Hestand, Arva Hestand Arnold, and Ruth Hestand Pettijohn, or their unknown heirs, B.G. Hestand, Marie Robinson, Jimmy Ray Barker and Jackie Ruth Barker, Suellen Kaye Thiessen and Ronald D. Barker, recorded in Book 414, Page 323, Book 802, Page 319, Book 844, Page 453, Book 2412, Page 251, Book 3281, Page 134 and in Book 3525, Page 125 of the Office of the Clerk and Recorder of Stephens County, Oklahoma (O.C.R.S.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch fron rod found marking the east quarter corner of said Section 1; THENCE South 89°20'33" West a distance of 2630.33 feet to the center of said Section 1, THENCE South 00°43'29" East a distance of 660.93 feet to the southwest corner of the north half of the north half of the southeast quarter of said Section 1, THENCE North 89°20'35" East a distance of 657.84 feet to the southeast corner of the northwest quarter of the northwest quarter of the southeast quarter of said Section 1, THENCE South 00°44'49" East with the east line of the west half of the west half of the southeast quarter of said Section 1 a distance of 453.64 feet to the POINT OF BEGINNING:

THENCE North 89°22'48" East, a distance of 1268.84 feet, to a point:

THENCE North 84°05'08" East, a distance of 167.95 feet, to a point;

THENCE North 77°50'46" East, a distance of 301.31 feet, to a point;

THENCE North 79°36'31" East, a distance of 245.91 feet, to the POINT OF TERMINATION on the east line of said Section 1, from which a 1/2 inch iron rod found marking the southeast corner of said Section 1 bears 5outh 00°48'47" East a distance of 1645.45 feet, said baseline having a total distance of 1984.01 feet (120.24 rods), said Permanent Easement & Right of Way containing 2.277 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No. 1 of 3, drawing number VL-ST-0026.000, Rev. 3, same date.

Date:

SIDNA

J. M.

1434

ONT ARRIVA

James Michael Denney

Registered Professional Land Surveyor

Oklehoma Registration No. 1434

Firm License No. 144

GARVIN COUNTY

Tract No(s). GA-0444.000

1. Surface Owner(s):

Danny T. Christian 607 W. Plato Duncan, OK 73533

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$7,056.00 (with GA-0445.000 and GA-0448.000)








EXHIBIT "A"

GARVIN COUNTY, OKLAHOMA SECTION 10, TOWNSHIP 1 NORTH, RANGE 3 WEST OF THE INDIAN MERIDIAN

_					
	A.T.W.S. LINE TABLE				
LINE	BEARING	DISTANCE			
Li	589°15'33"W	49.42			
L2	S00°49'01"E	43.10'			
£3	S34*36'36"E	93.131			
14	\$34°36'37"E	13.82			
L5	S24°01'39°E	186.18*			
L6	S65°58'21"W	50.60*			
L7	N24°01'39"W	181.55			
LB	N34°36'34°W	9.19			
1.9	N55°23'24"E	50.00			
L10	\$89°18'03"W	70.79"			
L11	S89°18'03"W	54.45'			
L12	N24°01'99"W	137.09'			
L13	N83°48'06"E	19.04'			
L14	N89°05'59'E	20.36'			
L15	\$88°34'25°E	14.56			
L16	\$24*01*39*E	138.57*			


T.A.R. LINE TABLE				
LINE	BEARING	DISTANCE		
135	N31*16'53"E	26.58		
L36	N34"07'24"E	24,97'		
L37	N40*30'04"E	24.44'		
L38	N44°19'26"E	24.031		
L39	N51°20'23"E	24.47		
L40	N57'51'30"E	24.03'		
L41	N66*06'30"E	23.471		
L42	N71°46'24"E	21.30'		
L43	N75°35'30"E	19.64'		
L44	N81*44'50'E	15.32'		
L45	S76"08'06"E	2.03'		
L48	N83"48'08"E	64,43'		
L47	N89°05'59"E	21.19'		
L48	S88°34'26"E	8.67		





	T.A.R. LINE TABLE				
LINE	BEARING	DISTANCE			
L57	N05*17*39*E	54.021			
L18	N08°35'21"E	50.49			
L19	N12*54'18"E	35.69			
1.20	N18°27'42"E	37.27			
121	N22"54"49"E	26.24			
L22	N25"46"04"E	39.25			
L23	N26'30'32'E	41.00			
L24	N27°10'12"E	42.61'			
L25	N25°52'11"E	44.55			
1.26	N21"21"15"E	28.44'			
L27	N16*44'33"E	27.92			
L28	N13*44'46'E	41.92			
L29	N13'14'59'E	42.10'			
L30	N13*56*18*E	27.56			
£31	N19'45'55'E	38.74'			
L32	N26°20'37°E	37.97			
1.33	N32*31*32*E	9.26'			
L34	N29°01'57"E	7.161			

135 129 128 128 127 127 127 127 129 121 120 149 149 149 149 149 149 149 149				99		
L28 L25 L24 L23 L27 L20 L19 L18 L17 L18 L18				~~		
125 124 123 127 127 120 149 149 149 149 140 147 147 147 148 147 148 148 148 148 148 148 148 148					13	,
1.24 1.23 1.27 1.29 1.19 1.18 1.18 1.17 1.18 1.19 1.18 1.19 1.19 1.10				7		•
L22 L20 L19 L18 L16 L17 R/W R/W R/W R/W R/W R/W R/W R/W R/W R/W		1	24-	1	1 27	
L20 L19 L18 L17 R/W				3		
L18 L17 R/W			-	7		
147				1		
NA N			-			
S89°20°32°E	R/W R/W R/	W IVW	I/W IV		W-R/H-	1/1 1/1
DETAIL "3"						



LEGEND

IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERMANENT ESEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.

NOTE:

SEE SHEET 1 OF 4 FOR NOTES, SIGNATURE, AND SEAL.



16350 Park Ten Place Houston, TX 77084 (281) 616-0100

MIDSHIP PIPELINE COMPANY, LLC DWG BY: CP MIDSHIP MAINLINE PROJECT

TRO CKD BY: PERMANENT EASEMENT & RIGHT OF WAY ACROSS THE PROPERTY OF DANNY T. CHRISTIAN DATE: 7/24/18 N.T.S. SCALE: REV# DATE DESCRIPTION 3 8/23/2018 ADDED T.A.R. WIDTH AND AREA 2 7/24/2018 ADDED DETAILS GA-0444.000 SHEET NO. 3 OF 4 DRAWING:

EXHIBIT "A"

MIDSHIP Mainline TRACT NO. GA-0444,000

Owner: Danny T. Christian

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northeast quarter of the southwest quarter of Section 10, Township 1 North, Range 3 West of the Indian Meridian, Garvin County, Oklahoma and being over, through and across a tract of land conveyed to Danny T. Christian, recorded in Book 1792, Page 27, of the Office of the Clerk and Recorder of Garvin County, Oklahoma (O.C.R.G.C.O.K.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the east quarter corner of said Section 10; THENCE South 89°15'33" West, with the north line of the south half of said Section 10, a distance of 3243.65 feet to the POINT OF BEGINNING;

THENCE South 34°36'36" East, a distance of 121.25 feet, to a point;

THENCE South 24°01'39" East, a distance of 1325.40 feet, to the POINT OF TERMINATION on the south line of the northeast quarter of the southwest quarter of said Section 10, from which a PK nail found marking the south quarter corner of said Section 10 bears North 89°18'03" East, with the south line of the northeast quarter of the southwest quarter of said Section 10, a distance of 19.95 feet, THENCE South 00°50'46" East, with the east line of the southwest quarter of said Section 10, a distance of 1318.12 feet, said baseline having a total distance of 1446.65 feet (87.68 rods), said Permanent Easement & Right of Way containing 1.659 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services i.L.C, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 4, drawing number GA-0444.000, Rev. 3,

Date:

DENNEY

same date.

James Michael Denney

Registered Professional Land Surveyor

Oklahoma Registration No. 1434

Firm Ucense No. 144

Page 4 of 4

Tract No(s). GA-0445.000

1. Surface Owner(s):

Danny T. Christian 607 W. Plato Duncan, OK 73533

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

See GA-0444.000






EXHIBIT "A"

GARVIN COUNTY, OKLAHOMA
SECTION 10, TOWNSHIP 1 NORTH,
RANGE 3 WEST OF THE INDIAN MERIDIAN



	T.A.R. LINE TABLE				
LINE	BEARING	DISTANCE			
L1	N82°31'32"E	29.21			
12	N36"51"31"E	25.29			
L3	N41*37'52"E	25.20			
Ł4	N46°22'01°E	24.84'			
1.5	N65°26'58"E	30.81'			
1.6	N60°31'19"E	29.69			
L7	N62°59'46"E	21.49			
1.8	N64°28'08"E	53.97'			
Ł9	NB5"11'45"E	60,05			
L10	N65°28'38"E	61.47			
£11	N65°41'48"E	96.87'			
L12	N64°41'18"E	62.44'			
L13	N61"00'35"E	43.09'			
L14	N55°58'10"E	25.63			
L15	N48°45'50"E	23.04			
L16	N50°18'46"E	33.63'			
L17	N58*50'42*E	20.79'			
L18	N66°32'44"E	19.12			
L19	N74°41'47"E	32.92'			
£20	N78°05'05"E	47.94'			
L21	N75°21'02"E	18.31"			
122	N61°22'44°E	21.76'			
L23	N45°53°05"E	13.46'			
L24	N28*36'42*E	21.81'			
1.25	N11"34"19"E	18.44'			

T.A.R. LINE TABLE				
LINE	BEARING	DISTANCE		
L25	N00°06'04"W	13.03'		
L27	N04*11'36"E	15.03		
L28	N12"10'33"E	15.52'		
1.29	N19°21'53"E	25.47'		
L30	N25'41'09'E	19.65		
L31	N29°05'04"E	18.66 ⁴		
L32	N32°06'30"E	18.97		
L33	N35°13'48"E	22.30		
L34	N37°66'29"E	23.42		
L35	N38°33'00"E	22.01		
L36	N40°40'25°E	20.78		
L37	N33°42'10"E	18.94"		
L38	N31°15'48"E	23.52		
139	N28'24'32"E	24.74'		
L40	N26"22"36"E	26.05'		
L41	N27°04'12'E	26.95'		
1.42	N29°01'57"E	19,68'		

- 1	A.T.W.S. LINE TABLE				
LINE	BEARING DISTAN				
L43	S89°18'03"W	70.79			
£44	S24"01'39"E	51.51'			
L45	S65°58'22"W	50.00'			
L46	N24°01'39*W	73.07'			
L47	N89°18'03"E	54.45°			

LEGEND

I.R. I.P. FND. N.T.S. R.O.W. T.W.S. A.T.W.S. P.E.R.W. T.A.R. P.A.R.

IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITROMAL TEMPORARY WORKSPACE
PERMANENT ESCHAENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERMANENT LINE
PROPERTY LINE
STATUTORY R.O.W.

NOTE:

SEE SHEET 1 OF 4 FOR NOTES, SIGNATURE, AND SEAL.



16358 Park Ten Place Houston, TX 77084 (281) 616-8100

MIDSHIP PIPELINE COMPANY, LLC					
DWG BY: CP CKD BY: TRC		MIDSHIP MAINLINE PROJECT PERMANENT EASEMENT & RIGHT OF WAY			
					DATE:
SCALE:	N.T.S.				
REV#	DATE	DESCRIPTION			
2	8/23/2018	ADDED T.A.R. WIDTH AND AREA			
1	7/24/2018	ADDED DIMENSIONS			
DRAWING:		GA-0445.000	SHEET NO. 3 OF 4		

Owner: Dan T. Christian

EXHIBIT "A"

MIDSHIP Mainline TRACT NO. GA-0445.000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a Permanent Easement & Right of Way situated in the southeast quarter of the southwest quarter of Section 10, Township 1 North, Range 3 West of the Indian Meridian, Garvin County, Oklahoma and being over, through and across a tract of land conveyed to Dan T. Christian, recorded in Book 1375, Page 584, of the Office of the Clerk and Recorder of Garvin County, Oklahoma (O.C.R.G.C.OK.), said Permanent Easement & Right of Way being situated twenty-five-feet on the southwest side of and being all of the southeast quarter of the southwest quarter of said Section 10 northeast of the herein described baseline, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the east quarter corner of said Section 10; THENCE South 89°15'33" West, with the north line of the southeast quarter of said Section 10, a distance of 2634,58 feet, THENCE South 00°50'46" East, with the east line of the southwest quarter of said Section 10, a distance of 1318.12 feet, THENCE South 89°18'03" West, with the north line of the southeast quarter of the southwest quarter of said Section 10, a distance of 19.95 feet to the POINT OF BEGINNING;

THENCE South 24°01'39" East, a distance of 50.67 feet, to the **POINT OF TERMINATION** on the east line of the southwest quarter of said Section 10, from which a PK nall found marking the south quarter corner of said Section 10 bears South 00°50'46" East, with the east line of the southwest quarter of said Section 10, a distance of 1271.59 feet, said baseline having a total distance of 50.67 feet (3.07 rods), said Permanent Easement & Right of Way containing 0.060 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 & 2 of 4, drawing number GA-0445.000, Rev. 2. same date.

SIONAL

J. M.

DENNEY

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s). GA-0448.000

1. Surface Owner(s):

Danny T. Christian 607 W. Plato Duncan, OK 73533

2. Other Persons-in-Interest:


Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128


3. Legal Description:

See attached plat.

4. Just Compensation:

See GA-0444.000








EXHIBIT "A"

GARVIN COUNTY, OKLAHOMA SECTION 15, TOWNSHIP 1 NORTH, RANGE 3 WEST OF THE INDIAN MERIDIAN

	T.A.R. LINE TA	BLE	
LINE	BEARING	DISTANCE	
L1	S01°02'29"E	70.72'	
L2	S03°24'25"E	46.39*	
L3	S00*37*25*E	61.53'	
L4	S01°03'44"W	72.24	
L5	SD0°01'46"W	55.25'	
L6	501*33*52*E	73.59	
L7	S01"41"13"E	68.24"	
La	S00°30'58"E	76.78°	
L9	502°50'33"E	81.02	
L10	S00°54'38"W	84.27	
1.11	S03*54'21"W	58.99*	
L12	802"01'32"E	75,48'	
L13	S01°38'20°W	23.42	
L14	S06°10'42"W	24.89'	
L15	912°32'26"W	24.66'	
L16	S22"46'43"W	22.48'	
L17	\$30"59'52"W	27.31	
L18	S41°40'08"W	56.40'	
L19	S41*01'38°W	89.92'	
L20	501*19'10"W	35.05*	
L21	S06°04'47"W	51.84'	
L22	S03*16'30"W	38,45	
L23	\$10°51'48"E	29.33'	
L24	S27*09'02"E	50.53'	
1.25	S37*07'44"E	56.40'	
1.26	\$81°52'49"E	23.29'	
L27	N70°59'49"E	33,681	
L28	N54°29'58"E	27.26	
L29	N52°23'18"E	30.55'	
L30	N59°16'10"E	33.78'	
L.81	N64°54'48"E	24,43'	
L32	N72°03'11"E	26.89"	
L33	N81°52'47"E	24.44'	
L34	S77°43"13"E	55,19'	
L35	S60°29'93"E	23.83	
L36	570°57'60"E	40.23'	
L37	879°22'22"E	64.20'	
£38	S77"53"50"E	178.03'	

A.T.W.S. LINE TABLE			
LINE	BEARING	DISTANCE	
1.39	889°17'01"W	67.31	
L40	S15°47'03*E	9.13'	
L41	\$15°47'04"E	183.01'	
L42	874°12'55"W	50.00'	
L43	N15*39'22"W	123.55	
L44	N01"02'29"W	38.38'	
1,45	N01°02'28"W	6,92	
L46	N02*06'00"E	2.74	
1.47	N08"13'41"E	2,28'	
L46	N13°04'47"E	2,56'	
1,49	N19'23'37"E	2.65	
L50	N23'34'28"E	1.02'	
L51	N25°54'59"E	1.02'	
L52	N28°17'22"E	1.02'	
L53	N30°39'30"E	1.02'	
L54	N33°01'23"E	1.02"	
L55 ·	N36°67'32"E	1.58'	
L56	N41"10'20"E	2.95'	
L57	N45'45'45'E	1.06*	
L58	N48"10'37"E	1.06'	
L59	N50"86'40"E	1.08	
£60	N53"03"59"E	1.08'	
L61	N55*29'46"E	1.06'	
L62	N59°24'44"E	2.35	
L63	N64°49'47"E	2.38	
L64	N72°04'00"E	3.93'	
L65	N794732E	2.37'	
L66	N85°31'08"E	3.06'	
L67	N89°59'17"E	7.931	
L68	S89*17*35*W	66 51'	
L69	N12*56'25"W	21.31	
L70	N77*63'50"W	60.39	
L71	N22°30'46"W	178.88'	
L72	N87*29'13"E	50.00'	
L73	S22°30'46"E	200.00*	
L74	522'30'45'E	11.41'	
L75	S12'56'26"E	1.80°	



LEGEND

I.R. I.P. FND. N.T.S. R.O.W. T.W.S. A.T.W.S. P.E.R.W. T.A.R. P.A.R.

BRON ROD
BRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERIANENT ESEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERIANENT ACCESS ROAD
ERIANENT ACCESS ROAD
ERIANE TO SCALABLE
PROPERTY LINE
BASELINE
EXISTING PIPELINE
STATUTORY R.O.W.

NOTE:

SEE SHEET 1 OF 5 FOR NOTES, SIGNATURE, AND SEAL.



	MIDSHI	P PIPELINE CO	MPANY, LLO	2	
DWG BY: CP		MIDSHIP MAINLINE PROJECT			
CKD BY: TRC DATE: 7/24/18 SCALE: N.T.S.		PERMANENT EASEMENT & RIGHT OF WAY			
		ACROSS THE PROPERTY OF			
		DANNY T, CHRISTIAN			
REV#	DATE	DESCRIPTION			
2	8/23/2018	ADDED T.A.R. WIDTH & AREA			
1	7/24/2018	ADDED DETAILS			
DRAWING:		GA-0448.000	SHEET NO.	4 OF 5	

EXHIBIT "A"

MIDSHIP Mainline TRACT NO. GA-0448.000

Owner: Danny T. Christian

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of the northeast quarter of Section 15, Township 1 North, Range 3 West of the Indian Meridian, Garvin County, Oklahoma and being over, through and across a tract of land conveyed to Danny T. Christian, recorded in Book 1262, Page 873, of the Office of the Clerk and Recorder of Garvin County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a PK nall found marking the north quarter corner of said Section 15; THENCE North 89°17'01" East, with the north line of said Section 15, a distance of 351,75 feet to the POINT OF BEGINNING;

THENCE South 15°47'04" East, a distance of 723.76 feet, to a point; THENCE South 22°30'46" East, a distance of 624.52 feet, to a point;

THENCE South 12°56'14" East, a distance of 42.64 feet, to the POINT OF TERMINATION on the south line of the northwest quarter of the northeast quarter of said Section 15, from which a PK nail found marking the northeast corner of said Section 15 bears North 89°17'35" East, with the south line of the northwest quarter of the northeast quarter of said Section 15 a distance of 540.18 feet, THENCE North 00°45'23" West, with the east line of the northwest quarter of the northeast quarter of said Section 15, a distance of 1320.51 feet, THENCE North 89°17'01" East, with the north line of said Section 15, a distance of 1320.08 feet, said baseline having a total distance of 1390.92 feet (84.30 rods), said Permanent Easement & Right of Way containing 1.597 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 5, drawing number GA-0448.000, Rev. 2, same date.

SSIDNA

J. M.

1434

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s). GA-0450.000

1. Surface Owner(s):

Dan Christian and Johnettee Christian 607 W. Plato Duncan, OK 73533

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$141.00




EXHIBIT "A"

MIDSHIP Mainline

Owner: PrimeEnergy Corporation and Dan Christian and Johnettee Christian

TRACT NO. GA-0450.000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the northwest quarter of the southeast quarter of Section 15, Township 1 North, Range 3 West of the Indian Meridian, Garvin County, Okjahoma and being over, through and across a tract of land conveyed to PrimeEnergy Corporation and Dan Christian and Johnettee Christian, recorded in Book 2009, Page 354 and Book 1556, Page 472 and Book 1556, Page 471, of the Office of the Clerk and Recorder of Garvin County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a PK nail found marking the west quarter corner of said Section 15; THENCE North 89°18'09"
East, with the north line of the south half of said Section 15, a distance of 3948.44 feet to the POINT OF
BEGINNING:

THENCE South 22°33'10" East, a distance of 15.01 feet, to the POINT OF TERMINATION on the east line of the northwest quarter of the southeast quarter of said Section 15, from which a 1/2 inch iron rod found marking the east quarter corner of said Section 15 bears North 00°50'03" West, with the east line of the northwest quarter of the southeast quarter of said Section 15, a distance of 13.93 feet, THENCE North 89°18'09" East, with the north line of the southeast quarter, a distance of 1316.96 feet, said baseline having a total distance of 15.01 feet (0.91 rods), said Permanent Easement & Right of Way containing 0.030 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A", Sheet No(s). 1 of 2, drawing number GA-0450.000, Rev. 1,

SIONAL

same date.

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Okianoma Registration No. 1

Firm License No. 144

Date:

Tract No(s). GA-0453.000

1. Surface Owner(s):

A. Michael Monroe, 7175 E. 520 Road Claremore, OK 74019

C. Patrick Wallace, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of C. Patrick Wallace, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of C. Patrick Wallace, deceased, P. O. Box 453
Marietta, OK 73448

Jay Lynn Perkins 718 9th St SE Washington, DC 20003

Ken Christian Perkins 7846 Centaur Dr., Evergreen, CO 80439

Phillip Lee Perkins 5409 Maryland Way, Suite 200 Brentwood, TN 37027

Keith Carroll Perkins 1806 Country Club Road Duncan, OK 73533

Dan Christian 607 Plato Road Duncan, OK 73533

Dale P. Cowan 107 N B Str., Duncan, OK 73533 Imogen Gentry 7001 Winthorp Dr., Arlington, TX 76001

H. F. Bare, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of H. F. Bare, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of H. F. Bare, deceased, 2221 Donnell Rd., Choctaw, OK 73020

Lola M. Bare 645 SW 13th, Moore, OK 73160

Dawn Hull 17251 Banner Rd., Lexington, OK 73051

Christy Rogers 5201 SE 58th, Oklahoma City, OK 73135

Misty Bare 10125 Bellview Dr. Midwest City, OK 73160

2. Other Persons-in-Interest:

Central Land Consulting LLC c/o The Corporation Company 1833 S Morgan Rd., Oklahoma City, OK 73128

3. Legal Description:

See attached plat.

4. Just Compensation:

\$2,848.00





EXHIBIT "A"

GARVIN COUNTY, OKLAHOMA SECTION 15, TOWNSHIP 1 NORTH, RANGE 3 WEST OF THE INDIAN MERIDIAN





A.T.W.S. LINE TABLE			
LINE	BEARING	DISTANCE	
L1	S89°15'41"W	72.62	
1.2	N27*03'51"W	8.98'	
L3	\$89°20'25"W	53.86*	
L4	N22°29'13"W	129,97'	
L5	N67*30'47*E	50.00'	
L6	S22°29'14°E	160.00	

LEGEND

I.R.
I.P.
FND.
N.T.S.
R.O.W.
T.W.S.
AT.W.S.
P.E.R.W.
T.A.R.
P.A.R.

IRON ROD
IRON PIPE
FOUND
NOT TO SCALE
RIGHT OF WAY
TEMPORARY WORKSPACE
ADDITIONAL TEMPORARY WORKSPACE
PERNANENT EASEMENT & RIGHT OF WAY
TEMPORARY ACCESS ROAD
PERNANENT ACCESS ROAD
PERNANENT LOCESS ROAD
PERNANENT LOCESS ROAD
PROVENT LINE NOT SCALABLE
PROPERTY LINE
BASELINE
EXISTING PIPELINE
STATLITORY R.O.W.

NOTE:

SEE SHEET 1 OF 3 FOR NOTES, SIGNATURE, AND SEAL.

	MIDSHI	P PIPELINE CO	MPANY, LLO	2		
DWG BY: CP		MIDSHIP MAINLINE PROJECT				
CKD BY: TRC		PERMANENT EASEMENT & RIGHT OF WAY				
DATE:	7/25/18					
SCALE:	N.T.\$,	THE KIPLIN D. COWAN REVOGABLE TRUST, ET AL				
REV#	DATE	DESCRIPTION				
1	7/25/2018	ADDED DETAIL				
0	9/14/2017	CERTIFIED				
DRAWIN	lG:	GA-0453.000	SHEET NO.	2	OF	3



16350 Park Ten Place Houston, TX 77084 (281) 616-0109

EXHIBIT "A"

MIDSHIP Mainline

Owner: The Kiplin D. Cowan Revocable Trust, et al

TRACT NO. GA-0453.000

PERMANENT EASEMENT & RIGHT OF WAY

Description of a fifty-foot wide Permanent Easement & Right of Way situated in the southeast quarter of the southeast quarter of Section 15, Township 1 North, Range 3 West of the Indian Meridian, Garvin County, Oklahoma and being over, through and across a tract of land conveyed to the The Kiplin D. Cowan Revocable Trust, et al, recorded in, Book 1792, Page 27, Book 1755, Page 875, Book 1556, Page 913, Book 1416, Page 873, Book 1355, Page 200 and Book 1233, Page 825 the Office of the Clerk and Recorder of Garvin County, Oklahoma (O.C.R.G.C.OK.), said fifty-foot wide Permanent Easement & Right of Way being situated twenty-five-feet on each side of the herein described baseline, the sidelines of said Permanent Easement & Right of Way being lengthened or shortened to meet the boundary lines of said tract of land, said baseline being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found marking the east quarter corner of said Section 15; THENCE South 00°50'39" East, with the east line of said Section 15, a distance of 1319.30 feet, THENCE South 89°14'35" West, with the north line the southeast quarter of the southeast quarter of Section 15, a distance of 797.70 feet to the POINT OF BEGINNING:

THENCE South 22°29'14" East, a distance of 1382.93 feet, to a point;

THENCE South 27"03'51" East, a distance of 38.55 feet, to the POINT OF TERMINATION on the south line of said Section 15, from which a 1/2 inch iron rod found marking the southeast corner of said Section 15 bears North 89°15'41" East, with the south line of said Section 15, a distance of 270.62 feet, said baseline having a total distance of 1421.48 feet (86.15 rods), said Permanent Easement & Right of Way containing 1.632 acres of land.

All bearings, distances, and coordinates shown herein are grid, based upon the Universal Transverse Mercator Coordinate System, Zone 14 North, North American Datum of 1983, U.S. Survey Feet, as derived from an on the ground survey performed by TRC Pipeline Services LLC, conducted in May of 2017.

For reference and further information see Exhibit "A". Sheet No(s). 1 of 3, drawing number GA-0453.000, Rev. 1, SIONAL

.1. M.

1424

same date.

James Michael Denney

Registered Professional Land Surveyor Oklahoma Registration No. 1434

Firm License No. 144

Date:

Tract No(s). GA-0469.010

1. Surface Owner(s):

Cecil Hooks 1321 S. Burnside Ave., Los Angeles, CA 90019

Chere Hooks 1321 S. Burnside Ave., Los Angeles, CA 90019

Dorscine S. Littles, as Trustee of The Revocable Trust Agreement of Dorscine S. Littles, 3310 N Forest Park Dr., Oklahoma City, OK 73121

The executor, executrix and, or administrator of the Estate of Tams Bixby Spigner, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Tams Bixby Spigner, deceased, 16821 21st Ave., CT E, Apt 21 Spanaway, WA 98387

or 1321 S. Burnside Ave., Los Angeles, CA 90019

L.K. Spigner, Jr. 16821 21st Ave., CT E, Apt 21 Spanaway, WA 98387

Evelyn Edwards, whether alive or deceased, and, if deceased, the executor, executrix and, or administrator of the Estate of Evelyn Edwards, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Evelyn Edwards, deceased, 918 SW 66th St., Oklahoma City, OK 73139

Alvin Moton Spigner, 4020 S 130th East Ave., Apt. 603 Tulsa, OK 74134 The executrix and, or administrator of the Estate of Theresa Spigner "Potts" Bonner, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Theresa Spigner "Potts" Bonner, deceased, Address Unknown

Jessie Davis 4664 Sand Creek Ave., Apt. D Las Vegas, NV 89103

Theresa Caldwell a/k/a Theresa Foreman 4664 Sand Creek Ave., Apt. D Las Vegas, NV 89103

Itasca Renee' Banks a/k/a Renee' 328 N 11th St., Apt. 225 Las Vegas, NV 89101

Clezell Foreman 4664 Sand Creek Ave., Apt. A Las Vegas, NV 89103

Denise McGee a/k/a Denese Foreman 2219 N Rancho Dr., #2176 Las Vegas, NV 89130

Althea Foreman 114 Hughes Ave., Bakersfield, CA 93308

Kenneth Wright 22638 Cohasset St., West Hills, CA 91307

Catherine Walker a/k/a Catherine Wright 5225 E Charleston Blvd., Apt. 1056 Las Vegas, NV 89142

Zachary Wright 3950 Captain Morgan Ave., North Las Vegas, NV 89031

Zoe Wright a/k/a Zoelea Wright a/k/a Zoe Lea Wright

4920 Forest Oaks Dr., Las Vegas, NV 89149

Jerome Wright, II 312 S Beverly Dr., Unit 3392, Beverly Hills, CA 90212

The executrix and, or administrator of the Estate of Nathan A. Spigner, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Nathan A. Spigner, deceased, 1141 Carverdale Dr. Oklahoma City, OK 73117

Margaret Spigner Hudson 2133 NE 26th St Oklahoma City, OK 73111

The executrix and, or administrator of the Estate of Bob Shirey, deceased, and all heirs and, or legatees, devisees, trustees, creditors and assigns of Bob Shirey, deceased, 13503 Perthshire Road, Houston, TX 77079

Dorothy Sue Riley, s/p/a Dorothy Hudson 1005 Surrey Dr., Ardmore, OK 73401

2. Other Persons-in-Interest:

3. Legal Description:

See attached plat.

4. Just Compensation:

\$310.00

